

Reference list ‘Scientific Reviews on Meat Analogues and Plant-Based Ingredients’

- Novel foods. (1995). *Trends in Food Science & Technology*, 6(March), 80304.
- Aaron, L., & Torsten, M. (2019). Microbial transglutaminase: A new potential player in celiac disease. *Clinical Immunology*, 199, 37–43. <https://doi.org/10.1016/j.clim.2018.12.008>
- Aaslyng, M. D., Martens, M., Poll, L., Munk Nielsen, P., Flyge, H., & Larsen, L. M. (1998). Chemical and Sensory Characterization of Hydrolyzed Vegetable Protein, a Savory Flavoring. *Journal of Agricultural and Food Chemistry*, 46(2), 481–489. <https://doi.org/10.1021/jf970556e>
- Aceituno-Medina, M., Mendoza, S., Lagaron, J. M., & López-Rubio, A. (2013). Development and characterization of food-grade electrospun fibers from amaranth protein and pullulan blends. *Food Research International*, 54(1), 667–674. <https://doi.org/10.1016/j.foodres.2013.07.055>
- Agboyibor, C., Kong, W. B., Chen, D., Zhang, A. M., & Niu, S. Q. (2018, October 1). Monascus pigments production, composition, bioactivity and its application: A review. *Biocatalysis and Agricultural Biotechnology*. Elsevier Ltd. <https://doi.org/10.1016/j.bcab.2018.09.012>
- Agriculture and Agri-Food Canada. (2017). *MARKET ACCESS SECRETARIAT, Global Analysis Report, Health and Wellness Series, Vegetarian and Vegan Food in Germany*. Retrieved from <http://www.agr.gc.ca/resources/prod/Internet-Internet/MISB-DGSIM/ATS-SEA/PDF/6840-eng.pdf>
- Aguilar-Vázquez, G., Loarca-Piña, G., Figueroa-Cárdenas, J. D. D., & Mendoza, S. (2018). Electrospun fibers from blends of pea (*Pisum sativum*) protein and pullulan. *Food Hydrocolloids*, 83, 173–181. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0268005X18301498>
- Aguilar-Vázquez, G., Ortiz-Frade, L., Figueroa-Cárdenas, J. D., López-Rubio, A., & Mendoza, S. (2020). Electrospinnability study of pea (*Pisum sativum*) and common bean (*Phaseolus vulgaris* L.) using the conformational and rheological behavior of their protein isolates. *Polymer Testing*, 81, 106217. <https://doi.org/10.1016/J.POLYMERTESTING.2019.106217>
- Aguilera, J. M., Rossi, F., Hiche, E., & Chichester, C. O. (1980). Development and evaluation of an extrusion-texturized peanut protein. *Journal of Food Science*, 45(2), 246–250. <https://doi.org/10.1111/j.1365-2621.1980.tb02587.x>
- Aguilera, J. M., & Stanley, D. W. (1990). *Microstructural principles of food processing & engineering*. Elsevier Applied Science.
- Ahlawat, S., & Sciences, A. (2017). Studies on physico-chemical properties and shelf life of developed chicken meat analogue rolls. *Haryana Vet*, 54(1), 25–28.

- Ahmad, R., Samuelsen, T. A., Garvik, A. B., & Oterhals, Å. (2018). Effect of amino acid, pH and mineral salts on glass transition and flow behaviour of soy protein concentrate. *International Journal of Food Science and Technology*, 53(6), 1425–1433. <https://doi.org/10.1111/ijfs.13720>
- Aiking, H. (2011). Future protein supply. *Trends in Food Science and Technology*. <https://doi.org/10.1016/j.tifs.2010.04.005>
- Aiking, H. (2014). Protein production: Planet, profit, plus people? In *American Journal of Clinical Nutrition* (Vol. 100, pp. 483S–489S). Narnia. <https://doi.org/10.3945/ajcn.113.071209>
- Aiking, H., & de Boer, J. (2018). The next protein transition. *Trends in Food Science & Technology*. <https://doi.org/10.1016/J.TIFS.2018.07.008>
- Ainis, W. N., Ersch, C., Farinet, C., Yang, Q., Glover, Z. J., & Ipsen, R. (2019). Rheological and water holding alterations in mixed gels prepared from whey proteins and rapeseed proteins. *Food Hydrocolloids*, 87, 723–733. <https://doi.org/10.1016/j.foodhyd.2018.08.023>
- Aji, N. R., Agus, E., Wibowo, P., & Mayasari, T. (2016). Meat analog based necklace crickets and fruit (Jackfruit and Pumpkin) as an alternative source of animal protein ingredients food in Gunung Kidul. *Journal of Scientific and Innovative Research*, 5(5), 179–181.
- Akramzadeh, N., Hosseini, H., Pilevar, Z., Karimian Khosroshahi, N., Khosravi-Darani, K., Komeyli, R., ... Khaneghah, A. M. (2018). Physicochemical properties of novel non-meat sausages containing natural colorants and preservatives. *Journal of Food Processing and Preservation*, 42(9), e13660. <https://doi.org/10.1111/jfpp.13660>
- Alam, M. S., Kaur, J., Khaira, H., & Gupta, K. (2016). Extrusion and Extruded Products: Changes in Quality Attributes as Affected by Extrusion Process Parameters: A Review. *Critical Reviews in Food Science and Nutrition*, 56(3), 445–473. <https://doi.org/10.1080/10408398.2013.779568>
- Alam, M. R., Scampicchio, M., Angeli, S., & Ferrentino, G. (2019). Effect of hot melt extrusion on physical and functional properties of insect based extruded products. *Journal of Food Engineering*, 259, 44–51. <https://doi.org/10.1016/j.jfoodeng.2019.04.021>
- Alexander, P., Brown, C., Arneth, A., Dias, C., Finnigan, J., Moran, D., & Rounsevell, M. D. A. (2017). Could consumption of insects, cultured meat or imitation meat reduce global agricultural land use? *Global Food Security*, (January), 1–11. <https://doi.org/10.1016/j.gfs.2017.04.001>
- Alexander, P., Brown, C., Arneth, A., Finnigan, J., Moran, D., & Rounsevell, M. D. A. (2017). Losses, inefficiencies and waste in the global food system. *Agricultural Systems*, 153, 190–200. <https://doi.org/10.1016/j.agsy.2017.01.014>
- Alexandratos, N., & Bruinsma, J. (2012). World agriculture towards 2030/2050. *Land Use Policy*, 20(4), 375. [https://doi.org/10.1016/S0264-8377\(03\)00047-4](https://doi.org/10.1016/S0264-8377(03)00047-4)

- Alid, G., Yanez, E., Aguilera, J. M., Monckeberg, F., & Chichester, C. O. (1981). Nutritive Value of an Extrusion-Texturized Peanut Protein. *Journal of Food Science*, 46(3), 948–949. <https://doi.org/10.1111/j.1365-2621.1981.tb15390.x>
- Allen, R. E. (1988). Muscle Cell Growth and Development. In National Research Council (US) Committee on Technological Options to Improve the Nutritional Attributes of Animal Products. (Ed.), *Designing Foods: Animal Product Options in the Marketplace*. Washington (DC): National Academies Press (US).
- Allievi, F., Vinnari, M., & Luukkanen, J. (2015). Meat consumption and production - Analysis of efficiency, sufficiency and consistency of global trends. *Journal of Cleaner Production*, 92, 142–151. <https://doi.org/10.1016/j.jclepro.2014.12.075>
- Altschul, A. M., & Wilcke, H. L. (2013). *New Protein Foods: Seed Storage Proteins (Vol. 5)*. Academic Press.
- Aluko, R. E., Mofolasayo, O. A., & Watts, B. M. (2009). Emulsifying and foaming properties of commercial yellow pea (*Pisum sativum* L.) seed flours. *Journal of Agricultural and Food Chemistry*, 57(20), 9793–9800. <https://doi.org/10.1021/jf902199x>
- Álvarez, C., Drummond, L., & Mullen, A. M. (2018). Protein recovered from meat co-products and processing streams as pork meat replacers in Irish breakfast sausages formulations. *LWT*, 96, 679–685. <https://doi.org/10.1016/J.LWT.2018.06.020>
- Ames, J. M. (1990). Control of the Maillard reaction in food systems. *Trends in Food Science and Technology*. [https://doi.org/10.1016/0924-2244\(90\)90113-D](https://doi.org/10.1016/0924-2244(90)90113-D)
- Amit, K. & Bandyopadhyay, P. (2012). Polysaccharide-Protein Interactions and Their Relevance in Food Colloids. In *The Complex World of Polysaccharides*. InTech. <https://doi.org/10.5772/50561>
- Anantharamkrishnan, V., Hoye, T., & Reineccius, G. A. (2020). Covalent Adduct Formation between Flavor Compounds of Various Functional Group Classes and the Model Protein β -Lactoglobulin. *Journal of Agricultural and Food Chemistry*, 68(23), 6395–6402. <https://doi.org/10.1021/acs.jafc.0c01925>
- Andrade, J. E., Twaddle, N. C., Helferich, W. G., & Doerge, D. R. (2010). Absolute bioavailability of isoflavones from soy protein isolate-containing food in female Balb/c mice. *Journal of Agricultural and Food Chemistry*, 58(7), 4529–4536. <https://doi.org/10.1021/jf9039843>
- Annor-Frempong, I. E., Annan-Prah, A., & Wiredu, R. (1996). Cassava as a non-conventional filler in comminuted meat products. *Meat Science*, 44(3), 193–202. [https://doi.org/10.1016/S0309-1740\(96\)00043-5](https://doi.org/10.1016/S0309-1740(96)00043-5)
- Anu Bhushani, J., & Anandharamakrishnan, C. (2014). Electrospinning and electrospraying techniques: Potential food based applications. *Trends in Food Science and Technology*. Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2014.03.004>

- Apaiah, R. K., Linnemann, A. R., & van der Kooi, H. J. (2006). Exergy analysis: A tool to study the sustainability of food supply chains. *Food Research International*, 39(1), 1–11. <https://doi.org/10.1016/J.FOODRES.2005.04.006>
- Apostolidis, C., & McLeay, F. (2016). Should we stop meating like this? Reducing meat consumption through substitution. *Food Policy*, 65, 74–89. <https://doi.org/10.1016/j.foodpol.2016.11.002>
- Arêas, J. (1992). Extrusion of Food Proteins. *Critical Reviews in Food Science and Nutrition*, 32(4), 365–392. <https://doi.org/10.1080/10408399209527604>
- Arltoft, D., Madsen, F., & Ipsen, R. (2008). Relating the microstructure of pectin and carrageenan in dairy desserts to rheological and sensory characteristics. *Food Hydrocolloids*, 22(4), 660–673. <https://doi.org/10.1016/j.foodhyd.2007.01.025>
- Arora, B., Kamal, S., & Sharma, V. P. (2017). Effect of Binding Agents on Quality Characteristics of Mushroom Based Sausage Analogue. *Journal of Food Processing and Preservation*, 41(5). <https://doi.org/10.1111/jfpp.13134>
- Asgar, M. A., Fazilah, A., Huda, N., Bhat, R., & Karim, A. A. (2010). Nonmeat protein alternatives as meat extenders and meat analogs. *Comprehensive Reviews in Food Science and Food Safety*, 9(5), 513–529. <https://doi.org/10.1111/j.1541-4337.2010.00124.x>
- Askew, K. (2017). Europe leads in innovation as meat-free demand grows. Retrieved February 14, 2018, from <https://www.foodnavigator.com/Article/2017/08/24/Europe-leads-in-innovation-as-meat-free-demand-grows>
- Austgulen, M., Skuland, S., Schjøll, A., & Alfnes, F. (2018). Consumer Readiness to Reduce Meat Consumption for the Purpose of Environmental Sustainability: Insights from Norway. *Sustainability*, 10(9), 3058. <https://doi.org/10.3390/su10093058>
- Aydemir, L. Y., Yemenicioğlu, A., & Yemenicio, A. (2013). Potential of Turkish Kabuli type chickpea and green and red lentil cultivars as source of soy and animal origin functional protein alternatives. *LWT - Food Science and Technology*, 50(2), 686–694. <https://doi.org/10.1016/j.lwt.2012.07.023>
- Bader, S., Bez, J., & Eisner, P. (2011). Can protein functionalities be enhanced by high-pressure homogenization? – A study on functional properties of lupin proteins. *Procedia Food Science*, 1(0), 1359–1366. <https://doi.org/http://dx.doi.org/10.1016/j.profoo.2011.09.201>
- Baek, H. H., Kim, C. J., Ahn, B. H., Nam, H. S., & Cadwallader, K. R. (2001). Aroma extract dilution analysis of a beeflike process flavor from extruded enzyme-hydrolyzed soybean protein. *Journal of Agricultural and Food Chemistry*, 49(2), 790–793. <https://doi.org/10.1021/jf000609j>
- Bailey, M. E. (1994). Maillard reactions and meat flavour development. In *Flavor of Meat and Meat Products* (pp. 153–173). Springer US. https://doi.org/10.1007/978-1-4615-2177-8_9

- Baines, D., & Seal, R. (2012). *Natural Food Additives, Ingredients and Flavourings*. *Natural Food Additives, Ingredients and Flavourings*. <https://doi.org/10.1533/9780857095725>
- Baioumy, A. A., Bobreneva, I. V., Tvorogova, A. A., & Shobanova, T. V. (2018). Possibility of using quinoa seeds (chenopodium quinoa) in meat products and its impact on nutritional and organoleptic characteristics. *Bioscience Research*, *15*(4), 3307–3315.
- Banerjee, S., & Bhattacharya, S. (2012). Food Gels: Gelling Process and New Applications. *Critical Reviews in Food Science and Nutrition*, *52*(4), 334–346. <https://doi.org/10.1080/10408398.2010.500234>
- Barak, S., Mudgil, D., & Khatkar, B. S. (2014). Influence of Gliadin and Glutenin Fractions on Rheological, Pasting, and Textural Properties of Dough. *International Journal of Food Properties*, *17*(7), 1428–1438. <https://doi.org/10.1080/10942912.2012.717154>
- Barham, P., Skibsted, L. H., Bredie, W. L. P., & Risbo, J. (2010). Molecular Gastronomy: A New Emerging Scientific Discipline. *Symposium A Quarterly Journal In Modern Foreign Literatures*, 2313–2365. <https://doi.org/10.1021/cr900105w>
- Basati, A., Hosseini, S. E., & Student, M. S. (2018). *The Effects of Adding Xanthan and Carboxy Methyl Cellulose on Cooking and Sensory Characteristics of Soya Burger*. *Journal of Food Biosciences and Technology* (Vol. 8). Tehran Science and Research Branch, Islamic Azad University. Retrieved from http://jfbt.srbiau.ac.ir/article_11258.html
- Basediya, A. L., Pandey, S., Shrivastava, S. P., Khan, K. A., & Nema, A. (2013). Effect of process and machine parameters on physical properties of extrudate during extrusion cooking of sorghum, horse gram and defatted soy flour blends. *Journal of Food Science and Technology*, *50*(1), 44–52. <https://doi.org/10.1007/s13197-011-0319-y>
- Bashi, Z., McCullough, R., Ong, L., & Ramirez, M. (2019). Alternative proteins: The race for market share is on. Retrieved February 16, 2021, from <https://www.mckinsey.com/industries/agriculture/our-insights/alternative-proteins-the-race-for-market-share-is-on>
- Bastier, P., & Cheftel, J.-C. (1993). *FR2705534A1*. Retrieved from <https://patents.google.com/patent/FR2705534A1/en?q=meat+analogue&inventor=cheftel>
- Batista, A. P., Portugal, C. A. M., Sousa, I., Crespo, J. G., & Raymundo, A. (2005). Assessing gelling ability of vegetable proteins using rheological and fluorescence techniques. *International Journal of Biological Macromolecules*, *36*(3), 135–143. <https://doi.org/10.1016/j.ijbiomac.2005.04.003>
- Battacchi, D., Verkerk, R., Pellegrini, N., Fogliano, V., & Steenbekkers, B. (2020). The state of the art of food ingredients' naturalness evaluation: A review of proposed approaches and their relation with consumer trends. *Trends in Food Science and Technology*. <https://doi.org/10.1016/j.tifs.2020.10.013>
- Baú, T. R., & Ida, E. I. (2015). Soymilk processing with higher isoflavone aglycone content. *Food Chemistry*, *183*, 161–168. <https://doi.org/10.1016/j.foodchem.2015.03.026>

- Bealer, E. J., Onissema-Karimu, S., Rivera-Galletti, A., Francis, M., Wilkowski, J., de la Cruz, D. S., & Hu, X. (2020, February 1). Protein-polysaccharide composite materials: Fabrication and applications. *Polymers*. MDPI AG. <https://doi.org/10.3390/polym12020464>
- Beinecke, C. R., & McFarland, V. L. (2012). US20120189751A1 - Meat-Like Product and its Method of Production. Retrieved from <https://patents.justia.com/patent/20120189751>
- Bekard, I. B., Asimakis, P., Bertolini, J., & Dunstan, D. E. (2011). The effects of shear flow on protein structure and function. *Biopolymers*, *95*(11), n/a-n/a. <https://doi.org/10.1002/bip.21646>
- BeMiller, J. N. (2018). *Carbohydrate chemistry for food scientists*. (- James N. BeMiller, Ed.), *Carbohydrate Chemistry for Food Scientists*. <https://doi.org/10.1016/C2016-0-01960-5>
- Ben Jeddou, K., Bouaziz, F., Zouari-Ellouzi, S., Chaari, F., Ellouz-Chaabouni, S., Ellouz-Ghorbel, R., & Nouri-Ellouz, O. (2017). Improvement of texture and sensory properties of cakes by addition of potato peel powder with high level of dietary fiber and protein. *Food Chemistry*, *217*, 668–677. <https://doi.org/10.1016/j.foodchem.2016.08.081>
- Berardy, A. (2012). *A Consequential Comparative Life Cycle Assessment of Seitan and Beef*. Retrieved from http://repository.asu.edu/attachments/82942/content/ASU_SSEBE_CESSEM_2012_CPR_002.pdf
- Berghout, J. A. M., Boom, R. M., & van der Goot, A. J. (2015). Understanding the differences in gelling properties between lupin protein isolate and soy protein isolate. *Food Hydrocolloids*, *43*, 465–472. <https://doi.org/10.1016/j.foodhyd.2014.07.003>
- Berghout, J. A. M., Venema, P., Boom, R. M., & Van der Goot, A. J. (2015). Comparing functional properties of concentrated protein isolates with freeze-dried protein isolates from lupin seeds. *Food Hydrocolloids*, *51*, 346–354. <https://doi.org/10.1016/j.foodhyd.2015.05.017>
- Berghout, J. A. M. M., Boom, R. M., & Van Der Goot, A. J. (2014). The potential of aqueous fractionation of lupin seeds for high-protein foods. *Food Chemistry*, *159*, 64–70. <https://doi.org/10.1016/j.foodchem.2014.02.166>
- Berners-Lee, M., Hoolohan, C., Cammack, H., & Hewitt, C. N. (2012). The relative greenhouse gas impacts of realistic dietary choices. *Energy Policy*, *43*, 184–190. <https://doi.org/10.1016/j.enpol.2011.12.054>
- Bessada, S. M. F., Barreira, J. C. M., & Oliveira, M. B. P. P. (2019). Pulses and food security: Dietary protein, digestibility, bioactive and functional properties. *Trends in Food Science & Technology*, *93*, 53–68. <https://doi.org/10.1016/J.TIFS.2019.08.022>
- Bhardwaj, N., & Kundu, S. C. (2010). Electrospinning: A fascinating fiber fabrication technique. *Biotechnology Advances*. <https://doi.org/10.1016/j.biotechadv.2010.01.004>

- Bianchi, F., Aveyard, P., Astbury, N. M., Cook, B., Cartwright, E., & Jebb, S. A. (2019). Replacing meat with alternative plant-based products (RE-MAPs): protocol for a randomised controlled trial of a behavioural intervention to reduce meat consumption. *BMJ Open*, 9(5), e027016. <https://doi.org/10.1136/bmjopen-2018-027016>
- Bis-Souza, C. V., Ozaki, M. M., Vidal, V. A. S., Pollonio, M. A. R., Penna, A. L. B., & Barretto, A. C. S. (2020). Can dietary fiber improve the technological characteristics and sensory acceptance of low-fat Italian type salami? *Journal of Food Science and Technology*, 57(3), 1003–1012. <https://doi.org/10.1007/s13197-019-04133-6>
- Blanco, E., Smoukov, S. K., Velez, O. D., & Velikov, K. P. (2016). Organic-inorganic patchy particles as a versatile platform for fluid-in-fluid dispersion stabilisation. *Faraday Discussions*, 191(0), 73–88. <https://doi.org/10.1039/c6fd00036c>
- Blonk Consultants. (2017). Environmental impact meat substitutes. Retrieved February 14, 2018, from <http://www.blonkconsultants.nl/2017/12/07/environmental-impact-of-meat-substitutes/?lang=en>
- Blonk Consultants. (2017). Revealing the environmental impact of plant proteins. Retrieved February 14, 2018, from <http://www.blonkconsultants.nl/2017/12/14/revealing-the-environmental-impact-of-plant-proteins/?lang=en>
- Blonk, H., Kool, A., & Luske, B. (2008). *Milieueffecten van Nederlandse consumptie van eiwit rijke producten. Gevolgen van vervanging van dierlijke eiwitten anno 2008*. Retrieved from https://www.partijvoordedieren.nl/download/Definitief_rapport_vs_8okt2008.pdf
- Bohrer, B. M. (2017). Review: Nutrient density and nutritional value of meat products and non-meat foods high in protein. *Trends in Food Science and Technology*, 65, 103–112. <https://doi.org/10.1016/j.tifs.2017.04.016>
- Bohrer, B. M. (2019). An investigation of the formulation and nutritional composition of modern meat analogue products. *Food Science and Human Wellness*. <https://doi.org/10.1016/J.FSHW.2019.11.006>
- Boland, M. J., Rae, A. N., Vereijken, J. M., Meuwissen, M. P. M. M., Fischer, A. R. H. H., van Boekel, M. A. J. S. J. S., ... Hendriks, W. H. (2013). The future supply of animal-derived protein for human consumption. *Trends in Food Science and Technology*, 29(1), 62–73. <https://doi.org/10.1016/j.tifs.2012.07.002>
- Bolognesi, V. J., & Garcia, C. E. R. (2018). Annatto Carotenoids as Additives Replacers in Meat Products. In *Alternative and Replacement Foods* (Vol. 17, pp. 355–384). Elsevier. <https://doi.org/10.1016/B978-0-12-811446-9.00012-5>
- Bonku, R., & Yu, J. (2020, March 1). Health aspects of peanuts as an outcome of its chemical composition. *Food Science and Human Wellness*. Elsevier B.V. <https://doi.org/10.1016/j.fshw.2019.12.005>

- Bonny, S. P. F., Gardner, G. E., Pethick, D. W., & Hocquette, J. F. (2015). What is artificial meat and what does it mean for the future of the meat industry? *Journal of Integrative Agriculture*, *14*(2), 255–263. [https://doi.org/10.1016/S2095-3119\(14\)60888-1](https://doi.org/10.1016/S2095-3119(14)60888-1)
- Bookwalter, G. N., Mustakas, G. C., Kwolek, W. F., McGhee, J. E., & Albrecht, W. J. (1971). Full-fat soy flour extrusion cooked: properties and food uses. *Journal of Food Science*, *36*(1), 5–9. <https://doi.org/10.1111/j.1365-2621.1971.tb02019.x>
- Borderías, A. J., Tovar, C. A., Domínguez-Timón, F., Díaz, M. T., Pedrosa, M. M., & Moreno, H. M. (2020). Characterization of healthier mixed surimi gels obtained through partial substitution of myofibrillar proteins by pea protein isolates. *Food Hydrocolloids*, *107*, 105976. <https://doi.org/10.1016/j.foodhyd.2020.105976>
- Bosmans, G. M., Lagrain, B., Deleu, L. J., Fierens, E., Hills, B. P., & Delcour, J. A. (2012). Assignments of proton populations in dough and bread using NMR relaxometry of starch, gluten, and flour model systems. *Journal of Agricultural and Food Chemistry*, *60*(21), 5461–5470. <https://doi.org/10.1021/jf3008508>
- Bouasla, A., Wójtowicz, A., Zidoune, M. N., Olech, M., Nowak, R., Mitrus, M., & Oniszczuk, A. (2016). Gluten-Free Precooked Rice-Yellow Pea Pasta: Effect of Extrusion-Cooking Conditions on Phenolic Acids Composition, Selected Properties and Microstructure. *Journal of Food Science*, *81*(5), C1070–C1079. <https://doi.org/10.1111/1750-3841.13287>
- Bourne, M. C. (2002). Texture, Viscosity, and Food. *Food Texture and Viscosity*, 1–32. <https://doi.org/10.1016/B978-012119062-0/50001-2>
- Boye, J. I., Aksay, S., Roufik, S., Ribéreau, S., Mondor, M., Farnworth, E., & Rajamohamed, S. H. (2010). Comparison of the functional properties of pea, chickpea and lentil protein concentrates processed using ultrafiltration and isoelectric precipitation techniques. *Food Research International*, *43*(2), 537–546. <https://doi.org/10.1016/j.foodres.2009.07.021>
- Boztuğ, Y., Juhl, H. J., Elshiewy, O., & Jensen, M. B. (2015). Consumer response to monochrome Guideline Daily Amount nutrition labels. *Food Policy*, *53*, 1–8. <https://doi.org/10.1016/j.foodpol.2015.03.002>
- Bresciani, A., & Marti, A. (2019). Using Pulses in Baked Products: Lights, Shadows, and Potential Solutions. *Foods*, *8*(10), 451. <https://doi.org/10.3390/foods8100451>
- Brishti, F. H., Zarei, M., Muhammad, S. K. S., Ismail-Fitry, M. R., Shukri, R., & Saari, N. (2017). Evaluation of the functional properties of mung bean protein isolate for development of textured vegetable protein. *International Food Research Journal*, *24*(4), 1595–1605.
- Brishti, F. H., Chay, S. Y., Muhammad, K., Ismail-Fitry, M. R., Zarei, M., Karthikeyan, S., & Saari, N. (2020). Effects of drying techniques on the physicochemical, functional, thermal, structural and rheological properties of mung bean (*Vigna radiata*) protein isolate powder. *Food Research International*, *138*, 109783. <https://doi.org/10.1016/j.foodres.2020.109783>

- Broekema, R., Blonk, H., Alvarado, C., & Hegger, S. (2009). Milieukundige vergelijking van vleesvervangers. *Blonk Milieu Advies, Gouda*. Retrieved from http://www.blonkconsultants.nl/wp-content/uploads/2016/06/milieukundige_vergelijking_vleesvervangers.pdf
- Brückner-Gühmann, M., Banovic, M., & Drusch, S. (2019). Towards an increased plant protein intake: Rheological properties, sensory perception and consumer acceptability of lactic acid fermented, oat-based gels. *Food Hydrocolloids*, *96*, 201–208. <https://doi.org/10.1016/J.FOODHYD.2019.05.016>
- Bruinsma, J. (2009). The Resource Outlook to 2050 - By how much do land, water use and crop yields need to increase by 2050? In *How to Feed the World in 2050* (pp. 24–26). <https://doi.org/10.1016/B978-0-323-10199-8.00006-2>
- Bryant, C., Szejda, K., Parekh, N., Deshpande, V., & Tse, B. (2019). A Survey of Consumer Perceptions of Plant-Based and Clean Meat in the USA, India, and China. *Frontiers in Sustainable Food Systems*, *3*, 11. <https://doi.org/10.3389/fsufs.2019.00011>
- Bučko, S., Katona, J., Popović, L., Vaštag, Ž., Petrović, L., & Vučinić–Vasić, M. (2015). Investigation on solubility, interfacial and emulsifying properties of pumpkin (*Cucurbita pepo*) seed protein isolate. *LWT - Food Science and Technology*, *64*(2), 609–615. <https://doi.org/10.1016/J.LWT.2015.06.054>
- Bühler, J. M., Dekkers, B. L., Bruins, M. E., & van der Goot, A. J. (2020). Modifying Faba Bean Protein Concentrate Using Dry Heat to Increase Water Holding Capacity. *Foods*, *9*(8), 1077. <https://doi.org/10.3390/foods9081077>
- Bujnowski, D., Xun, P., Daviglius, M. L., Van Horn, L., He, K., & Stamler, J. (2011). Longitudinal Association between Animal and Vegetable Protein Intake and Obesity among Men in the United States: The Chicago Western Electric Study. *Journal of the American Dietetic Association*, *111*(8). <https://doi.org/10.1016/j.jada.2011.05.002>
- Buttlar, B., & Walther, E. (2019). Dealing with the meat paradox: Threat leads to moral disengagement from meat consumption. *Appetite*, *137*, 73–80. <https://doi.org/10.1016/J.APPET.2019.02.017>
- Butz, E. L. (1974). World protein markets-a supplier's view. *Journal of the American Oil Chemists' Society*, *51*(1Part1), 57A-58A. <https://doi.org/10.1007/BF02542091>
- Cadesky, L., Walkling-Ribeiro, M., Kriner, K. T., Karwe, M. V., & Moraru, C. I. (2017). Structural changes induced by high-pressure processing in micellar casein and milk protein concentrates. *J. Dairy Sci*, *100*(September). <https://doi.org/10.3168/jds.2016-12072>
- Calvo, M. M., García, M. L., & Selgas, M. D. (2008). Dry fermented sausages enriched with lycopene from tomato peel. *Meat Science*, *80*(2), 167–172. <https://doi.org/10.1016/j.meatsci.2007.11.016>
- Câmara, A. K. F. I., Geraldi, M. V., Okuro, P. K., Maróstica, M. R., da Cunha, R. L., & Pollonio, M. A. R. (2020). Satiety and in vitro digestibility of low saturated fat Bologna

- sausages added of chia mucilage powder and chia mucilage-based emulsion gel. *Journal of Functional Foods*, 65, 103753. <https://doi.org/10.1016/j.jff.2019.103753>
- Câmara, A. K. F. I., Okuro, P. K., Cunha, R. L. da, Herrero, A. M., Ruiz-Capillas, C., & Pollonio, M. A. R. (2020). Chia (*Salvia hispanica* L.) mucilage as a new fat substitute in emulsified meat products: Technological, physicochemical, and rheological characterization. *LWT*, 125, 109193. <https://doi.org/10.1016/j.lwt.2020.109193>
- Camp, B., & Lawrence, N. S. (2019). Giving pork the chop: Response inhibition training to reduce meat intake. *Appetite*, 141, 104315. <https://doi.org/10.1016/J.APPET.2019.06.007>
- Campagnol, P. C. B., dos Santos, B. A., Wagner, R., Terra, N. N., & Rodrigues Pollonio, M. A. (2012). Amorphous cellulose gel as a fat substitute in fermented sausages. *Meat Science*, 90(1), 36–42. <https://doi.org/10.1016/j.meatsci.2011.05.026>
- Campbell, K. A., & Glatz, C. E. (2009). Mechanisms of aqueous extraction of soybean oil. *Journal of Agricultural and Food Chemistry*, 57(22), 10904–10912. <https://doi.org/10.1021/jf902298a>
- Campbell, K. A., & Glatz, C. E. (2010). Protein recovery from enzyme-assisted aqueous extraction of soybean. *Biotechnology Progress*, 26(2), 488–495. <https://doi.org/10.1002/btpr.341>
- Candogan, K., & Kolsarici, N. (2003). The effects of carrageenan and pectin on some quality characteristics of low-fat beef frankfurters. *Meat Science*, 64(2), 199–206. [https://doi.org/10.1016/S0309-1740\(02\)00181-X](https://doi.org/10.1016/S0309-1740(02)00181-X)
- Caporgno, M. P., Böcker, L., Müssner, C., Stirnemann, E., Haberkorn, I., Adelman, H., ... Mathys, A. (2020). Extruded meat analogues based on yellow, heterotrophically cultivated *Auxenochlorella protothecoides* microalgae. *Innovative Food Science and Emerging Technologies*, 59, 102275. <https://doi.org/10.1016/j.ifset.2019.102275>
- Caporgno, M. P., & Mathys, A. (2018). Trends in Microalgae Incorporation Into Innovative Food Products With Potential Health Benefits. *Frontiers in Nutrition*, 5, 58. <https://doi.org/10.3389/fnut.2018.00058>
- Carrington, D. (2018, April 30). The new food: meet the startups racing to reinvent the meal | Environment | The Guardian. Retrieved June 15, 2020, from <https://www.theguardian.com/environment/2018/apr/30/lab-grown-meat-how-a-bunch-of-geeks-scared-the-meat-industry>
- Cassidy, E. S., West, P. C., Gerber, J. S., & Foley, J. A. (2013). Redefining agricultural yields: From tonnes to people nourished per hectare. *Environmental Research Letters*, 8(3). <https://doi.org/10.1088/1748-9326/8/3/034015>
- Castro-Enríquez, D. D., Rodríguez-Félix, F., Ramírez-Wong, B., Torres-Chávez, P. I., Castillo-Ortega, M. M., Rodríguez-Félix, D. E., ... Ledesma-Osuna, A. I. (2012). Preparation, characterization and release of urea from wheat gluten electrospun membranes. *Materials*, 5(12), 2903–2916. <https://doi.org/10.3390/ma5122903>

- Cavallini, V., Hargarten, P. G., & Joehnke, J. (2004). EP1493337A3 - Vegetable protein meat analogue. Retrieved from <https://patents.google.com/patent/EP1493337A3/en>
- CBINSIGHTS. (2017). Our Meatless Future: How The \$90B Global Meat Market Gets Disrupted. Retrieved February 16, 2018, from <https://www.cbinsights.com/research/future-of-meat-industrial-farming/>
- Central, F. (2020). FoodData Central. Retrieved February 26, 2020, from <https://fdc.nal.usda.gov/fdc-app.html#/food-details/172423/nutrients>
- Chalupa-Krebzdak, S., Long, C. J., & Bohrer, B. M. (2018). Nutrient density and nutritional value of milk and plant-based milk alternatives. *International Dairy Journal*, 87, 84–92. <https://doi.org/10.1016/j.idairyj.2018.07.018>
- Chambi, H., & Grosso, C. (2006). Edible films produced with gelatin and casein cross-linked with transglutaminase. *Food Research International*, 39(4), 458–466. <https://doi.org/10.1016/j.foodres.2005.09.009>
- Chan, E. Y., & Zlatevska, N. (2019). Is Meat Sexy? Meat Preference as a Function of the Sexual Motivation System Psychology of religion View project Is meat sexy? Meat preference as a function of the sexual motivation system. *Food Quality and Preference*, 74, 78–87. <https://doi.org/10.1016/j.foodqual.2019.01.008>
- Chapleau, N., & De Lamballerie-Anton, M. (2003). Improvement of emulsifying properties of lupin proteins by high pressure induced aggregation. *Food Hydrocolloids*, 17(3), 273–280. [https://doi.org/10.1016/S0268-005X\(02\)00077-2](https://doi.org/10.1016/S0268-005X(02)00077-2)
- Chatterjee, D., Brambila, G. S., Bowker, B. C., & Zhuang, H. (2019). Effect of Tapioca Flour on Physicochemical Properties and Sensory Descriptive Profiles of Chicken Breast Meat Patties. *Journal of Applied Poultry Research*, 28(3), 598–605. <https://doi.org/10.3382/japr/pfy076>
- Cheftel, J. C., Kitagawa, M., Quéguiner, C., & Queguiner, C. (1992). New Protein Texturization Processes by Extrusion Cooking at High Moisture Levels. *Food Reviews International*, 8(2), 235–275. <https://doi.org/10.1080/87559129209540940>
- Chen, F. L., Wei, Y. M., Zhang, B., & Ojokoh, A. O. (2010). System parameters and product properties response of soybean protein extruded at wide moisture range. *Journal of Food Engineering*, 96(2), 208–213. <https://doi.org/10.1016/j.jfoodeng.2009.07.014>
- Chen, N., Zhao, M., & Sun, W. (2013). Effect of protein oxidation on the in vitro digestibility of soy protein isolate. *Food Chemistry*, 141(3), 3224–3229. <https://doi.org/10.1016/j.foodchem.2013.05.113>
- Chen, X. W., Fu, S. Y., Hou, J. J., Guo, J., Wang, J. M., & Yang, X. Q. (2016). Zein based oil-in-glycerol emulgels enriched with β -carotene as margarine alternatives. *Food Chemistry*, 211, 836–844. <https://doi.org/10.1016/j.foodchem.2016.05.133>

- Chen, Y., Xinsong, L., & Tangying, S. (2007). Electrospinning and crosslinking of zein nanofiber mats. *Journal of Applied Polymer Science*, *103*(1), 380–385. <https://doi.org/10.1002/app.24619>
- Cheney, E. J. (2000). *US4196222A*. Retrieved from <https://patents.google.com/patent/US4196222A/en>
- Chiang, J. H., Hardacre, A. K., & Parker, M. E. (2020). Effects of Maillard-reacted beef bone hydrolysate on the physicochemical properties of extruded meat alternatives. *Journal of Food Science*, *85*(3), 567–575. <https://doi.org/10.1111/1750-3841.14960>
- Chillo, S., Laverse, J., Falcone, P. M., & Del Nobile, M. A. (2008). Quality of spaghetti in base amaranthus wholemeal flour added with quinoa, broad bean and chick pea. *Journal of Food Engineering*, *84*(1), 101–107. <https://doi.org/10.1016/J.JFOODENG.2007.04.022>
- Cho, D., Nnadi, O., Netravali, A., & Joo, Y. L. (2010). Electrospun hybrid soy protein/PVA fibers. *Macromolecular Materials and Engineering*, *295*(8), 763–773. <https://doi.org/10.1002/mame.201000161>
- Choe, J., Lee, J., Jo, K., Jo, C., Song, M., & Jung, S. (2018). Application of winter mushroom powder as an alternative to phosphates in emulsion-type sausages. *Meat Science*, *143*, 114–118. <https://doi.org/10.1016/j.meatsci.2018.04.038>
- Chriki, S., & Hocquette, J.-F. (2020). The Myth of Cultured Meat: A Review. *Frontiers in Nutrition*, *7*, 7. <https://doi.org/10.3389/fnut.2020.00007>
- Claeys, E., De Smet, S., Balcaen, A., Raes, K., & Demeyer, D. (2004). Quantification of fresh meat peptides by SDS-PAGE in relation to ageing time and taste intensity. *Meat Science*, *67*(2), 281–288. <https://doi.org/10.1016/j.meatsci.2003.11.001>
- Clarke, E., & Wiseman, J. (2007). Effects of extrusion conditions on trypsin inhibitor activity of full fat soybeans and subsequent effects on their nutritional value for young broilers. *British Poultry Science*, *48*(6), 703–712. <https://doi.org/10.1080/00071660701684255>
- Clay, J. (2011). Freeze the footprint of food. *Nature*, *475*(7356), 287–289. <https://doi.org/10.1038/475287a>
- Clifton, P. M. (2011). Protein and coronary heart disease: The role of different protein sources. *Current Atherosclerosis Reports*, *13*(6), 493–498. <https://doi.org/10.1007/s11883-011-0208-x>
- Coda, R., Melama, L., Rizzello, C. G., Curiel, J. A., Sibakov, J., Holopainen, U., ... Sozer, N. (2015). Effect of air classification and fermentation by *Lactobacillus plantarum* VTT E-133328 on faba bean (*Vicia faba* L.) flour nutritional properties. *International Journal of Food Microbiology*, *193*, 34–42. <https://doi.org/10.1016/j.ijfoodmicro.2014.10.012>
- Coelho, M. S., & Salas-Mellado, M. de las M. (2018). How extraction method affects the physicochemical and functional properties of chia proteins. *LWT*, *96*, 26–33. <https://doi.org/10.1016/j.lwt.2018.05.010>

- Coles, G. D., Wratten, S. D., & Porter, J. R. (2016). Food and nutritional security requires adequate protein as well as energy, delivered from whole-year crop production. *PeerJ*, 4, e2100. <https://doi.org/10.7717/peerj.2100>
- Collar, C. (2018). Gluten-free dough-based foods and technologies. In *Sorghum and Millets: Chemistry, Technology, and Nutritional Attributes* (pp. 331–354). Elsevier. <https://doi.org/10.1016/B978-0-12-811527-5.00011-3>
- Cooper, D., Doucet, L., & Pratt, M. (2007). Understanding in multinational organizations. *Journal of Organizational Behavior*, 28(3), 303–325. <https://doi.org/10.1002/j>
- Cornet, S. H. V., Snel, S. J. E., Schreuders, F. K. G., van der Sman, R. G. M., Beyrer, M., & van der Goot, A. J. (2020). Thermo-mechanical processing of plant proteins using shear cell and high-moisture extrusion cooking. *Critical Reviews in Food Science and Nutrition*, 1–18. <https://doi.org/10.1080/10408398.2020.1864618>
- Cornet, S. H. V., Edwards, D., van der Goot, A. J., & van der Sman, R. G. M. (2020). Water release kinetics from soy protein gels and meat analogues as studied with confined compression. *Innovative Food Science & Emerging Technologies*, 102528. <https://doi.org/10.1016/j.ifset.2020.102528>
- Corredig, M., Young, N., & Dalsgaard, T. K. (2020). Food proteins: processing solutions and challenges. *Current Opinion in Food Science*. <https://doi.org/10.1016/j.cofs.2019.12.010>
- Corrin, T., & Papadopoulos, A. (2017). Understanding the attitudes and perceptions of vegetarian and plant-based diets to shape future health promotion programs. *Appetite*. <https://doi.org/10.1016/j.appet.2016.11.018>
- Corsato Alvarenga, I., & Aldrich, C. (2019). The Effect of Increasing Levels of Dehulled Faba Beans (*Vicia faba* L.) on Extrusion and Product Parameters for Dry Expanded Dog Food. *Foods*. <https://doi.org/10.3390/foods8010026>
- Craig, W. J. (2010). Nutrition Concerns and Health Effects of Vegetarian Diets. *Nutrition in Clinical Practice*, 25(6), 613–620. <https://doi.org/10.1177/0884533610385707>
- Crowe, T. W., & Johnson, L. A. (2001). Twin-screw extrusion texturization of extruded-expelled soybean flour. *JAOCs, Journal of the American Oil Chemists' Society*, 78(8), 781–786. <https://doi.org/10.1007/s11746-001-0342-8>
- Cui, L., Bandillo, N., Wang, Y., Ohm, J. B., Chen, B., & Rao, J. (2020). Functionality and structure of yellow pea protein isolate as affected by cultivars and extraction pH. *Food Hydrocolloids*, 108, 106008. <https://doi.org/10.1016/j.foodhyd.2020.106008>
- Cunha, C. R., Dias, A. I., & Viotto, W. H. (2010). Microstructure, texture, colour and sensory evaluation of a spreadable processed cheese analogue made with vegetable fat. *Food Research International*, 43(3), 723–729. <https://doi.org/10.1016/j.foodres.2009.11.009>
- Czerny, M., Christlbauer, M., Christlbauer, M., Fischer, A., Granvogl, M., Hammer, M., ... Schieberle, P. (2008). Re-investigation on odour thresholds of key food aroma compounds and development of an aroma language based on odour qualities of defined

- aqueous odorant solutions. *European Food Research and Technology*, 228(2), 265–273. <https://doi.org/10.1007/s00217-008-0931-x>
- Da Silva, L. H., Celeghini, R. M. S., & Chang, Y. K. (2011). Effect of the fermentation of whole soybean flour on the conversion of isoflavones from glycosides to aglycones. *Food Chemistry*, 128(3), 640–644. <https://doi.org/10.1016/j.foodchem.2011.03.079>
- Dagevos, H., & Voordouw, J. (2013). Sustainability and meat consumption: is reduction realistic? *Sustainability: Science, Practice, & Policy*, 9(2), 1031–1207. <https://doi.org/10.1080/15487733.2013.11908115>
- Dai, T., Li, T., Li, R., Zhou, H., Liu, C., Chen, J., & McClements, D. J. (2020). Utilization of plant-based protein-polyphenol complexes to form and stabilize emulsions: Pea proteins and grape seed proanthocyanidins. *Food Chemistry*, 329, 127219. <https://doi.org/10.1016/j.foodchem.2020.127219>
- Dakhili, S., Abdolalizadeh, L., Hosseini, S. M., Shojaee-Aliabadi, S., & Mirmoghtadaie, L. (2019). Quinoa protein: Composition, structure and functional properties. *Food Chemistry*, 299, 125161. <https://doi.org/10.1016/j.foodchem.2019.125161>
- Dang Van, Q. C., Bejarano, L., Mignolet, E., Coulmier, D., Froidmont, E., Larondelle, Y., ... Focant, M. (2011). Effectiveness of extruded rapeseed associated with an alfalfa protein concentrate in enhancing the bovine milk fatty acid composition. *Journal of Dairy Science*, 94(8), 4005–4015. <https://doi.org/10.3168/jds.2011-4204>
- Dangi, P., Chaudhary, N., & Khatkar, B. S. (2019). Rheological and microstructural characteristics of low molecular weight glutenin subunits of commercial wheats. *Food Chemistry*, 297, 124989. <https://doi.org/10.1016/j.foodchem.2019.124989>
- Dapčević-Hadnađev, T., Dizdar, M., Pojić, M., Krstonošić, V., Zychowski, L. M., & Hadnađev, M. (2019). Emulsifying properties of hemp proteins: Effect of isolation technique. *Food Hydrocolloids*, 89, 912–920. <https://doi.org/10.1016/j.foodhyd.2018.12.002>
- Dapčević-Hadnađev, T., Hadnađev, M., Lazaridou, A., Moschakis, T., & Biliaderis, C. G. (2018). Hempseed meal protein isolates prepared by different isolation techniques. Part II. gelation properties at different ionic strengths. *Food Hydrocolloids*, 81, 481–489. <https://doi.org/10.1016/j.foodhyd.2018.03.022>
- David Alexander, Rees, K., Karlake, J., & Lempriere, P. (2004). *US20050196502A1*. Retrieved from <https://patents.google.com/patent/US20050196502>
- Davies, J., & Lightowler, H. (1998). Plant-based alternatives to meat. *Nutrition & Food Science*. <https://doi.org/10.1108/00346659810201050>
- Davis, J., Sonesson, U., Baumgartner, D. U., & Nemecek, T. (2010). Environmental impact of four meals with different protein sources: Case studies in Spain and Sweden. *Food Research International*, 43(7), 1874–1884. <https://doi.org/10.1016/j.foodres.2009.08.017>

- Day, L. (2011). Wheat gluten: production, properties and application. *Handbook of Food Proteins*, 267–288. <https://doi.org/10.1533/9780857093639.267>
- Day, L., & Swanson, B. G. (2013). Functionality of protein-fortified extrudates. *Comprehensive Reviews in Food Science and Food Safety*, 12(5), 546–564. <https://doi.org/10.1111/1541-4337.12023>
- de Bakker, E., & Dagevos, H. (2012). Reducing Meat Consumption in Today's Consumer Society: Questioning the Citizen-Consumer Gap. *Journal of Agricultural and Environmental Ethics*, 25(6), 877–894. <https://doi.org/10.1007/s10806-011-9345-z>
- de Boer, J., Schösler, H., & Aiking, H. (2017). Towards a reduced meat diet: Mindset and motivation of young vegetarians, low, medium and high meat-eaters. *Appetite*, 113, 387–397. <https://doi.org/10.1016/j.appet.2017.03.007>
- Degenhardt, A., & Winterhalter, P. (2001). Isolation and purification of isoflavones from soy flour by high-speed countercurrent chromatography. *European Food Research and Technology*, 213(4–5), 277–280. <https://doi.org/10.1007/s002170100386>
- Dekkers, B. L., Boom, R. M., & van der Goot, A. J. (2018). Structuring processes for meat analogues. *Trends in Food Science and Technology*, 81, 25–36. <https://doi.org/10.1016/j.tifs.2018.08.011>
- Dekkers, B. L., Hamoen, R., Boom, R. M., & van der Goot, A. J. (2018). Understanding fiber formation in a concentrated soy protein isolate - pectin blend. *Journal of Food Engineering*, 222, 84–92. <https://doi.org/10.1016/j.jfoodeng.2017.11.014>
- Dekkers, B. L., & Jan Van Der Goot, A. (2018). Chapter 21: Novel Processing Concepts for Making Fibrous Food Products. In *RSC Green Chemistry*. <https://doi.org/10.1039/9781788010320-00462>
- Delgado, C. L., Rosegrant, M., Steinfeld, H., Ehui, S., & Courbois, C. (2001). Livestock to 2020: the next food revolution. *Outlook on Agriculture*, 30(1), 27–29. <https://doi.org/10.5367/000000001101293427>
- Demirci, Z. O., Yılmaz, I., & Demirci, A. Ş. (2014). Effects of xanthan, guar, carrageenan and locust bean gum addition on physical, chemical and sensory properties of meatballs. *Journal of Food Science and Technology*, 51(5), 936–942. <https://doi.org/10.1007/s13197-011-0588-5>
- Deora, N. S., Deswal, A., & Mishra, H. N. (2014, June 14). Alternative Approaches Towards Gluten-Free Dough Development: Recent Trends. *Food Engineering Reviews*. Springer New York LLC. <https://doi.org/10.1007/s12393-014-9079-6>
- DeSantis, S. (n.d.). 20 of the Best Vegetarian Meals for Meat eaters. Retrieved February 16, 2018, from <https://ohmyveggies.com/best-vegetarian-meals-for-meateaters/>
- Devnani, B., Ong, L., Kentish, S., & Gras, S. (2020). Heat induced denaturation, aggregation and gelation of almond proteins in skim and full fat almond milk. *Food Chemistry*. <https://doi.org/10.1016/j.foodchem.2020.126901>

- Diaz, J. (2016, March). INGREDIENT MARKETING: A Clear Label Strategy for Food Additives. *THE WORLD OF FOOD INGREDIENTS*. Retrieved from https://www.tno.nl/media/8754/a_clear_label_strategy_for_food_additives.pdf
- Diedericks, C. F., de Koning, L., Jideani, V. A., Venema, P., & van der Linden, E. (2019). Extraction, gelation and microstructure of Bambara groundnut vicilins. *Food Hydrocolloids*, *97*, 105226. <https://doi.org/10.1016/j.foodhyd.2019.105226>
- Diedericks, C. F., Venema, P., Mubaiwa, J., Jideani, V. A., & van der Linden, E. (2020). Effect of processing on the microstructure and composition of Bambara groundnut (*Vigna subterranea* (L.) Verdc.) seeds, flour and protein isolates. *Food Hydrocolloids*, *108*, 106031. <https://doi.org/10.1016/j.foodhyd.2020.106031>
- Djekic, I. (2015). ScienceDirect Environmental impact of meat industry – current status and future perspectives. *Procedia Food Science*, *5*(5), 61–64. <https://doi.org/10.1016/j.profoo.2015.09.025>
- Domínguez, R., Gullón, P., Pateiro, M., Munekata, P. E. S., Zhang, W., & Lorenzo, J. M. (2020). Tomato as Potential Source of Natural Additives for Meat Industry. A Review. *Antioxidants*, *9*(1), 73. <https://doi.org/10.3390/antiox9010073>
- Don, C., Lichtendonk, W., Plijter, J. J., & Hamer, R. J. (2003). Glutenin macropolymer: A gel formed by glutenin particles. *Journal of Cereal Science*, *37*(1), 1–7. <https://doi.org/10.1006/jcrs.2002.0481>
- Dong, J., Asandei, A. D., & Parnas, R. S. (2010). Aqueous electrospinning of wheat gluten fibers with thiolated additives. *Polymer*, *51*(14), 3164–3172. <https://doi.org/10.1016/j.polymer.2010.04.058>
- Dong, J., Hubel, A., Bischof, J. C., & Aksan, A. (2009). Freezing-induced phase separation and spatial microheterogeneity in protein solutions. *Journal of Physical Chemistry B*, *113*(30), 10081–10087. <https://doi.org/10.1021/jp809710d>
- Doyle, M. P., & Beuchat, L. R. (2007). *Food Microbiology: Fundamentals and Frontiers, Third Edition*. *Food Microbiology: Fundamentals and Frontiers, Third Edition*. Washington, D.C.: American Society of Microbiology. <https://doi.org/10.1128/9781555815912>
- Dreher, J., Blach, C., Terjung, N., Gibis, M., & Weiss, J. (2020). Influence of protein content on plant-based emulsified and crosslinked fat crystal networks to mimic animal fat tissue. *Food Hydrocolloids*, *106*, 105864. <https://doi.org/10.1016/j.foodhyd.2020.105864>
- Drey, L. N., & O'quinn, T. G. (1361). Kansas Agricultural Experiment Station Research Reports. *Kansas Agricultural Experiment Station Research Reports*, *34148*, 2378–5977. <https://doi.org/10.4148/2378-5977.1361>
- Drosou, C. G., Krokida, M. K., & Biliaderis, C. G. (2017). Encapsulation of bioactive compounds through electrospinning/electrospraying and spray drying: A comparative assessment of food-related applications. *Drying Technology*, *35*(2), 139–162. <https://doi.org/10.1080/07373937.2016.1162797>

- Drosou, C., Krokida, M., & Biliaderis, C. G. (2017). Composite pullulan-whey protein nanofibers made by electrospinning: Impact of process parameters on fiber morphology and physical properties. *Food Hydrocolloids*, 1–10. <https://doi.org/10.1016/j.foodhyd.2017.11.014>
- Du, M., Xie, J., Gong, B., Xu, X., Tang, W., Li, X., ... Xie, M. (2018). Extraction, physicochemical characteristics and functional properties of Mung bean protein. *Food Hydrocolloids*, 76, 131–140. <https://doi.org/10.1016/j.foodhyd.2017.01.003>
- Du, Y., Zhang, Q., Zhao, X., & Chen, F. (2020). Effect of reverse micelle on physicochemical properties of soybean 7S globulins. *Journal of Food Engineering*, 282, 110026. <https://doi.org/10.1016/j.jfoodeng.2020.110026>
- Duque-Estrada, P., Kyriakopoulou, K., de Groot, W., van der Goot, A. J., & Berton-Carabin, C. C. (2020). Oxidative stability of soy proteins: From ground soybeans to structured products. *Food Chemistry*, 318, 126499. <https://doi.org/10.1016/j.foodchem.2020.126499>
- Dzudie, T., Scher, J., & Hardy, J. (2002). Common bean flour as an extender in beef sausages. *Journal of Food Engineering*, 52(2), 143–147. [https://doi.org/10.1016/S0260-8774\(01\)00096-6](https://doi.org/10.1016/S0260-8774(01)00096-6)
- Edwards, C. H., Ryden, P., Pinto, A. M., van der Schoot, A., Stocchi, C., Perez-Moral, N., ... Ellis, P. R. (2020). Chemical, physical and glycaemic characterisation of PulseON®: A novel legume cell-powder ingredient for use in the design of functional foods. *Journal of Functional Foods*, 68, 103918. <https://doi.org/10.1016/j.jff.2020.103918>
- Egbert, R., & Borders, C. (2006). Achieving success with meat analogs. *Food Technology*, 60(1), 28–34.
- Elang, M., Liviawaty, E., & Rochima, E. (2018). *The Effect of Addition Mocaf Flour to the Preference Level of Gray Eel Catfish Sausage*. *World Scientific News* (Vol. 112). Scientific Publishing House „DARWIN”. Retrieved from www.worldscientificnews.com
- Elsohaimy, S. A., Refaay, T. M., & Zaytoun, M. A. M. (2015). Physicochemical and functional properties of quinoa protein isolate. *Annals of Agricultural Sciences*, 60(2), 297–305. <https://doi.org/10.1016/j.aos.2015.10.007>
- Elzerman, J. E., Hoek, A. C., van Boekel, M. A. J. S., & Luning, P. A. (2011). Consumer acceptance and appropriateness of meat substitutes in a meal context. *Food Quality and Preference*, 22(3), 233–240. <https://doi.org/10.1016/J.FOODQUAL.2010.10.006>
- Emin, M. A., Quevedo, M., Wilhelm, M., & Karbstein, H. P. (2017). Analysis of the reaction behavior of highly concentrated plant proteins in extrusion-like conditions. *Innovative Food Science and Emerging Technologies*, 44, 15–20. <https://doi.org/10.1016/j.ifset.2017.09.013>
- Emin, M. A. (2016). Extrusion. *Reference Module in Food Science*, 10–11. <https://doi.org/10.1016/B978-0-08-100596-5.03413-2>

- Erdogan, I., Demir, M., & Bayraktar, O. (2015). Olive leaf extract as a crosslinking agent for the preparation of electrospun zein fibers. *Journal of Applied Polymer Science*, 132(4). <https://doi.org/10.1002/app.41338>
- Espert, M., Salvador, A., & Sanz, T. (2020). Cellulose ether oleogels obtained by emulsion-templated approach without additional thickeners. *Food Hydrocolloids*, 109, 106085. <https://doi.org/10.1016/j.foodhyd.2020.106085>
- Espinosa-Ramírez, J., Garzon, R., Serna-Saldivar, S. O., & Rosell, C. M. (2018). Functional and nutritional replacement of gluten in gluten-free yeast-leavened breads by using β -conglycinin concentrate extracted from soybean flour. *Food Hydrocolloids*. <https://doi.org/10.1016/j.foodhyd.2018.06.021>
- Fabra, M. J., Lopez-Rubio, A., & Lagaron, J. M. (2015). Effect of the film-processing conditions, relative humidity and ageing on wheat gluten films coated with electrospun polyhydrialkanoate. *Food Hydrocolloids*, 44, 292–299. <https://doi.org/10.1016/j.foodhyd.2014.09.032>
- Fabra, M. J., López-Rubio, A., & Lagaron, J. M. (2015). Three-Layer Films Based on Wheat Gluten and Electrospun PHA. *Food and Bioprocess Technology*, 8(11), 2330–2340. <https://doi.org/10.1007/s11947-015-1590-0>
- Fabre, A. (1978). US4265917A - Binder compositions for texturized proteins and their use in the preparation of foodstuff. Retrieved from <https://encrypted.google.com/patents/US4265917>
- Fang, Y., Zhang, B., & Wei, Y. (2014). Effects of the specific mechanical energy on the physicochemical properties of texturized soy protein during high-moisture extrusion cooking. *Journal of Food Engineering*, 121(1), 32–38. <https://doi.org/10.1016/j.jfoodeng.2013.08.002>
- Farmer, L. J., & Mottram, D. S. (1990). Interaction of lipid in the maillard reaction between cysteine and ribose: The effect of a triglyceride and three phospholipids on the volatile products. *Journal of the Science of Food and Agriculture*, 53(4), 505–525. <https://doi.org/10.1002/jsfa.2740530409>
- Fehily, A. M. (2016). *Nutrition | Soy-Based Foods. Reference Module in Food Science* (2nd ed., Vol. 2). Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100596-5.00066-4>
- Feiner, G. (2006). Burgers, patties and crumbed products. In *Meat Products Handbook* (pp. 481–498). Elsevier. <https://doi.org/10.1533/9781845691721.2.481>
- Feldbrugge, A. H. R., Rankowitz, M. M., & Huste, A. (1973). US3919435A. Retrieved from <https://patents.google.com/patent/US3919435>
- Fellet, M. (2015). A fresh take on fake meat. *ACS Central Science*, 1(7), 347–349. <https://doi.org/10.1021/acscentsci.5b00307>
- Fernández-López, J., Lucas-González, R., Viuda-Martos, M., Sayas-Barberá, E., Ballester-Sánchez, J., Haros, C. M., ... Pérez-Álvarez, J. A. (2020). Chemical and technological

properties of bologna-type sausages with added black quinoa wet-milling coproducts as binder replacer. *Food Chemistry*, 310, 125936.
<https://doi.org/10.1016/j.foodchem.2019.125936>

Fernández-López, J., Viuda-Martos, M., & Pérez-Alvarez, J. A. (2021, August 1). Quinoa and chia products as ingredients for healthier processed meat products: technological strategies for their application and effects on the final product. *Current Opinion in Food Science*. Elsevier Ltd. <https://doi.org/10.1016/j.cofs.2020.05.004>

Fi Europe. (n.d.). Flexitarians drive surge in meat alternatives | Fi Europe. Retrieved February 14, 2018, from <https://www.figlobal.com/fieurope/visit/news-and-updates/flexitarians-drive-surge-meat-alternatives>

Filho, G. C. S., Vessoni Penna, T. C., & Schaffner, D. W. (2005). Microbiological quality of vegetable proteins during the preparation of a meat analog. *Italian Journal of Food Science*, 17(3), 269–283.

Finnigan, T. J. A. (2011). *Mycoprotein: origins, production and properties*. *Handbook of Food Proteins*. Woodhead Publishing Limited.
<https://doi.org/10.1533/9780857093639.335>

Flores, M. (2015). Sausages and Comminuted Products: Cooked Sausages. In *Encyclopedia of Food and Health* (pp. 722–727). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-384947-2.00613-9>

Foegeding, E. A., & Davis, J. P. (2011). Food protein functionality: A comprehensive approach. *Food Hydrocolloids*, 25(8), 1853–1864.
<https://doi.org/10.1016/j.foodhyd.2011.05.008>

Foegeding, E. A., Stieger, M., & van de Velde, F. (2017). Moving from molecules, to structure, to texture perception. *Food Hydrocolloids*, 68, 31–42.
<https://doi.org/10.1016/j.foodhyd.2016.11.009>

Food Industry Executive. (2016). Flexitarian Lifestyle is New Trend. Retrieved February 16, 2018, from <http://foodindustryexecutive.com/2016/07/flexitarian-lifestyle-is-new-trend/>

Food ingredients 1st. (n.d.). Future Meat Substitutes: Industry Players Form R&D Partnership With Wageningen UR. Retrieved February 16, 2018, from <http://www.foodingredientsfirst.com/news/Future-Meat-Substitutes-Industry-Players-Form-RD-Partnership-With-Wageningen-UR.html>

Foschia, M., Horstmann, S. W., Arendt, E. K., & Zannini, E. (2017). Legumes as Functional Ingredients in Gluten-Free Bakery and Pasta Products. *Annual Review of Food Science and Technology*, 8(1), 75–96. <https://doi.org/10.1146/annurev-food-030216-030045>

Franco, D., Martins, A. J., López-Pedrouso, M., Cerqueira, M. A., Purriños, L., Pastrana, L. M., ... Lorenzo, J. M. (2020). Evaluation of linseed oil oleogels to partially replace pork backfat in fermented sausages. *Journal of the Science of Food and Agriculture*, 100(1), 218–224. <https://doi.org/10.1002/jsfa.10025>

- Fraser, R., Davis, S. C., & Brown, P. O. (2015). WO/2015/038796. Retrieved from <https://patentscope.wipo.int/search/en/detail.jsf?docId=WO2015038796&recNum=1&maxRec=&office=&prevFilter=&sortOption=&queryString=&tab=PCT+Biblio>
- Fretzdorff, B., & Seiler, K. (1987). The effects of twin-screw extrusion cooking on cereal enzymes. *Journal of Cereal Science*, 5(1), 73–82. [https://doi.org/10.1016/S0733-5210\(87\)80012-7](https://doi.org/10.1016/S0733-5210(87)80012-7)
- Friedman, M., & Jürgens, H. S. (2000). Effect of pH on the stability of plant phenolic compounds. *Journal of Agricultural and Food Chemistry*, 48(6), 2101–2110. <https://doi.org/10.1021/jf990489j>
- Friel, S., Dangour, A. D., Garnett, T., ... Haines, A. (2009) Public health benefits of strategies to reduce greenhouse-gas emissions: food and agriculture. *The Lancet*. 374(9706), 2016-2025.
- Gadema, Z., & Oglethorpe, D. (2011). The use and usefulness of carbon labelling food: A policy perspective from a survey of UK supermarket shoppers. *Food Policy*, 36(6), 815–822. <https://doi.org/10.1016/j.foodpol.2011.08.001>
- Galanakis, C. M. (2019). *Sustainable meat production and processing*. (C. M. Galanakis, Ed.). Elsevier Academic Press. <https://doi.org/https://doi.org/10.1016/C2017-0-02230-9>
- Galante, M., De Flaviis, R., Boeris, V., & Spelzini, D. (2019). Effects of the enzymatic hydrolysis treatment on functional and antioxidant properties of quinoa protein acid-induced gels. *LWT*, 118, 108845. <https://doi.org/10.1016/J.LWT.2019.108845>
- Gallier, S., Vocking, K., Post, J. A., Van De Heijning, B., Acton, D., Van Der Beek, E. M., & Van Baalen, T. (2015). A novel infant milk formula concept: Mimicking the human milk fat globule structure. *Colloids and Surfaces B: Biointerfaces*, 136, 329–339. <https://doi.org/10.1016/j.colsurfb.2015.09.024>
- Gardner, C. D., Hartle, J. C., Garrett, R. D., Offringa, L. C., & Wasserman, A. S. (2019). Maximizing the intersection of human health and the health of the environment with regard to the amount and type of protein produced and consumed in the United States. *Nutrition Reviews*, 77(4), 197–215. <https://doi.org/10.1093/nutrit/nuy073>
- Garg, S. K., & Singh, D. S. (2010). Optimization of extrusion conditions for defatted soy-rice blend extrudates. *Journal of Food Science and Technology*, 47(6), 606–612. <https://doi.org/10.1007/s13197-010-0117-y>
- Garnett, T., Mathewson, S., Angelides, P., Borthwick, F., & House, C. (2015). *Policies and actions to shift eating patterns: What works?* Retrieved from <http://africacsa.org/#proposed->
- Gaudette, N. J., & Pietrasik, Z. (2017). The sensory impact of salt replacers and flavor enhancer in reduced sodium processed meats is matrix dependent. *Journal of Sensory Studies*, 32(1), e12247. <https://doi.org/10.1111/joss.12247>

- Geerts, M. E. J., Dekkers, B. L., van der Padt, A., & van der Goot, A. J. (2018). Aqueous fractionation processes of soy protein for fibrous structure formation. *Innovative Food Science & Emerging Technologies*, 45, 313–319. <https://doi.org/10.1016/j.ifset.2017.12.002>
- Gerard F.H. Kramer, H. B. (2016). Putting sustainable diets into practice | Food Science and Technology. Retrieved February 14, 2018, from <http://fstjournal.org/features/30-2/sustainable-diets>
- Gharibzahedi, S. M. T., & Smith, B. (2020, April 1). The functional modification of legume proteins by ultrasonication: A review. *Trends in Food Science and Technology*. Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2020.02.002>
- Ghorpade, V. M., Bhatnagar, S., & Hanna, M. A. (1997). Structural characteristics of corn starches extruded with soy protein isolate or wheat gluten. *Plant Foods for Human Nutrition*, 51(2), 109–124. <https://doi.org/10.1023/A:1007951612581>
- Ghumman, A., Kaur, A., Singh, N., & Singh, B. (2016). Effect of feed moisture and extrusion temperature on protein digestibility and extrusion behaviour of lentil and horsegram. *LWT - Food Science and Technology*, 70, 349–357. <https://doi.org/10.1016/J.LWT.2016.02.032>
- Giese, J. (1996). Fats, oils, and fat replacers: Fats and oils play vital functional and sensory roles in food products. *Food Technology*, 50(4), 78–83.
- Giezen, F. G., Wilhelmus, W., Jansen, J. T., & Willemsen, J. H. A. (2021). WO2012158023A1 - Method of making structured protein compositions. Retrieved from <https://patents.google.com/patent/WO2012158023A1/en>
- Giffard, C. (2003). EP1565068A1 - Meat analogue of authentic appearance. Retrieved from https://encrypted.google.com/patents/EP1565068A1?cl=fi&hl=en&output=html_text
- Giménez, M. A., Drago, S. R., De Greef, D., Gonzalez, R. J., Lobo, M. O., & Samman, N. C. (2012). Rheological, functional and nutritional properties of wheat/broad bean (*Vicia faba*) flour blends for pasta formulation. *Food Chemistry*, 134(1), 200–206. <https://doi.org/10.1016/J.FOODCHEM.2012.02.093>
- Girard, A. L., & Awika, J. M. (2020). Effects of edible plant polyphenols on gluten protein functionality and potential applications of polyphenol–gluten interactions. *Comprehensive Reviews in Food Science and Food Safety*, 19(4), 2164–2199. <https://doi.org/10.1111/1541-4337.12572>
- Global Panel on Agriculture and Food Systems for Nutrition. (2016). *Food systems and diets: Facing the challenges of the 21st century*. <https://doi.org/http://glopan.org/sites/default/files/ForesightReport.pdf>
- Gomez-Luciano, by, Aguiar, D., Alberto Gómez-Luciano, C., Kluwe de Aguiar, L., & Vriesekoop, F. (2019). Consumers' willingness to purchase three alternatives to meat proteins in United Kingdom, Spain, the Dominican Republic and Brazil. *Food Quality and Preference*, 78(103732), 1–10. <https://doi.org/10.1016/j.foodqual.2019.103732>

- Goñi, I., & Valentín-Gamazo, C. (2003). Chickpea flour ingredient slows glyceemic response to pasta in healthy volunteers. *Food Chemistry*, *81*(4), 511–515. [https://doi.org/10.1016/S0308-8146\(02\)00480-6](https://doi.org/10.1016/S0308-8146(02)00480-6)
- Goot, A. J. van der, Pelgrom, P. J. M., Berghout, J. a. M., Geerts, M. E. J., Jankowiak, L., Hardt, N. A., ... Boom, R. M. (2016). Concepts for further sustainable production of foods. *Journal of Food Engineering*, *168*, 42–51. <https://doi.org/10.1016/j.jfoodeng.2015.07.010>
- Gorissen, S. H. M., Crombag, J. J. R., Senden, J. M. G., Waterval, W. A. H., Bierau, J., Verdijk, L. B., & van Loon, L. J. C. (2018). Protein content and amino acid composition of commercially available plant-based protein isolates. *Amino Acids*, *50*(12), 1685–1695. <https://doi.org/10.1007/s00726-018-2640-5>
- Graça, J., Godinho, C. A., & Truninger, M. (2019). Reducing meat consumption and following plant-based diets: Current evidence and future directions to inform integrated transitions. *Trends in Food Science & Technology*, *91*, 380–390. <https://doi.org/10.1016/J.TIFS.2019.07.046>
- Grand View Research. (2016). Meat Substitutes Market Size Growth, Global Industry Report, 2022. Retrieved February 14, 2018, from <https://www.grandviewresearch.com/industry-analysis/meat-substitutes-market>
- Gravelle, A. J., Barbut, S., & Marangoni, A. G. (2017). Food-grade filler particles as an alternative method to modify the texture and stability of myofibrillar gels. *Scientific Reports*, *7*(1). <https://doi.org/10.1038/s41598-017-11711-1>
- Grigg, D. (1995). The nutritional transition in Western Europe. *Journal of Historical Geography*, *21*(3), 247–261. <https://doi.org/10.1006/jhge.1995.0018>
- Grinberg, V. Y., & Tolstoguzov, V. B. (1997). Thermodynamic incompatibility of proteins and polysaccharides in solutions. *Food Hydrocolloids*, *11*(2), 145–158. [https://doi.org/10.1016/S0268-005X\(97\)80022-7](https://doi.org/10.1016/S0268-005X(97)80022-7)
- Grossmann, L., Hinrichs, J., Goff, H. D., & Weiss, J. (2019). Heat-induced gel formation of a protein-rich extract from the microalga *Chlorella sorokiniana*. *Innovative Food Science and Emerging Technologies*, *56*, 102176. <https://doi.org/10.1016/j.ifset.2019.06.001>
- Grunert, K. G., Hieke, S., & Wills, J. (2014). Sustainability labels on food products: Consumer motivation, understanding and use. *Food Policy*, *44*, 177–189. <https://doi.org/10.1016/j.foodpol.2013.12.001>
- Grygiel-Górniak, B., & Puszczewicz, M. J. (2014). Diet in hyperuricemia and gout - Myths and facts. *Reumatologia*, *52*(4), 269–275. <https://doi.org/10.5114/reum.2014.44707>
- Grzanich, S. S., Klapholz, S., Voccola, L. S., & Griffiths, M. R. (2015). *WO2015127388A1*. Retrieved from <https://patents.google.com/patent/WO2015127388A1/en?assignee=IMPOSSIBLE+FOODS+INC.&page=1>

- Gu, J., Xin, Z., Meng, X., Sun, S., Qiao, Q., & Deng, H. (2016). A “reduced-pressure distillation” method to prepare zein-based fat analogue for application in mayonnaise formulation. *Journal of Food Engineering*, *182*, 1–8. <https://doi.org/10.1016/j.jfoodeng.2016.01.026>
- Guerrero, P., Beatty, E., Kerry, J. P., & De La Caba, K. (2012). Extrusion of soy protein with gelatin and sugars at low moisture content. *Journal of Food Engineering*, *110*(1), 53–59. <https://doi.org/10.1016/j.jfoodeng.2011.12.009>
- Guerrero, P., Kerry, J. P., & De La Caba, K. (2014). FTIR characterization of protein-polysaccharide interactions in extruded blends. *Carbohydrate Polymers*, *111*, 598–605. <https://doi.org/10.1016/j.carbpol.2014.05.005>
- Gui, Y., Li, J., Zhu, Y., & Guo, L. (2020). Roles of four enzyme crosslinks on structural, thermal and gel properties of potato proteins. *LWT*, *123*, 109116. <https://doi.org/10.1016/j.lwt.2020.109116>
- Guichard, E., & Langourieux, S. (2000). Interactions between β -lactoglobulin and flavour compounds. In *Food Chemistry* (Vol. 71, pp. 301–308). Elsevier. [https://doi.org/10.1016/S0308-8146\(00\)00181-3](https://doi.org/10.1016/S0308-8146(00)00181-3)
- Guinee, T. P. (2011). Cheese | Cheese Analogues. *Encyclopedia of Dairy Sciences*, (October), 814–821. <https://doi.org/10.1016/B978-0-12-374407-4.00096-0>
- Gumming, D. B., Stanley, D. W., & DeMan, J. M. (1973). Fate of water soluble soy protein during thermoplastic extrusion. *Journal of Food Science*, *38*(2), 320–323. <https://doi.org/10.1111/j.1365-2621.1973.tb01416.x>
- Gumus, C. E., Decker, E. A., & McClements, D. J. (2017). Formation and Stability of ω -3 Oil Emulsion-Based Delivery Systems Using Plant Proteins as Emulsifiers: Lentil, Pea, and Faba Bean Proteins. *Food Biophysics*, *12*(2), 186–197. <https://doi.org/10.1007/s11483-017-9475-6>
- Gundogan, R., & Can Karaca, A. (2020). Physicochemical and functional properties of proteins isolated from local beans of Turkey. *LWT*, *130*, 109609. <https://doi.org/10.1016/j.lwt.2020.109609>
- Guo, J., Yang, X.-Q., He, X.-T., Wu, N.-N., Wang, J.-M., Gu, W., & Zhang, Y.-Y. (2012). Limited Aggregation Behavior of β -Conglycinin and Its Terminating Effect on Glycinin Aggregation during Heating at pH 7.0. *Journal of Agricultural and Food Chemistry*, *3782–3791*. <https://doi.org/10.1021/jf300409y>
- Guo, Z., Teng, F., Huang, Z., Lv, B., Lv, X., Babich, O., ... Jiang, L. (2020). Effects of material characteristics on the structural characteristics and flavor substances retention of meat analogs. *Food Hydrocolloids*, *105*, 105752. <https://doi.org/10.1016/j.foodhyd.2020.105752>
- Guy, R. C. . (2016). *Extrusion Technologies. Reference Module in Food Science* (2nd ed., Vol. 1). Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100596-5.00144-X>

- Gwiazda, S., Noguchi, A., & Saio, K. (1987). Microstructural Studies of Texturized Vegetable Protein Products : Effects of Oil Addition and Transformation of Raw Materials in Various Sections of a Twin Screw Extruder. *Food Structure*, 6(1), 57–61.
- Habeych, E., Dekkers, B., van der Goot, A. J., & Boom, R. (2008). Starch-zein blends formed by shear flow. *Chemical Engineering Science*, 63(21), 5229–5238.
<https://doi.org/10.1016/j.ces.2008.07.008>
- Hadnađev, M., Dapčević-Hadnađev, T., Lazaridou, A., Moschakis, T., Michaelidou, A. M., Popović, S., & Biliaderis, C. G. (2018). Hempseed meal protein isolates prepared by different isolation techniques. Part I. physicochemical properties. *Food Hydrocolloids*, 79, 526–533. <https://doi.org/10.1016/j.foodhyd.2017.12.015>
- Haidar, C. N., Coscueta, E., Cordisco, E., Nerli, B. B., & Malpiedi, L. P. (2018). Aqueous micellar two-phase system as an alternative method to selectively remove soy antinutritional factors. *LWT*, 93, 665–672. <https://doi.org/10.1016/j.lwt.2018.04.025>
- Hale, A. B., Carpenter, C. E., & Walsh, M. K. (2002). Instrumental and Consumer Evaluation of Beef Patties Extended with Extrusion-Textured Whey Proteins. *Journal of Food Science*, 67(3), 1267–1270. <https://doi.org/10.1111/j.1365-2621.2002.tb09488.x>
- Hamill, R., & Botineştean, C. (2016). Meat: Structure. *Encyclopedia of Food and Health*, 701–710. <https://doi.org/10.1016/B978-0-12-384947-2.00451-7>
- Hamilton, M. N., & Ewing, C. E. (2000). CA2314727C. Retrieved from <https://patents.google.com/patent/CA2314727C/en>
- Han, S.-W., Chee, K.-M., & Cho, S.-J. (2015). Nutritional quality of rice bran protein in comparison to animal and vegetable protein. *Food Chemistry*, 172, 766–769.
<https://doi.org/10.1016/J.FOODCHEM.2014.09.127>
- Haque, M. A., Timilsena, Y. P., & Adhikari, B. (2016). *Food Proteins, Structure, and Function. Reference Module in Food Science*. Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.03057-2>
- Harvey, F., & Phillips, D. (2020, July 16). A fifth of Brazilian soy in Europe is result of deforestation | Environment | The Guardian. Retrieved from <https://www.theguardian.com/environment/2020/jul/16/a-fifth-of-brazilian-soy-in-europe-is-result-of-deforestation-amazon-jair-bolsonaro>
- Havlik, J., Plachy, V., Fernandez, J., & Rada, V. (2010). Dietary purines in vegetarian meat analogues. *Journal of the Science of Food and Agriculture*, 90(14), 2352–2357.
<https://doi.org/10.1002/jsfa.4089>
- He, J., Evans, N. M., Liu, H., & Shao, S. (2020). A review of research on plant-based meat alternatives: Driving forces, history, manufacturing, and consumer attitudes. *Comprehensive Reviews in Food Science and Food Safety*, 1541–4337.12610.
<https://doi.org/10.1111/1541-4337.12610>

- He, J., Liu, H., Balamurugan, S., & Shao, S. (2021). Fatty acids and volatile flavor compounds in commercial plant-based burgers. *Journal of Food Science*, 1750-3841.15594. <https://doi.org/10.1111/1750-3841.15594>
- He, R., He, H. Y., Chao, D., Ju, X., & Aluko, R. (2014). Effects of High Pressure and Heat Treatments on Physicochemical and Gelation Properties of Rapeseed Protein Isolate. *Food and Bioprocess Technology*, 7(5), 1344–1353. <https://doi.org/10.1007/s11947-013-1139-z>
- He, Y., Kuhn, D. D., Ogejo, J. A., O’Keefe, S. F., Fraguas, C. F., Wiersema, B. D., ... Huang, H. (2019). Wet fractionation process to produce high protein and high fiber products from brewer’s spent grain. *Food and Bioprocess Technology*, 117, 266–274. <https://doi.org/10.1016/J.FBP.2019.07.011>
- Heath, M. R., & Lucas, P. W. (1987). *Oral Perception of Texture. Food Structure: Its Creation and Evaluation*. Elsevier. <https://doi.org/10.1533/9781845698348.465>
- Heinz, G., & Hautzinger, P. (2007). *Meat processing technology for small-to medium scale producers*. FAO Regional Office for Asia and the Pacific. Retrieved from <http://www.fao.org/docrep/010/ai407e/AI407E00.htm>
- Henck, J. M. M., Bis-Souza, C. V., Pollonio, M. A. R., Lorenzo, J. M., & Barretto, A. C. S. (2019). Alpha-cyclodextrin as a new functional ingredient in low-fat chicken frankfurter. *British Poultry Science*, 60(6), 716–723. <https://doi.org/10.1080/00071668.2019.1664726>
- Heng, L., Van Koningsveld, G. A., Gruppen, H., Van Boekel, M. A. J. S., Vincken, J. P., Roozen, J. P., & Voragen, A. G. J. (2004). Protein-flavour interactions in relation to development of novel protein foods. *Trends in Food Science and Technology*. <https://doi.org/10.1016/j.tifs.2003.09.018>
- Henry, R. C., Alexander, P., Rabin, S., Anthoni, P., Rounsevell, M. D. A., & Arneith, A. (2019). The role of global dietary transitions for safeguarding biodiversity. *Global Environmental Change*, 58, 101956. <https://doi.org/10.1016/j.gloenvcha.2019.101956>
- Herbach, K. M., Stintzing, F. C., & Carle, R. (2004). Impact of thermal treatment on color and pigment pattern of red beet (*Beta vulgaris* L.) preparations. *Journal of Food Science*, 69(6). <https://doi.org/10.1111/j.1365-2621.2004.tb10994.x>
- Hermansson, A. -M. (1985). Structure of soya glycinin and conglycinin gels. *Journal of the Science of Food and Agriculture*, 36(9), 822–832. <https://doi.org/10.1002/jsfa.2740360911>
- Hettiarachchy, N., Kannan, A., Schäfer, C., & Wagner, G. (2013). Gelling of Plant Based Proteins. In *Product Design and Engineering* (pp. 221–245). Weinheim, Germany: Wiley-VCH Verlag GmbH & Co. KGaA. <https://doi.org/10.1002/9783527654741.ch8>
- Heusala, H., Sinkko, T., Sözer, N., Hytönen, E., Mogensen, L., & Knudsen, M. T. (2020). Carbon footprint and land use of oat and faba bean protein concentrates using a life cycle

- assessment approach. *Journal of Cleaner Production*.
<https://doi.org/10.1016/j.jclepro.2019.118376>
- Hickisch, A., Bindl, K., Vogel, R. F., & Toelstede, S. (2016). Thermal treatment of lupin-based milk alternatives – Impact on lupin proteins and the network of respective lupin-based yogurt alternatives. *Food Research International*, *89*, 850–859.
<https://doi.org/10.1016/j.foodres.2016.10.013>
- Hilbig, J., Gisder, J., Pechtl, R. M., Herrmann, K., Weiss, J., & Loeffler, M. (2019). Influence of exopolysaccharide-producing lactic acid bacteria on the spreadability of fat-reduced raw fermented sausages (Teewurst). *Food Hydrocolloids*.
<https://doi.org/10.1016/j.foodhyd.2019.01.056>
- Hilbig, J., Hartlieb, K., Gibis, M., Herrmann, K., & Weiss, J. (2020). Rheological and mechanical properties of alginate gels and films containing different chelators. *Food Hydrocolloids*, *101*, 105487. <https://doi.org/10.1016/j.foodhyd.2019.105487>
- Hill, S. E., & Prusa, K. J. (1988). Physical and sensory properties of lean ground beef patties containing methylcellulose and hydroxypropylmethylcellulose. *Journal of Food Quality*, *11*(4), 331–337. <https://doi.org/10.1111/j.1745-4557.1988.tb00893.x>
- Hjelm, L., Mielby, L. A., Gregersen, S., Eggers, N., & Bertram, H. C. (2019). Partial substitution of fat with rye bran fibre in Frankfurter sausages – Bridging technological and sensory attributes through inclusion of collagenous protein. *LWT*, *101*, 607–617.
<https://doi.org/10.1016/j.lwt.2018.11.055>
- Hoek, A. C. (2010). *Will Novel Protein Foods beat meat? Consumer acceptance of meat substitutes - a multidisciplinary research approach*. Division of Human Nutrition (Vol. Doctoral D).
- Hoek, A. C., Elzerman, J. E., Hageman, R., Kok, F. J., Luning, P. A., & Graaf, C. de. (2013). Are meat substitutes liked better over time? A repeated in-home use test with meat substitutes or meat in meals. *Food Quality and Preference*, *28*(1), 253–263.
<https://doi.org/10.1016/j.foodqual.2012.07.002>
- Hoek, A. C., Luning, P. A., Weijzen, P., Engels, W., Kok, F. J., & de Graaf, C. (2011). Replacement of meat by meat substitutes. A survey on person- and product-related factors in consumer acceptance. *Appetite*, *56*(3), 662–673.
<https://doi.org/10.1016/j.appet.2011.02.001>
- Hofmann, T., & Schieberle, P. (1995). Evaluation of the Key Odorante in a Thermally Treated Solution of Ribose and Cysteine by Aroma Extract Dilution Techniques. *Journal of Agricultural and Food Chemistry*, *43*(8), 2187–2194.
<https://doi.org/10.1021/jf00056a042>
- Hollenbeck, J. J., Apple, J. K., Yancey, J. W. S., Johnson, T. M., Kerns, K. N., & Young, A. N. (2019). Cooked color of precooked ground beef patties manufactured with mature bull trimmings. *Meat Science*. <https://doi.org/10.1016/j.meatsci.2018.09.018>

- Hong, G. P., & Chin, K. B. (2010). Effects of microbial transglutaminase and sodium alginate on cold-set gelation of porcine myofibrillar protein with various salt levels. *Food Hydrocolloids*, 24(4), 444–451. <https://doi.org/10.1016/j.foodhyd.2009.11.011>
- Horan, F. E., & Wolff, H. (1976). Meat Analogs-A Supplement. In *New Protein Foods* (pp. 260–279). Elsevier. <https://doi.org/10.1016/b978-0-12-054802-6.50016-9>
- Howse, G., Sidhu, K., & Grex, D. (2003). *US20050008758A1*. Retrieved from <https://patents.google.com/patent/US20050008758>
- Hsiao, Y. H., Yu, C. J., Li, W. T., & Hsieh, J. F. (2015). Coagulation of β -conglycinin, glycinin and isoflavones induced by calcium chloride in soymilk. *Scientific Reports*, 5, 1–11. <https://doi.org/10.1038/srep13018>
- Huber, G. R. (2000). *Twin-Screw Extruders. Extruders in Food Applications*. <https://doi.org/10.1007/978-1-4684-1464-6>
- Hughes, G. J., Ryan, D. J., Mukherjea, R., & Schasteen, C. S. (2011). Protein Digestibility-Corrected Amino Acid Scores (PDCAAS) for Soy Protein Isolates and Concentrate: Criteria for Evaluation. *Journal of Agricultural and Food Chemistry*, 59(23), 12707–12712. <https://doi.org/10.1021/jf203220v>
- Huppertz, T., & Kelly, A. L. (2009). Physical chemistry of milk fat globules. In Fox F.P. (Ed.), *Advanced Dairy Chemistry. Developments in Dairy Chemistry—2* (Vol. 2, pp. 173–212). Dordrecht: Springer US. https://doi.org/10.1007/0-387-28813-9_5
- Imeson, A. (2009). *Food Stabilisers, Thickeners and Gelling Agents. Food Stabilisers, Thickeners and Gelling Agents*. <https://doi.org/10.1002/9781444314724>
- Innova Market Insights. (2017). *Meat substitutes: Subcategory Report H1 2017*. Retrieved from <https://www.innovadatabase.com/>
- Jaeger, H., Janositz, A., & Knorr, D. (2010). The Maillard reaction and its control during food processing. The potential of emerging technologies. *Pathologie-Biologie*, 58(3), 207–213. <https://doi.org/10.1016/j.patbio.2009.09.016>
- Janssen, M., Busch, C., Rödiger, M., & Hamm, U. (2016). Motives of consumers following a vegan diet and their attitudes towards animal agriculture. *Appetite*, 105, 643–651. <https://doi.org/10.1016/j.appet.2016.06.039>
- Jaramillo, D. P., Roberts, R. F., & Coupland, J. N. (2011). Effect of pH on the properties of soy protein-pectin complexes. *Food Research International*, 44(4), 911–916. <https://doi.org/10.1016/j.foodres.2011.01.057>
- Jeewanthi, R. K. C., & Paik, H. D. (2018). Modifications of nutritional, structural, and sensory characteristics of non-dairy soy cheese analogs to improve their quality attributes. *Journal of Food Science and Technology*, 55(11), 4384–4394. <https://doi.org/10.1007/s13197-018-3408-3>

- Jeong, S., Kim, H. W., & Lee, S. (2017). Rheological and secondary structural characterization of rice flour-zein composites for noodles slit from gluten-free sheeted dough. *Food Chemistry*, *221*, 1539–1545. <https://doi.org/10.1016/j.foodchem.2016.10.139>
- Jeske, S., Zannini, E., & Arendt, E. K. (2018). Past, present and future: The strength of plant-based dairy substitutes based on gluten-free raw materials. *Food Research International*, *110*, 42–51. <https://doi.org/10.1016/j.foodres.2017.03.045>
- Jiménez-Colmenero, F., Cofrades, S., Herrero, A. M., Fernández-Martín, F., Rodríguez-Salas, L., & Ruiz-Capillas, C. (2012). Konjac gel fat analogue for use in meat products: Comparison with pork fats. *Food Hydrocolloids*, *26*(1), 63–72. <https://doi.org/10.1016/J.FOODHYD.2011.04.007>
- Jimenez-Colmenero, F., Salcedo-Sandoval, L., Bou, R., Cofrades, S., Herrero, A. M., & Ruiz-Capillas, C. (2015). Novel applications of oil-structuring methods as a strategy to improve the fat content of meat products. *Trends in Food Science & Technology*, *44*(2), 177–188. <https://doi.org/10.1016/J.TIFS.2015.04.011>
- Jin, S. K., Kim, I. S., Nam, Y. W., Cho, J. H., Hur, S. J., & Kang, S. N. (2007). Effects of the order of material addition on the quality characteristics of emulsification sausage. *Korean Journal for Food Science of Animal Resources*, *27*(2), 157–162. <https://doi.org/10.5851/kosfa.2007.27.2.157>
- Jinapong, N., Suphantharika, M., & Jamnong, P. (2008). Production of instant soymilk powders by ultrafiltration, spray drying and fluidized bed agglomeration. *Journal of Food Engineering*, *84*(2), 194–205. <https://doi.org/10.1016/J.JFOODENG.2007.04.032>
- Jonas-Levi, A., & Martinez, J. J. I. (2017). The high level of protein content reported in insects for food and feed is overestimated. *Journal of Food Composition and Analysis*, *62*(May), 184–188. <https://doi.org/10.1016/j.jfca.2017.06.004>
- Jones, O. G. (2016). Recent advances in the functionality of non-animal-sourced proteins contributing to their use in meat analogs. *Current Opinion in Food Science*, *7*, 7–13. <https://doi.org/10.1016/j.cofs.2015.08.002>
- Jongen, W. M. F., & Meerdink, G. (2001). Pea proteins based food products as meat replacers: The profetas concept. *Nahrung - Food*, *45*(6), 402–404. [https://doi.org/10.1002/1521-3803\(20011001\)45:6<402::AID-FOOD402>3.0.CO;2-N](https://doi.org/10.1002/1521-3803(20011001)45:6<402::AID-FOOD402>3.0.CO;2-N)
- Joshi, V., & Kumar, S. (2015). Meat Analogues: Plant based alternatives to meat products- A review. *International Journal of Food and Fermentation Technology*, *5*(2), 107. <https://doi.org/10.5958/2277-9396.2016.00001.5>
- Joye, I. J., & McClements, D. J. (2014). Emulsifying and emulsion-stabilizing properties of gluten hydrolysates. *Journal of Agricultural and Food Chemistry*, *62*(12), 2623–2630. <https://doi.org/10.1021/jf5001343>

- Ju, M., Zhu, G., Huang, G., Shen, X., Zhang, Y., Jiang, L., & Sui, X. (2020). A novel pickering emulsion produced using soy protein-anthocyanin complex nanoparticles. *Food Hydrocolloids*, 99, 105329. <https://doi.org/10.1016/J.FOODHYD.2019.105329>
- Kalapathy, U., Hettiarachchy, N. S., & Rhee, K. C. (1997). Effect of drying methods on molecular properties and functionalities of disulfide bond-cleaved soy proteins. *Journal of the American Oil Chemists' Society*, 74(3), 195–199. <https://doi.org/10.1007/s11746-997-0123-z>
- Kalaydzhiev, H., Ivanova, P., Stoyanova, M., Pavlov, A., Rustad, T., Silva, C. L. M., & Chalova, V. I. (2020). Valorization of Rapeseed Meal: Influence of Ethanol Antinutrients Removal on Protein Extractability, Amino Acid Composition and Fractional Profile. *Waste and Biomass Valorization*. <https://doi.org/10.1007/s12649-018-00553-1>
- Kale, A., Varadan, R., & Davis, S. C. (2017). *US20170321204A1*. Retrieved from <https://patents.google.com/patent/US20170321204A1/en?assignee=IMPOSSIBLE+FOODS+INC.&page=1>
- Kamani, M. H., Meera, M. S., Bhaskar, N., & Modi, V. K. (2019). Partial and total replacement of meat by plant-based proteins in chicken sausage: evaluation of mechanical, physico-chemical and sensory characteristics. *Journal of Food Science and Technology*, 56(5), 2660–2669. <https://doi.org/10.1007/s13197-019-03754-1>
- Kanjanapongkul, K., Wongsasulak, S., & Yoovidhya, T. (2010). Prediction of clogging time during electrospinning of zein solution: Scaling analysis and experimental verification. *Chemical Engineering Science*, 65(18), 5217–5225. <https://doi.org/10.1016/j.ces.2010.06.018>
- Kanjanapongkul, K., Wongsasulak, S., & Yoovidhya, T. (2010). Investigation and prevention of clogging during electrospinning of zein solution. *Journal of Applied Polymer Science*, 118(3), 1821–1829. <https://doi.org/10.1002/app.32499>
- Kantar Public. (2017). *Consumer principles on the use of food additives and enzyme*. Retrieved from https://acss.food.gov.uk/sites/default/files/chemicalsadditivesenzymes_0.pdf
- Kapchie, V. N., Wei, D., Hauck, C., & Murphy, P. A. (2008). Enzyme-assisted aqueous extraction of oleosomes from soybeans (*Glycine max*). *Journal of Agricultural and Food Chemistry*, 56(5), 1766–1771. <https://doi.org/10.1021/jf0721390>
- Karaca, A. C., Low, N., & Nickerson, M. (2011). Emulsifying properties of chickpea, faba bean, lentil and pea proteins produced by isoelectric precipitation and salt extraction. *Food Research International*, 44(9), 2742–2750. <https://doi.org/10.1016/j.foodres.2011.06.012>
- Karaca, A. C., Nickerson, M. T., & Low, N. H. (2011). Lentil and chickpea protein-stabilized emulsions: Optimization of emulsion formulation. *Journal of Agricultural and Food Chemistry*, 59(24), 13203–13211. <https://doi.org/10.1021/jf203028n>

- Karakasyan, C., Legros, M., Lack, S., Brunel, F., Maingault, P., Ducouret, G., & Hourdet, D. (2010). Cold gelation of alginates induced by monovalent cations. *Biomacromolecules*, *11*(11), 2966–2975. <https://doi.org/10.1021/bm100776b>
- Karefyllakis, D., Octaviana, H., van der Goot, A. J., & Nikiforidis, C. V. (2019). The emulsifying performance of mildly derived mixtures from sunflower seeds. *Food Hydrocolloids*, *88*, 75–85. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0268005X18309950>
- Karimi, R., Azizi, M. H., Ghasemlou, M., & Vaziri, M. (2015). Application of inulin in cheese as prebiotic, fat replacer and texturizer: a review. *Carbohydrate Polymers*, *119*, 85–100. <https://doi.org/10.1016/j.carbpol.2014.11.029>
- Kaspchak, E., Oliveira, M. A. S. de, Simas, F. F., Franco, C. R. C., Silveira, J. L. M., Mafra, M. R., & Igarashi-Mafra, L. (2017). Determination of heat-set gelation capacity of a quinoa protein isolate (*Chenopodium quinoa*) by dynamic oscillatory rheological analysis. *Food Chemistry*, *232*, 263–271. <https://doi.org/10.1016/j.foodchem.2017.04.014>
- Katzav, H., Chirug, L., Okun, Z., Davidovich-Pinhas, M., & Shpigelman, A. (2020). Comparison of Thermal and High-Pressure Gelation of Potato Protein Isolates. *Foods*, *9*(8), 1041. <https://doi.org/10.3390/foods9081041>
- Kazemzadh, M., Diehl, K. C., Rhee, K. ., & Dahm, P. . (1986). Mechanical and structural evaluation of texturized soy proteins of varying protein content. *Cereal Chemistry*, *63*(4), 304–310.
- Kearns, J. P., Rokey, G. J., & Huber, G. R. (1989). Extrusion of texturized proteins. In T. H. Applewhite (Ed.), *Proceedings of the World Congress on Vegetable Protein Utilization in Human* (pp. 353–362). Champaign, Illinois: American oil chemists' society.
- Kelly, P. (2019). Manufacture of Whey Protein Products: Concentrates, Isolate, Whey Protein Fractions and Microparticulated. *Whey Proteins*, 97–122. <https://doi.org/10.1016/B978-0-12-812124-5.00003-5>
- Keppler, J. K., Heyse, A., Scheidler, E., Uttinger, M. J., Fitzner, L., Jandt, U., ... Biedendieck, R. (2021). Towards recombinantly produced milk proteins: Physicochemical and emulsifying properties of engineered whey protein beta-lactoglobulin variants. *Food Hydrocolloids*, *110*, 106132. <https://doi.org/10.1016/j.foodhyd.2020.106132>
- Kerler, J., Winkel, C., Davidek, T., & Blank, I. (2010). Basic Chemistry and Process Conditions for Reaction Flavours with Particular Focus on Maillard-Type Reactions. In *Food Flavour Technology: Second Edition* (pp. 51–88). <https://doi.org/10.1002/9781444317770.ch3>
- Kern, C., Scharfe, M., & Hinrichs, J. (2020). Texturization of renneted casein-based gel particles by sheet die extrusion: Mechanical properties and numerical analysis of flow characteristics. *Journal of Food Engineering*, *278*, 109938. <https://doi.org/10.1016/j.jfoodeng.2020.109938>

- Khan, M. I., Jo, C., & Tariq, M. R. (2015). Meat flavor precursors and factors influencing flavor precursors-A systematic review. *Meat Science*.
<https://doi.org/10.1016/j.meatsci.2015.08.002>
- Kieffer, R., Schurer, F., Köhler, P., & Wieser, H. (2007). Effect of hydrostatic pressure and temperature on the chemical and functional properties of wheat gluten: Studies on gluten, gliadin and glutenin. *Journal of Cereal Science*, 45(3), 285–292.
<https://doi.org/10.1016/j.jcs.2006.09.008>
- Kim, K., Choi, B., Lee, I., Lee, H., Kwon, S., Oh, K., & Kim, A. Y. (2011). Bioproduction of mushroom mycelium of *Agaricus bisporus* by commercial submerged fermentation for the production of meat analogue. *Journal of the Science of Food and Agriculture*, 91(9), 1561–1568. <https://doi.org/10.1002/jsfa.4348>
- Kim, M. K., & Castro Lugay, J. (1974). US4001459A - Fibrous protein materials.
- Kim, S. H., Yang, Y. S., & Chung, I. M. (2016). Effect of acetic acid treatment on isoflavones and carbohydrates in pickled soybean. *Food Research International*, 81, 58–65.
<https://doi.org/10.1016/j.foodres.2016.01.001>
- Kiosseoglou, A., Doxastakis, G., Alevisopoulos, S., & Kasapis, S. (1999). Physical characterization of thermally induced networks of lupin protein isolates prepared by isoelectric precipitation and dialysis. *International Journal of Food Science and Technology*, 34(3), 253–263. <https://doi.org/10.1046/j.1365-2621.1999.00260.x>
- Kirimlidou, M., Matsakidou, A., Scholten, E., Nikiforidis, C. V., & Kiosseoglou, V. (2017). Composite gels structured by a gelatin protein matrix filled with oil bodies. *Food Structure*. <https://doi.org/10.1016/j.foostr.2017.06.003>
- Kitabataka, N., Megard, D., & Cheftel, J. C. (1985). Continuous Gel Formation by HTST Extrusion-Cooking: Soy Proteins. *Journal of Food Science*, 50(5), 1260–1265.
<https://doi.org/10.1111/j.1365-2621.1985.tb10457.x>
- Kloss, L., Meyer, J. D., Graeve, L., & Vetter, W. (2015, June 1). Sodium intake and its reduction by food reformulation in the European Union - A review. *NFS Journal*. Elsevier GmbH. <https://doi.org/10.1016/j.nfs.2015.03.001>
- Klost, M., Brzeski, C., & Drusch, S. (2020). Effect of protein aggregation on rheological properties of pea protein gels. *Food Hydrocolloids*, 108, 106036.
<https://doi.org/10.1016/j.foodhyd.2020.106036>
- Knipe, C. L. (2014). Emulsion. In *Encyclopedia of Meat Sciences*.
<https://doi.org/10.1016/B978-0-12-384731-7.00143-4>
- Knoch, A. (2016). *Production of Restructured Meatlike Products by High Moisture Extrusion Technology. Reference Module in Food Science*. Elsevier.
<https://doi.org/10.1016/B978-0-08-100596-5.03280-7>

- Koehler, P., Kieffer, R., & Wieser, H. (2010). Effect of hydrostatic pressure and temperature on the chemical and functional properties of wheat gluten III. Studies on gluten films. *Journal of Cereal Science*, *51*(1), 140–145. <https://doi.org/10.1016/j.jcs.2009.11.004>
- Koistinen, L., Pouta, E., Heikkilä, J., Forsman-Hugg, S., Kotro, J., Mäkelä, J., & Niva, M. (2013). The impact of fat content, production methods and carbon footprint information on consumer preferences for minced meat. *Food Quality and Preference*, *29*(2), 126–136. <https://doi.org/10.1016/j.foodqual.2013.03.007>
- Koneswaran, G., & Nierenberg, D. (2008). Global farm animal production and Global warming: Impacting and mitigating Climate Change. *Environmental Health Perspectives*, *116*(5), 578–582. <https://doi.org/10.1289/ehp.11034>
- Kornet, R., Veenemans, J., Venema, P., van der Goot, A. J., Meinders, M., Sagis, L., & van der Linden, E. (2021). Less is more: Limited fractionation yields stronger gels for pea proteins. *Food Hydrocolloids*, *112*, 106285. <https://doi.org/10.1016/j.foodhyd.2020.106285>
- Kostic, M. M., & Reifschneider, L. G. (2006). Design of Extrusion Dies. In *Encyclopedia of Chemical Processing* (pp. 633–649). <https://doi.org/10.1081/E-ECHP-120039324>
- Kowalski, R. J., Medina-Meza, I. G., Thapa, B. B., Murphy, K. M., & Ganjyal, G. M. (2016). Extrusion processing characteristics of quinoa (*Chenopodium quinoa* Willd.) var. Cherry Vanilla. *Journal of Cereal Science*, *70*, 91–98. <https://doi.org/10.1016/j.jcs.2016.05.024>
- Krintiras, G. A. (2016). Intensified Protein Structuring for More Sustainable Foods. *These*.
- Krintiras, G. A., Gadea Diaz, J., Van Der Goot, A. J., Stankiewicz, A. I., & Stefanidis, G. D. (2016). On the use of the Couette Cell technology for large scale production of textured soy-based meat replacers. *Journal of Food Engineering*, *169*, 205–213. <https://doi.org/10.1016/j.jfoodeng.2015.08.021>
- Krintiras, G. A., Göbel, J., Bouwman, W. G., Jan van der Goot, A., & Stefanidis, G. D. (2014). On characterization of anisotropic plant protein structures. *Food Funct.*, *5*(12), 3233–3240. <https://doi.org/10.1039/C4FO00537F>
- Krintiras, G. A., Gobel, J., Van Der Goot, A. J., & Stefanidis, G. D. (2015). Production of structured soy-based meat analogues using simple shear and heat in a Couette Cell. *Journal of Food Engineering*, *160*(April), 34–41. <https://doi.org/10.1016/j.jfoodeng.2015.02.015>
- Kristensen, M. D., Bendtsen, N. T., Christensen, S. M., Astrup, A., & Raben, A. (2016). Meals based on vegetable protein sources (beans and peas) are more satiating than meals based on animal protein sources (veal and pork) - A randomized cross-over meal test study. *Food and Nutrition Research*, *60*(August 2017), 1–9. <https://doi.org/10.3402/fnr.v60.32634>
- Kristiawan, M., Micard, V., Maladira, P., Alchamieh, C., Maigret, J.-E., Réguerre, A.-L., ... Della Valle, G. (2018). Multi-scale structural changes of starch and proteins during pea

- flour extrusion. *Food Research International*, 108, 203–215.
<https://doi.org/10.1016/J.FOODRES.2018.03.027>
- Krzywdzińska-Bartkowiak, M., Rezler, R., & Gajewska-Szczerbal, H. (2016). The influence of meat muscle structural properties on mechanical and texture parameters of canned ham. *Journal of Food Engineering*, 181, 1–9.
<https://doi.org/10.1016/j.jfoodeng.2016.02.015>
- Kumar, P., Angad, G., Veterinary, D., Science, A., Of, D., Storage, E., ... Delhi, N. (2010). Optimization of the egg albumen content in analogue meat nuggets. *Indian Journal of Poultry Science*, 45(2), 77–179.
- Kumar, P., Chatli, M. K., Mehta, N., Singh, P., Malav, O. P., & Verma, A. K. (2017). Meat analogues: Health promising sustainable meat substitutes. *Critical Reviews in Food Science and Nutrition*, 57(5), 923–932. <https://doi.org/10.1080/10408398.2014.939739>
- Kumar, P., Mehta, N., Malav, O. P., Verma, A. K., Umraw, P., Kanth, M. K., & Krishna kanth, M. (2019). The Structure of Meat Analogs. *Encyclopedia of Food Chemistry*, 105–109. <https://doi.org/10.1016/B978-0-08-100596-5.21705-8>
- Kumar, S. (2017). Meat Analogs “Plant based alternatives to meat products: Their production technology and applications.” *Critical Reviews in Food Science and Nutrition*, 57(5), 1059. <https://doi.org/10.1080/10408398.2016.1196162>
- Kumar, V., Rani, A., Hussain, L., Yadav, M., Jha, P., Petwal, V., & Dwivedi, J. (2017). Changes in physico-chemical properties of native and toasted defatted soy flour on submission to electron beam radiation. *Food and Bioproducts Processing*, 105, 141–146.
<https://doi.org/10.1016/j.fbp.2017.07.001>
- Kusch, S., & Fiebelkorn, F. (2019). Environmental impact judgments of meat, vegetarian, and insect burgers: Unifying the negative footprint illusion and quantity insensitivity. *Food Quality and Preference*, 78, 103731.
<https://doi.org/10.1016/J.FOODQUAL.2019.103731>
- Kutzli, I., Gibis, M., Baier, S. K., & Weiss, J. (2019). Electrospinning of whey and soy protein mixed with maltodextrin – Influence of protein type and ratio on the production and morphology of fibers. *Food Hydrocolloids*, 93, 206–214.
<https://doi.org/10.1016/J.FOODHYD.2019.02.028>
- Kutzli, I., Griener, D., Gibis, M., Schmid, C., Dawid, C., Baier, S. K., ... Weiss, J. (2019). Influence of Maillard reaction conditions on the formation and solubility of pea protein isolate-maltodextrin conjugates in electrospun fibers. *Food Hydrocolloids*, 105535.
<https://doi.org/10.1016/J.FOODHYD.2019.105535>
- Kyed, M.-H., & Rusconi, P. (2009). US20090208633A1. Retrieved from
<https://patents.google.com/patent/US20090208633>
- Ladjal-Ettoumi, Y., Boudries, H., Chibane, M., & Romero, A. (2016). Pea, Chickpea and Lentil Protein Isolates: Physicochemical Characterization and Emulsifying Properties. *Food Biophysics*, 11(1), 43–51. <https://doi.org/10.1007/s11483-015-9411-6>

- Lam, A. C. Y., Can Karaca, A., Tyler, R. T., & Nickerson, M. T. (2018, February 17). Pea protein isolates: Structure, extraction, and functionality. *Food Reviews International*. Taylor and Francis Inc. <https://doi.org/10.1080/87559129.2016.1242135>
- Lamichhane, P., Kelly, A. L., & Sheehan, J. J. (2018). Symposium review: Structure-function relationships in cheese. *Journal of Dairy Science*, *101*(3), 2692–2709. <https://doi.org/10.3168/jds.2017-13386>
- Lang, M. (2019). Consumer acceptance of blending plant-based ingredients into traditional meat-based foods to reduce meat consumption: Evidence from the meat-mushroom blend. *Food Quality and Preference*, 103758. <https://doi.org/10.1016/J.FOODQUAL.2019.103758>
- Langton, M., Ehsanzamir, S., Karkehabadi, S., Feng, X., Johansson, M., & Johansson, D. P. (2020). Gelation of faba bean proteins - Effect of extraction method, pH and NaCl. *Food Hydrocolloids*, *103*, 105622. <https://doi.org/10.1016/j.foodhyd.2019.105622>
- Larré, C., Mulder, W., Sánchez-Vioque, R., Lazko, J., Bérot, S., Guéguen, J., & Popineau, Y. (2006). Characterisation and foaming properties of hydrolysates derived from rapeseed isolate. *Colloids and Surfaces B: Biointerfaces*, *49*(1), 40–48. <https://doi.org/10.1016/j.colsurfb.2006.02.009>
- Larsen, T. M., Dalskov, S.-M., van Baak, M., Jebb, S. A., Papadaki, A., Pfeiffer, A. F. H., ... Diet, Obesity, and G. (Diogenes) P. (2010). Diets with high or low protein content and glycemic index for weight-loss maintenance. *The New England Journal of Medicine*, *363*(22), 2102–2113. <https://doi.org/10.1056/NEJMoa1007137>
- Larsson, S. C., & Wolk, A. (2006). Meat consumption and risk of colorectal cancer: A meta-analysis of prospective studies. *International Journal of Cancer*, *119*(11), 2657–2664. <https://doi.org/10.1002/ijc.22170>
- Lazou, A. E., Michailidis, P. A., Thymi, S., Krokida, M. K., & Bisharat, G. I. (2007). Structural Properties of Corn-Legume Based Extrudates as a Function of Processing Conditions and Raw Material Characteristics. *International Journal of Food Properties*, *10*(4), 721–738. <https://doi.org/10.1080/10942910601154305>
- Lee, M. K. (2009). The Quality Characteristics of Soy Wan-Jas Made with Different Proteolytic Enzyme Treated Textured Soy Proteins. *Journal of the Korean Society for Applied Biological Chemistry*, *52*(6), 708–715. <https://doi.org/10.3839/jksabc.2009.117>
- Lee, W. J., & Lucey, J. A. (2004). Structure and physical properties of yogurt gels: Effect of inoculation rate and incubation temperature. *Journal of Dairy Science*, *87*(10), 3153–3164. [https://doi.org/10.3168/jds.S0022-0302\(04\)73450-5](https://doi.org/10.3168/jds.S0022-0302(04)73450-5)
- Lefebvre-Cases, E., Gastaldi, E., Vidal, V., Marchesseau, S., Lagaude, A., Cuq, J. L., & Tarodo De La Fuente, B. (1998). Identification of Interactions among Casein Gels Using Dissociating Chemical Agents. *Journal of Dairy Science*, *81*(4), 932–938. [https://doi.org/10.3168/jds.S0022-0302\(98\)75653-X](https://doi.org/10.3168/jds.S0022-0302(98)75653-X)
- Leidy, H., Hayes, J., & Hai, A. (1972). US3840677A - Bacon-like meat analogs.

- Lerner, A., & Matthias, T. (2015). Possible association between celiac disease and bacterial transglutaminase in food processing: a hypothesis. *Nutrition Reviews*, 73(8), 544–552. <https://doi.org/10.1093/nutrit/nuv011>
- Leutgeb, K. (2015). *Microbial examination of raw and extruded products for the production of a vegetarian meat analogue*.
- Li, B. S., & Wang, B. S. (2018). Changes in the interactions between proteins and other macromolecules induced by HPP. In *Encyclopedia of Food Chemistry* (pp. 499–504). Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.21484-4>
- Li, J., Wang, Y., Jin, W., Zhou, B., & Li, B. (2014). Application of micronized konjac gel for fat analogue in mayonnaise. *Food Hydrocolloids*, 35, 375–382. <https://doi.org/10.1016/J.FOODHYD.2013.06.010>
- Li, J., Yadav, M. P., & Li, J. (2019). Effect of different hydrocolloids on gluten proteins, starch and dough microstructure. *Journal of Cereal Science*, 87, 85–90. <https://doi.org/10.1016/J.JCS.2019.03.004>
- Li, L. (2002). Thermal gelation of methylcellulose in water: Scaling and thermoreversibility. *Macromolecules*, 35(15), 5990–5998. <https://doi.org/10.1021/ma0201781>
- Li, Q., Xia, Y., Zhou, L., & Xie, J. (2013). Evaluation of the rheological, textural, microstructural and sensory properties of soy cheese spreads. *Food and Bioprocess Technology*, 9(4), 429–439. <https://doi.org/10.1016/j.fbp.2013.03.001>
- Li, Q., Wang, Z., Dai, C., Wang, Y., Chen, W., Ju, X., ... He, R. (2019). Physical stability and microstructure of rapeseed protein isolate/gum Arabic stabilized emulsions at alkaline pH. *Food Hydrocolloids*, 88, 50–57. <https://doi.org/10.1016/j.foodhyd.2018.09.020>
- Li, T., Guo, X. N., Zhu, K. X., & Zhou, H. M. (2018). Effects of alkali on protein polymerization and textural characteristics of textured wheat protein. *Food Chemistry*, 239, 579–587. <https://doi.org/10.1016/j.foodchem.2017.06.155>
- Li, X., & Li, J. (2020). The Flavor of Plant-Based Meat Analogues. *Cereal Foods World*. <https://doi.org/10.1094/cfw-65-4-0040>
- Liao, Q. G., Li, W. H., & Luo, L. G. (2012). Applicability of accelerated solvent extraction for synthetic colorants analysis in meat products with ultrahigh performance liquid chromatography-photodiode array detection. *Analytica Chimica Acta*, 716, 128–132. <https://doi.org/10.1016/j.aca.2011.12.033>
- Liene, S., & Sandra, M.-B. (2016). The Characteristics of Extruded Faba Beans (*Vicia faba* L.). *Rural Sustainability Research*. <https://doi.org/10.1515/plua-2016-0013>
- Lie-Piang, A., Braconi, N., Boom, R. M., & van der Padt, A. (2021). Less refined ingredients have lower environmental impact – A life cycle assessment of protein-rich ingredients from oil- and starch-bearing crops. *Journal of Cleaner Production*. <https://doi.org/10.1016/j.jclepro.2021.126046>

- Lille, M., Nurmela, A., Nordlund, E., Metsä-Kortelainen, S., & Sozer, N. (2016). Applicability of protein and fiber-rich food materials in extrusion-based 3D printing. *Journal of Food Engineering*. <https://doi.org/10.1016/j.jfoodeng.2017.04.034>
- Lin, D., Lu, W., Kelly, A. L., Zhang, L., Zheng, B., & Miao, S. (2017). Interactions of vegetable proteins with other polymers: Structure–function relationships and applications in the food industry. *Trends in Food Science & Technology*, *68*, 130–144. <https://doi.org/10.1016/j.tifs.2017.08.006>
- Lin, S., Huff, H. E., & Hsieh, F. (2000). Texture and Chemical Characteristics of Soy Protein Meat Analog Extruded at High Moisture. *Journal of Food Science*, *65*(2), 264–269. <https://doi.org/10.1111/j.1365-2621.2000.tb15991.x>
- Lin, S., Huff, H. E., & Hsieh, F. (2002). Extrusion Process Parameters, Sensory Characteristics, and Structural Properties of a High Moisture Soy Protein Meat Analog. *Journal of Food Science*, *67*(3), 1066–1072. <https://doi.org/10.1111/j.1365-2621.2002.tb09454.x>
- Listrat, A., Lebet, B., Louveau, I., Astruc, T., Bonnet, M., Lefaucheur, L., ... Bugeon, J. (2016). How muscle structure and composition influence meat and flesh quality. *Scientific World Journal*, *2016*, 3182746. <https://doi.org/10.1155/2016/3182746>
- Liu, K. (2016). *Soybean: Overview*. *Encyclopedia of Food Grains* (2nd ed.). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-394437-5.00028-0>
- Liu, K., & Hsieh, F. H. (2008). Protein-protein interactions during high-moisture extrusion for fibrous meat analogues and comparison of protein solubility methods using different solvent systems. *Journal of Agricultural and Food Chemistry*, *56*(8), 2681–2687. <https://doi.org/10.1021/jf073343q>
- Liu, P., Xu, H., Zhao, Y., & Yang, Y. (2017). Rheological properties of soy protein isolate solution for fibers and films. *Food Hydrocolloids*, *64*, 149–156. <https://doi.org/10.1016/j.foodhyd.2016.11.001>
- Liu, S. X., Peng, M., Tu, S., Li, H., Cai, L., & Yu, X. (2005). Development of a new meat analog through twin-screw extrusion of defatted soy flour-Lean pork blend. *Food Science and Technology International*, *11*(6), 463–470. <https://doi.org/10.1177/1082013205060130>
- Liu, S., Elmer, C., Low, N. H., & Nickerson, M. T. (2010). Effect of pH on the functional behaviour of pea protein isolate-gum Arabic complexes. *Food Research International*, *43*(2), 489–495. <https://doi.org/10.1016/j.foodres.2009.07.022>
- Lopes-da-Silva, J. A., & Monteiro, S. R. (2019). Gelling and emulsifying properties of soy protein hydrolysates in the presence of a neutral polysaccharide. *Food Chemistry*, *294*, 216–223. <https://doi.org/10.1016/j.foodchem.2019.05.039>
- López, D. N., Galante, M., Robson, M., Boeris, V., & Spelzini, D. (2018, April 1). Amaranth, quinoa and chia protein isolates: Physicochemical and structural properties. *International*

Journal of Biological Macromolecules. Elsevier B.V.
<https://doi.org/10.1016/j.ijbiomac.2017.12.080>

López, D. N., Ingrassia, R., Busti, P., Wagner, J., Boeris, V., & Spelzini, D. (2018). Effects of extraction pH of chia protein isolates on functional properties. *LWT*, *97*, 523–529.
<https://doi.org/10.1016/j.lwt.2018.07.036>

López-Pedrouso, M., Lorenzo, J. M., Gullón, B., Campagnol, P. C. B., & Franco, D. (2021, August 1). Novel strategy for developing healthy meat products replacing saturated fat with oleogels. *Current Opinion in Food Science*. Elsevier Ltd.
<https://doi.org/10.1016/j.cofs.2020.06.003>

Lousuebsakul-Matthews, V., Thorpe, D. L., Knutsen, R., Beeson, W. L., Fraser, G. E., & Knutsen, S. F. (2014). Legumes and meat analogues consumption are associated with hip fracture risk independently of meat intake among Caucasian men and women: the Adventist Health Study-2. *Public Health Nutrition*, *17*(10), 2333–2343.
<https://doi.org/10.1017/S1368980013002693>

Loypimai, P., Moongngarm, A., & Naksawat, S. (2017). *Application of natural colorant from black rice bran for fermented Thai pork sausage-Sai Krok Isan*. *International Food Research Journal* (Vol. 24).

Lu, P., Zhang, X. L., Xue, W. Y., Wu, D. W., Ding, L. R., Wen, C., & Zhou, Y. M. (2017). The protein oxidation of soybean meal induced by heating decreases its protein digestion in vitro and impairs growth performance and digestive function in broilers. *British Poultry Science*, *58*(6), 704–711. <https://doi.org/10.1080/00071668.2017.1370535>

Lucas, M. M., Stoddard, F. L., Annicchiarico, P., Frías, J., Martínez-Villaluenga, C., Sussmann, D., ... Pueyo, J. J. (2015). The future of lupin as a protein crop in Europe. *Frontiers in Plant Science*, *6*(September), 705. <https://doi.org/10.3389/fpls.2015.00705>

Luciano, F. B. (2009). The impacts of lean red meat consumption on human health: a review Impactos del consumo de carne roja magra en la salud humana: una revisio. *Journal of Food*, *7*(2), 143–151. <https://doi.org/10.1080/19476330902940523>

Lusas, E. W., & Riaz, M. N. (1995). Soy protein products: processing and use. *The Journal of Nutrition*, *125*(3 Suppl), 573S-580S.

Lusk, J. L. (2019). Consumer beliefs about healthy foods and diets. *PLoS ONE*, *14*(10).
<https://doi.org/10.1371/journal.pone.0223098>

Ma, Z., Boye, J. I., Simpson, B. K., Prasher, S. O., Monpetit, D., & Malcolmson, L. (2011). Thermal processing effects on the functional properties and microstructure of lentil, chickpea, and pea flours. *Food Research International*, *44*(8), 2534–2544.
<https://doi.org/10.1016/j.foodres.2010.12.017>

Macdiarmid, J. I., Kyle, J., Horgan, G. W., Loe, J., Fyfe, C., Johnstone, A., & McNeill, G. (2012). Sustainable diets for the future: Can we contribute to reducing greenhouse gas emissions by eating a healthy diet? *American Journal of Clinical Nutrition*, *96*(3), 632–639. <https://doi.org/10.3945/ajcn.112.038729>

- MacQueen, L. A., Alver, C. G., Chantre, C. O., Ahn, S., Cera, L., Gonzalez, G. M., ... Parker, K. K. (2019). Muscle tissue engineering in fibrous gelatin: implications for meat analogs. *Npj Science of Food*, 3(1), 20. <https://doi.org/10.1038/s41538-019-0054-8>
- Madsen, H. L., Stapelfeldt, H., Bertelsen, G., & Skibsted, L. H. (1993). Cochineal as a colorant in processed pork meat. Colour matching and oxidative stability. *Food Chemistry*, 46(3), 265–271. [https://doi.org/10.1016/0308-8146\(93\)90117-X](https://doi.org/10.1016/0308-8146(93)90117-X)
- Majcher, M. A., & Jeleń, H. H. (2007). Effect of cysteine and cystine addition on sensory profile and potent odorants of extruded potato snacks. *Journal of Agricultural and Food Chemistry*, 55(14), 5754–5760. <https://doi.org/10.1021/jf0703147>
- Mäkinen, O. E., Zannini, E., & Arendt, E. K. (2015). Modifying the Cold Gelation Properties of Quinoa Protein Isolate: Influence of Heat-Denaturation pH in the Alkaline Range. *Plant Foods for Human Nutrition*, 70(3), 250–256. <https://doi.org/10.1007/s11130-015-0487-4>
- Mäkinen, O. E., Wanhalinna, V., Zannini, E., & Arendt, E. K. (2016). Foods for Special Dietary Needs: Non-dairy Plant-based Milk Substitutes and Fermented Dairy-type Products. *Critical Reviews in Food Science and Nutrition*, 56(3), 339–349. <https://doi.org/10.1080/10408398.2012.761950>
- Makri, E., Papalamprou, E., & Doxastakis, G. (2005). Study of functional properties of seed storage proteins from indigenous European legume crops (lupin, pea, broad bean) in admixture with polysaccharides. In *Food Hydrocolloids* (Vol. 19, pp. 583–594). Elsevier. <https://doi.org/10.1016/j.foodhyd.2004.10.028>
- Malav, O. P., Talukder, S., Gokulakrishnan, P., & Chand, S. (2015). Meat Analog: A Review. *Critical Reviews in Food Science and Nutrition*, 55(9), 1241–1245. <https://doi.org/10.1080/10408398.2012.689381>
- Malek, L., Umberger, W. J., & Goddard, E. (2019). Committed vs. uncommitted meat eaters: Understanding willingness to change protein consumption. *Appetite*, 138, 115–126. <https://doi.org/10.1016/J.APPET.2019.03.024>
- Malomo, S. A., He, R., & Aluko, R. E. (2014). Structural and Functional Properties of Hemp Seed Protein Products. *Journal of Food Science*, 79(8), C1512–C1521. <https://doi.org/10.1111/1750-3841.12537>
- Mangels, A. R. (2014). Bone nutrients for vegetarians. *American Journal of Clinical Nutrition*, 100(SUPPL. 1). <https://doi.org/10.3945/ajcn.113.071423>
- Manski, J. M., van der Goot, A. J., & Boom, R. M. (2007). Influence of shear during enzymatic gelation of caseinate-water and caseinate-water-fat systems. *Journal of Food Engineering*, 79(2), 706–717. <https://doi.org/10.1016/j.jfoodeng.2006.02.035>
- Manski, J. M., van der Goot, A. J., & Boom, R. M. (2007). Advances in structure formation of anisotropic protein-rich foods through novel processing concepts. *Trends in Food Science and Technology*, 18(11), 546–557. <https://doi.org/10.1016/j.tifs.2007.05.002>

- Manski, J. M., van der Goot, A. J., & Boom, R. M. (2007). Formation of fibrous materials from dense calcium caseinate dispersions. *Biomacromolecules*, 8(4), 1271–1279. <https://doi.org/10.1021/bm061008p>
- Manski, J. M., van der Zalm, E. E. J., van der Goot, A. J., & Boom, R. M. (2008). Influence of process parameters on formation of fibrous materials from dense calcium caseinate dispersions and fat. *Food Hydrocolloids*, 22(4), 587–600. <https://doi.org/10.1016/j.foodhyd.2007.02.006>
- Manski, J. M., van Riemsdijk, L. E., van der Goot, A. J., & Boom, R. M. (2007). Importance of intrinsic properties of dense caseinate dispersions for structure formation. *Biomacromolecules*, 8(11), 3540–3547. <https://doi.org/10.1021/bm700885f>
- Mantovani, D., Filho, L. C., Santos, L. C., de Souza, V. L. F., & Watanabe, C. S. (2009). Chromatographic Quantification of Isoflavone Content from Soy Derivates Using HPLC Technique. *Journal of Chromatographic Science*, 47(9), 766–769. <https://doi.org/10.1093/chromsci/47.9.766>
- Mao, L., Miao, S., Yuan, F., & Gao, Y. (2018). Study on the textural and volatile characteristics of emulsion filled protein gels as influenced by different fat substitutes. *Food Research International*, 103, 1–7. <https://doi.org/10.1016/j.foodres.2017.10.024>
- Marnoch, R., & Diosady, L. L. (2006). Production of mustard protein isolates from oriental mustard seed (*Brassica juncea* L.). *Journal of the American Oil Chemists' Society*, 83(1), 65–69. <https://doi.org/10.1007/s11746-006-1177-z>
- Maroma, D. P. (2015). Meat Analogue Derived from Common Legumes. *OALib*, 02(01), 1–10. <https://doi.org/10.4236/oalib.1101249>
- Mårtensson, O., Öste, R., & Holst, O. (2000). Lactic Acid Bacteria in an Oat-based Non-dairy Milk Substitute: Fermentation Characteristics and Exopolysaccharide Formation. *LWT - Food Science and Technology*, 33(8), 525–530. <https://doi.org/10.1006/fstl.2000.0718>
- Martín-Cabrejas, M. A., Aguilera, Y., Pedrosa, M. M., Cuadrado, C., Hernández, T., Díaz, S., & Esteban, R. M. (2009). The impact of dehydration process on antinutrients and protein digestibility of some legume flours. *Food Chemistry*, 114(3), 1063–1068. <https://doi.org/10.1016/j.foodchem.2008.10.070>
- Martins, N., Roriz, C. L., Morales, P., Barros, L., & Ferreira, I. C. F. R. (2016, June 1). Food colorants: Challenges, opportunities and current desires of agro-industries to ensure consumer expectations and regulatory practices. *Trends in Food Science and Technology*. Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2016.03.009>
- Marti-Quijal, F. J., Zamuz, S., Tomašević, I., Gómez, B., Rocchetti, G., Lucini, L., ... Lorenzo, J. M. (2019). Influence of different sources of vegetable, whey and microalgae proteins on the physicochemical properties and amino acid profile of fresh pork sausages. *LWT*, 110, 316–323. <https://doi.org/10.1016/j.lwt.2019.04.097>

- Matias, N. S., Bedani, R., Castro, I. A., & Saad, S. M. I. (2014). A probiotic soy-based innovative product as an alternative to petit-suisse cheese. *LWT - Food Science and Technology*, 59(1), 411–417. <https://doi.org/10.1016/j.lwt.2014.05.054>
- Mattice, K. D., & Marangoni, A. G. (2020). Comparing methods to produce fibrous material from zein. *Food Research International*, 128, 108804. <https://doi.org/10.1016/j.foodres.2019.108804>
- Mattice, K. D., & Marangoni, A. G. (2020). Evaluating the use of zein in structuring plant-based products. *Current Research in Food Science*, 3, 59–66. <https://doi.org/10.1016/j.crf.2020.03.004>
- Maung, T. T., Gu, B. Y., Kim, M. H., & Ryu, G. H. (2020). Fermentation of texturized vegetable proteins extruded at different moisture contents: effect on physicochemical, structural, and microbial properties. *Food Science and Biotechnology*, 29(7), 897–907. <https://doi.org/10.1007/s10068-020-00737-3>
- Maurice, T. J., & Stanley, D. W. (1978). Texture-Structure Relationships in Texturized Soy Protein IV. Influence of Process Variables on Extrusion Texturization. *Canadian Institute of Food Science and Technology Journal*, 11(1), 1–6. [https://doi.org/10.1016/S0315-5463\(78\)73151-2](https://doi.org/10.1016/S0315-5463(78)73151-2)
- Mazaheri Tehrani, M., Ehtiati, A., & Sharifi Azghandi, S. (2017). Application of genetic algorithm to optimize extrusion condition for soy-based meat analogue texturization. *Journal of Food Science and Technology*, 54(5), 1119–1125. <https://doi.org/10.1007/s13197-017-2524-9>
- McClements, D. J. (2020). Development of next-generation nutritionally fortified plant-based milk substitutes: Structural design principles. *Foods*, 9(4), 421. <https://doi.org/10.3390/foods9040421>
- McClements, D. J., Newman, E., & McClements, I. F. (2019). Plant-based Milks: A Review of the Science Underpinning Their Design, Fabrication, and Performance. *Comprehensive Reviews in Food Science and Food Safety*, 18(6), 2047–2067. <https://doi.org/10.1111/1541-4337.12505>
- McIlveen, H., Abraham, C., & Armstrong, G. (1999). Meat avoidance and the role of replacers. *Nutrition & Food Science*, 99(1), 29–36. <https://doi.org/10.1108/00346659910247653>
- McNeill, S. H., & Van Elswyk, M. E. (2016). *Meat: Role in the Diet. Encyclopedia of Food and Health* (1st ed.). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-384947-2.00450-5>
- McVetty, P. B. E., & Duncan, R. W. (2015). Canola/Rapeseed: Genetics and Breeding. In *Encyclopedia of Food Grains: Second Edition*. <https://doi.org/10.1016/B978-0-12-394437-5.00209-6>
- Mehta, N., Ahlawat, S. S., Sharma, D. P., & Dabur, R. S. (2015). Novel trends in development of dietary fiber rich meat products-a critical review. *Journal of Food Science and Technology*, 52(2), 633–647. <https://doi.org/10.1007/s13197-013-1010-2>

- Melini, F., Melini, V., Luziatelli, F., Ficca, A. G., & Ruzzi, M. (2019, May 1). Health-promoting components in fermented foods: An up-to-date systematic review. *Nutrients*. MDPI AG. <https://doi.org/10.3390/nu11051189>
- Meyer, N., & Reguant-Closa, A. (2017). Eat as if you could save the planet and win! sustainability integration into nutrition for exercise and sport. *Nutrients*, 9(4). <https://doi.org/10.3390/nu9040412>
- Micha Shemer, Gil Arbel, Israella Bait-Halachmy, & Yoel Arad. (1998). CA2304087A1 - Fibrous food product and method and device for its production. Retrieved from <https://patents.google.com/patent/WO1999013735A1/en>
- Middendorf, J. E., Waggle, D. H., & Cornell, A. (1973). US3920853A - Protein food product. Retrieved from <https://patents.google.com/patent/US3920853A/en>
- Millar, K. A., Barry-Ryan, C., Burke, R., McCarthy, S., & Gallagher, E. (2019). Dough properties and baking characteristics of white bread, as affected by addition of raw, germinated and toasted pea flour. *Innovative Food Science and Emerging Technologies*, 56, 102189. <https://doi.org/10.1016/j.ifset.2019.102189>
- Mínguez-Mosquera, M. I., Jarén-Galán, M., & Garrido-Fernández, J. (1994). Influence of the Industrial Drying Processes of Pepper Fruits(*Capsicum annuum* Cv. Bola) for Paprika on the Carotenoid Content. *Journal of Agricultural and Food Chemistry*, 42(5), 1190–1193. <https://doi.org/10.1021/jf00041a026>
- Mir, N. A., Riar, C. S., & Singh, S. (2019). Structural modification of quinoa seed protein isolates (QPIs) by variable time sonification for improving its physicochemical and functional characteristics. *Ultrasonics Sonochemistry*, 58, 104700. <https://doi.org/10.1016/j.ultsonch.2019.104700>
- Miyoshi, T., Toyohara, K., & Minematsu, H. (2005). Preparation of ultrafine fibrous zein membranes via electrospinning. *Polymer International*, 54(8), 1187–1190. <https://doi.org/10.1002/pi.1829>
- Moghtadaei, M., Soltanizadeh, N., & Goli, S. A. H. (2018). Production of sesame oil oleogels based on beeswax and application as partial substitutes of animal fat in beef burger. *Food Research International*, 108, 368–377. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0963996918302357>
- Mohamad Mazlan, M., Talib, R. A., Chin, N. L., Shukri, R., Taip, F. S., Mohd Nor, M. Z., & Abdullah, N. (2020). Physical and Microstructure Properties of Oyster Mushroom-Soy Protein Meat Analog via Single-Screw Extrusion. *Foods*, 9(8), 1023. <https://doi.org/10.3390/foods9081023>
- Mohan, A., Nickerson, M. T., & Ghosh, S. (2020). Utilization of pulse protein-xanthan gum complexes for foam stabilization: The effect of protein concentrate and isolate at various pH. *Food Chemistry*, 316, 126282. <https://doi.org/10.1016/j.foodchem.2020.126282>

- Mohebalizadehgashti, F., Zolfagharinia, H., & Amin, S. H. (2020). Designing a green meat supply chain network: A multi-objective approach. *International Journal of Production Economics*, 219, 312–327. <https://doi.org/10.1016/J.IJPE.2019.07.007>
- Moizuddin, S., Harvey, G., Fenton, A. M., & Wilson, L. A. (1999). Tofu Production from Soybeans or Full-Fat Soyflakes Using Direct and Indirect Heating Processes. *Journal of Food Science*, 64(1), 145–148. <https://doi.org/10.1111/j.1365-2621.1999.tb09879.x>
- Mokni Ghribi, A., Ben Amira, A., Maklouf Gafsi, I., Lahiani, M., Bejar, M., Triki, M., ... Besbes, S. (2018). Toward the enhancement of sensory profile of sausage “Merguez” with chickpea protein concentrate. *Meat Science*, 143, 74–80. <https://doi.org/10.1016/j.meatsci.2018.04.025>
- Monteiro, S. R., & Lopes-da-Silva, J. A. (2017). Effect of the molecular weight of a neutral polysaccharide on soy protein gelation. *Food Research International*, 102, 14–24. <https://doi.org/10.1016/j.foodres.2017.09.066>
- Montellano Duran, N., Spelzini, D., & Boeris, V. (2019). Characterization of acid – Induced gels of quinoa proteins and carrageenan. *LWT*, 108, 39–47. <https://doi.org/10.1016/j.lwt.2019.03.052>
- Moon, J. H., Choi, I. W., Park, Y. K., & Kim, Y. (2011). Development of natural meat-like flavor based on Maillard reaction products. *Korean Journal for Food Science of Animal Resources*, 31(1), 129–138. <https://doi.org/10.5851/kosfa.2011.31.1.129>
- Moon, S. Y., Cliff, M. A., & Li-Chan, E. C. Y. (2006). Odour-active components of simulated beef flavour analysed by solid phase microextraction and gas chromatography-mass spectrometry and -olfactometry. *Food Research International*, 39(3), 294–308. <https://doi.org/10.1016/j.foodres.2005.08.002>
- Morel, M. H., Redl, A., & Guilbert, S. (2002). Mechanism of heat and shear mediated aggregation of wheat gluten protein upon mixing. *Biomacromolecules*, 3(3), 488–497. <https://doi.org/10.1021/bm015639p>
- Mosca, A. C., & Chen, J. (2016). *Objective and Subjective Aspects of Food Oral Texture Assessment. Reference Module in Food Science*. Elsevier. <https://doi.org/http://doi.org/10.1016/B978-0-08-100596-5.21163-3>
- Moscicki, L. (2016). *Extrusion Cooking: Principles and Practice. Encyclopedia of Food and Health* (1st ed.). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-384947-2.00265-8>
- Motoyama, T., & Ashida, S. (2014). WO2014156549A1 - Mung bean protein gel composition and cheese-like food. Retrieved from <https://patents.google.com/patent/WO2014156549A1/en>
- Mottram, D. S. D., & Donald S., M. (1998). Flavour formation in meat and meat products: a review. *Food Chemistry*, 62(4), 415–424. [https://doi.org/10.1016/S0308-8146\(98\)00076-4](https://doi.org/10.1016/S0308-8146(98)00076-4)

- Mottram, D. S., Madruga, M. S., & Whitfield, F. B. (1995). Some Novel Meatlike Aroma Compounds from the Reactions of Alkanediones with Hydrogen Sulfide and Furanthiols. *Journal of Agricultural and Food Chemistry*, *43*(1), 189–193. <https://doi.org/10.1021/jf00049a035>
- Mu, B., Xu, H., Li, W., Xu, L., & Yang, Y. (2019). Spinnability and rheological properties of globular soy protein solution. *Food Hydrocolloids*, *90*, 443–451. <https://doi.org/10.1016/J.FOODHYD.2018.12.049>
- Multari, S., Stewart, D., & Russell, W. R. (2015). Potential of Fava Bean as Future Protein Supply to Partially Replace Meat Intake in the Human Diet. *Comprehensive Reviews in Food Science and Food Safety*, *14*(5), 511–522. <https://doi.org/10.1111/1541-4337.12146>
- Mune Mune, M. A., & Sogi, D. S. (2015). Functional Properties of Protein Concentrates of Cowpea and Bambara Bean Involving Different Drying Techniques. *Journal of Food Processing and Preservation*, *39*(6), 2304–2313. <https://doi.org/10.1111/jfpp.12477>
- Mune Mune, M. A., Stănciuc, N., Grigore-Gurgu, L., Aprodu, I., & Borda, D. (2020). Structural changes induced by high pressure processing in Bambara bean proteins at different pH. *LWT*, *124*, 109187. <https://doi.org/10.1016/j.lwt.2020.109187>
- Mussinán, C. J., & Katz, I. (1973). Isolation and Identification of Some Sulfur Chemicals Present in Two Model Systems Approximating Cooked Meat. *Journal of Agricultural and Food Chemistry*, *21*(1), 43–45. <https://doi.org/10.1021/jf60185a024>
- Mustakas, G. C., Griffin, E. L., Allen, L. E., & Smith, O. B. (1964). Production and nutritional evaluation of extrusion-cooked full-fat soybean flour. *Journal of the American Oil Chemists' Society*, *41*(9), 607–614. <https://doi.org/10.1007/BF02664977>
- Mwangi, R. (2008). Inactivation of wild-type *Bacillus* spores in a soy meat analog model by extrusion cooking. *ProQuest Dissertations and Theses*, (December), 181.
- Nachvak, S. M., Moradi, S., Anjom-shoae, J., Rahmani, J., Nasiri, M., Maleki, V., & Sadeghi, O. (2019). Soy, Soy Isoflavones, and Protein Intake in Relation to Mortality from All Causes, Cancers, and Cardiovascular Diseases: A Systematic Review and Dose–Response Meta-Analysis of Prospective Cohort Studies. *Journal of the Academy of Nutrition and Dietetics*, *119*(9), 1483–1500.e17. <https://doi.org/10.1016/J.JAND.2019.04.011>
- Nadathur, S. R., Wanasundara, J. P. D., & Scanlin, L. (2016). *Sustainable Protein Sources*. *Sustainable Protein Sources*. <https://doi.org/10.1016/c2014-0-03542-3>
- Nakai, S. (1983). Structure–Function Relationships of Food Proteins with an Emphasis on the Importance of Protein Hydrophobicity. *Journal of Agricultural and Food Chemistry*, *31*(4), 676–683. <https://doi.org/10.1021/jf00118a001>
- Nakata, T., Kyoui, D., Takahashi, H., Kimura, B., & Kuda, T. (2017). Inhibitory effects of soybean oligosaccharides and water-soluble soybean fibre on formation of putrefactive

- compounds from soy protein by gut microbiota. *International Journal of Biological Macromolecules*, 97, 173–180. <https://doi.org/10.1016/j.ijbiomac.2017.01.015>
- Nanta, P., Skolpap, W., & Kasemwong, K. (2021). Influence of hydrocolloids on the rheological and textural attributes of a gluten-free meat analog based on soy protein isolate. *Journal of Food Processing and Preservation*, e15244. <https://doi.org/10.1111/jfpp.15244>
- Náthia-Neves, G., & Alonso, E. (2021). Valorization of sunflower by-product using microwave-assisted extraction to obtain a rich protein flour: Recovery of chlorogenic acid, phenolic content and antioxidant capacity. *Food and Bioprocess Processing*. <https://doi.org/10.1016/j.fbp.2020.10.008>
- Nawaz, H., Waheed, R., Nawaz, M., & Shahwar, D. (2020). Physical and Chemical Modifications in Starch Structure and Reactivity. In *Chemical Properties of Starch*. IntechOpen. <https://doi.org/10.5772/intechopen.88870>
- Nawrocka, A., Szymańska-Chargot, M., Miś, A., Wilczewska, A. Z., & Markiewicz, K. H. (2017). Aggregation of gluten proteins in model dough after fibre polysaccharide addition. *Food Chemistry*, 231, 51–60. <https://doi.org/10.1016/j.foodchem.2017.03.117>
- Nehete, J. Y., Bhambar, R. S., Narkhede, M. R., & Gawali, S. R. (2013). Natural proteins: Sources, isolation, characterization and applications. *Pharmacognosy Reviews*, 7(14). <https://doi.org/10.4103/0973-7847.120508>
- Nesterenko, A., Alric, I., Violleau, F., Silvestre, F., & Durrieu, V. (2014). The effect of vegetable protein modifications on the microencapsulation process. *Food Hydrocolloids*, 41, 95–102. <https://doi.org/10.1016/j.foodhyd.2014.03.017>
- Nguyen, G. D. T. (1988). EP0262276A1. Retrieved from <https://patents.google.com/patent/EP0262276A1/en>
- Niamh, M. (2017). Plant Meat Matters: Unilever, Givaudan and Ingredion invest in vegetarian steak. Retrieved February 16, 2018, from <https://www.foodnavigator.com/Article/2017/03/13/Plant-Meat-Matters-Unilever-Givaudan-and-Ingredion-invest-in-vegetarian-steak>
- Nicolai, T. (2019). Gelation of food protein-protein mixtures. *Advances in Colloid and Interface Science*, 270, 147–164. <https://doi.org/10.1016/J.CIS.2019.06.006>
- Nieuwland, M., Geerdink, P., Brier, P., Van Den Eijnden, P., Henket, J. T. M. M., Langelaan, M. L. P., ... Martin, A. H. (2014). Reprint of “food-grade electrospinning of proteins.” *Innovative Food Science and Emerging Technologies*, 24(April 2016), 138–144. <https://doi.org/10.1016/j.ifset.2014.07.006>
- Nijdam, D., Rood, T., & Westhoek, H. (2012). The price of protein: Review of land use and carbon footprints from life cycle assessments of animal food products and their substitutes. *Food Policy*, 37(6), 760–770. <https://doi.org/10.1016/j.foodpol.2012.08.002>

- Nikiforidis, C. V. (2019). Structure and functions of oleosomes (oil bodies). *Advances in Colloid and Interface Science*, 274, 102039. <https://doi.org/10.1016/j.cis.2019.102039>
- Nikiforidis, C. V., & Scholten, E. (2015). High internal phase emulsion gels (HIPE-gels) created through assembly of natural oil bodies. *Food Hydrocolloids*. <https://doi.org/10.1016/j.foodhyd.2014.05.030>
- Ningtyas, D. W., Tam, B., Bhandari, B., & Prakash, S. (2021). Effect of different types and concentrations of fat on the physico-chemical properties of soy protein isolate gel. *Food Hydrocolloids*, 111, 106226. <https://doi.org/10.1016/j.foodhyd.2020.106226>
- Nishinari, K., Fang, Y., Guo, S., & Phillips, G. O. (2014). Soy proteins: A review on composition, aggregation and emulsification. *Food Hydrocolloids*, 39, 301–318. <https://doi.org/10.1016/j.foodhyd.2014.01.013>
- Noriham, A., Muhammad Ariffaizuddin, R., Noorlaila, A., & Faris Zakry, A. N. (2016). Potential use of okara as meat replacer in beef sausage. *Jurnal Teknologi*. <https://doi.org/10.11113/jt.v78.9015>
- O'Connor, A. (2019). Fake Meat vs. Real Meat - The New York Times. Retrieved August 5, 2020, from <https://www.nytimes.com/2019/12/03/well/eat/fake-meat-vs-real-meat.html>
- Obatolu, V. A., Fasoyiro, S. B., & Ogunsunmi, L. (2007). Processing and functional properties of yam beans (*sphenostylis stenocarpa*). *Journal of Food Processing and Preservation*, 31(2), 240–249. <https://doi.org/10.1111/j.1745-4549.2007.00112.x>
- OECD. (2020). Agricultural output - Meat consumption - OECD Data. *Oecd*. Retrieved from <https://data.oecd.org/agroutput/meat-consumption.htm>
- O'Flynn, C. C., Cruz-Romero, M. C., Troy, D. J., Mullen, A. M., & Kerry, J. P. (2014). The application of high-pressure treatment in the reduction of phosphate levels in breakfast sausages. *Meat Science*, 96(1), 633–639. <https://doi.org/10.1016/j.meatsci.2013.08.028>
- Omohimi, C. I., Sobukola, O. P., Sarafadeen, K. O., & Sanni, L. O. (2014). Effect of Thermo-extrusion Process Parameters on Selected Quality Attributes of Meat Analogue from Mucuna Bean Seed Flour. *Nigerian Food Journal*, 32(1), 21–30. [https://doi.org/10.1016/S0189-7241\(15\)30092-8](https://doi.org/10.1016/S0189-7241(15)30092-8)
- Onwulata, C. I., Tunick, M. H., & Qi, P. X. (2011). Extrusion Texturized Dairy Proteins. Processing and Application. *Advances in Food and Nutrition Research*, 62, 173–200. <https://doi.org/10.1016/B978-0-12-385989-1.00005-3>
- Ooms, N., Jansens, K. J. A., Pareyt, B., Reyniers, S., Brijs, K., & Delcour, J. A. (2018). The impact of disulfide bond dynamics in wheat gluten protein on the development of fermented pastry crumb. *Food Chemistry*, 242, 68–74. <https://doi.org/10.1016/j.foodchem.2017.09.007>
- Ooninx, D. G. A. B., & de Boer, I. J. M. (2012). Environmental Impact of the Production of Mealworms as a Protein Source for Humans - A Life Cycle Assessment. *PLoS ONE*, 7(12). <https://doi.org/10.1371/journal.pone.0051145>

- Osen, R., & Schweiggert-Weisz, U. (2016). *High-Moisture Extrusion: Meat Analogues. Reference Module in Food Science*. Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.03099-7>
- Osen, R., Toelstede, S., Eisner, P., & Schweiggert-Weisz, U. (2015). Effect of high moisture extrusion cooking on protein-protein interactions of pea (*Pisum sativum* L.) protein isolates. *International Journal of Food Science and Technology*, 50(6), 1390–1396. <https://doi.org/10.1111/ijfs.12783>
- Osen, R., Toelstede, S., Wild, F., Eisner, P., & Schweiggert-Weisz, U. (2014). High moisture extrusion cooking of pea protein isolates: Raw material characteristics, extruder responses, and texture properties. *Journal of Food Engineering*, 127, 67–74. <https://doi.org/10.1016/j.jfoodeng.2013.11.023>
- O’Sullivan, M. G. (2016). The Stability and Shelf Life of Meat and Poultry. In *The Stability and Shelf Life of Food* (pp. 521–543). Elsevier. <https://doi.org/10.1016/B978-0-08-100435-7.00018-6>
- O’Toole, D. K. (2015). Soybean: Soymilk, Tofu, and Okara. In *Encyclopedia of Food Grains: Second Edition* (Vol. 3–4, pp. 134–143). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-394437-5.00130-3>
- Ozaki, M. M., Munekata, P. E. S., Lopes, A. de S., Nascimento, M. da S. do, Pateiro, M., Lorenzo, J. M., & Pollonio, M. A. R. (2020). Using chitosan and radish powder to improve stability of fermented cooked sausages. *Meat Science*, 167, 108165. <https://doi.org/10.1016/j.meatsci.2020.108165>
- Padhi, E. M. T., Hawke, A., Liu, R., Zhu, H., Duncan, A. M., Tsao, R., & Ramdath, D. D. (2016). Tracking isoflavones in whole soy flour, soy muffins and the plasma of hypercholesterolaemic adults. *Journal of Functional Foods*, 24, 420–428. <https://doi.org/10.1016/j.jff.2016.04.027>
- Pakula, C., & Stamminger, R. (2012). Measuring changes in internal meat colour, colour lightness and colour opacity as predictors of cooking time. *Meat Science*. <https://doi.org/10.1016/j.meatsci.2011.11.002>
- Palanisamy, M., Töpfl, S., Aganovic, K., & Berger, R. G. (2018). Influence of iota carrageenan addition on the properties of soya protein meat analogues, 87, 546–552. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0023643817307041>
- Palanisamy, M., Töpfl, S., Berger, R. G., & Hertel, C. (2019). Physico-chemical and nutritional properties of meat analogues based on Spirulina/lupin protein mixtures. *European Food Research and Technology*, 245(9), 1889–1898. <https://doi.org/10.1007/s00217-019-03298-w>
- Palmer, H. C. (1969). US3645747A - Method of producing a simulated meat. Retrieved from <https://patents.google.com/patent/US3645747A/en>
- Pan, M.-K., Zhou, F.-F., Shi, R.-H., Liu, Y., Zhang, Q., & Wang, J.-H. (2019). Characterizations of a pectin extracted from *Premna microphylla* turcz and its cold

- gelation with whey protein concentrate at different pHs. *International Journal of Biological Macromolecules*, 139, 818–826.
<https://doi.org/10.1016/J.IJBIOMAC.2019.08.074>
- Pang, Z., Luo, Y., Li, B., Zhang, M., & Liu, X. (2020). Effect of different hydrocolloids on tribological and rheological behaviors of soymilk gels. *Food Hydrocolloids*, 101, 105558. <https://doi.org/10.1016/j.foodhyd.2019.105558>
- Pang, Z., Safdar, B., Wang, Y., Sun, M., & Liu, X. (2021). Improvement of tribo-rheological properties of acid soymilk gels by reinforcement of 7S or 11S proteins. *Food Hydrocolloids*, 110, 106173. <https://doi.org/10.1016/j.foodhyd.2020.106173>
- Pang, Z., Xu, R., Zhu, Y., Bansal, N., & Liu, X. (2020). Tribo-rheology and kinetics of soymilk gelation with different types of milk proteins. *Food Chemistry*, 311, 125961. <https://doi.org/10.1016/j.foodchem.2019.125961>
- Papalamprou, E. M., Doxastakis, G. I., Biliaderis, C. G., & Kiosseoglou, V. (2009). Influence of preparation methods on physicochemical and gelation properties of chickpea protein isolates. *Food Hydrocolloids*, 23(2), 337–343.
<https://doi.org/10.1016/j.foodhyd.2008.03.006>
- PARK, J. W. (1994). Functional Protein Additives in Surimi Gels. *Journal of Food Science*, 59(3), 525–527. <https://doi.org/10.1111/j.1365-2621.1994.tb05554.x>
- Parmer, E. L., Wang, B., Aglan, H. A., & Mortley, D. (2004). Physicochemical Properties of Texturized Meat Analog Made From Peanut Flour and Soy Protein Isolate With a Single-Screw Extruder. *Journal of Texture Studies*, 35(4), 371–382.
<https://doi.org/10.1111/j.1745-4603.2004.tb00601.x>
- Patel, J. R., Patel, A. A., & Singh, A. K. (2016). Production of a protein-rich extruded snack base using tapioca starch, sorghum flour and casein. *Journal of Food Science and Technology*, 53(1), 71–87. <https://doi.org/10.1007/s13197-015-2012-z>
- Patil, S., Brennan, M., Mason, S., & Brennan, C. (2016). The Effects of Fortification of Legumes and Extrusion on the Protein Digestibility of Wheat Based Snack. *Foods*, 5(2), 26. <https://doi.org/10.3390/foods5020026>
- Paximada, P., Howarth, M., & Dubey, B. N. (2021). Double emulsions fortified with plant and milk proteins as fat replacers in cheese. *Journal of Food Engineering*, 288, 110229. <https://doi.org/10.1016/j.jfoodeng.2020.110229>
- Payne, T., & Egbert, R. (1995). US5626899A. Retrieved from
<https://patents.google.com/patent/US5626899>
- Peighambardoust, S. H., van Brenk, S., van der Goot, A. J., Hamer, R. J., & Boom, R. M. (2007). Dough processing in a Couette-type device with varying eccentricity: Effect on glutenin macro-polymer properties and dough micro-structure. *Journal of Cereal Science*, 45(1), 34–48. <https://doi.org/10.1016/j.jcs.2006.05.009>

- Peighambardoust, S. H., & van der Goot, A. J. (2010). Migration of gluten under shear flow: Influence of process parameters on separation behaviour. *Food Chemistry*, *118*(3), 712–718. <https://doi.org/10.1016/j.foodchem.2009.05.051>
- Peighambardoust, S. H., Van Der Goot, A. J., Hamer, R. J., & Boom, R. M. (2004). A new method to study simple shear processing of wheat gluten-starch mixtures. *Cereal Chemistry*, *81*(6), 714–721. <https://doi.org/10.1094/CCHEM.2004.81.6.714>
- Peighambardoust, S. H., van der Goot, A. J., van Vliet, T., Hamer, R. J., & Boom, R. M. (2006). Microstructure formation and rheological behaviour of dough under simple shear flow. *Journal of Cereal Science*, *43*(2), 183–197. <https://doi.org/10.1016/j.jcs.2005.10.004>
- Peksa, A., Rytel, E., Kita, A., Lisinska, G., & Tajner-Czopek, A. (2009). The Properties of Potato Protein. *Food*, *3*(1), 79–87.
- Pelgrom, P. J. M., Berghout, J. A. M., van der Goot, A. J., Boom, R. M., & Schutyser, M. A. I. (2014). Preparation of functional lupine protein fractions by dry separation. *LWT - Food Science and Technology*, *59*(2P1), 680–688. <https://doi.org/10.1016/j.lwt.2014.06.007>
- Pendurkar, S. H., & Kulkarni, P. R. (1990). Heat resistance of Bacillus spores exposed to food processing conditions. *Food / Nahrung*, *34*(2), 177–180. <https://doi.org/10.1002/food.19900340224>
- Peng, X., & Guo, S. (2015). Texture characteristics of soymilk gels formed by lactic fermentation: A comparison of soymilk prepared by blanching soybeans under different temperatures. *Food Hydrocolloids*, *43*, 58–65. <https://doi.org/10.1016/j.foodhyd.2014.04.034>
- Peng, X., Ren, C., & Guo, S. (2016, August 1). Particle formation and gelation of soymilk: Effect of heat. *Trends in Food Science and Technology*. Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2016.06.005>
- Peng, Y., Dewi, D. P. A. P., Kyriakopoulou, K., & van der Goot, A. J. (2020). Effect of calcium hydroxide and fractionation process on the functional properties of soy protein concentrate. *Innovative Food Science and Emerging Technologies*, *66*, 102501. <https://doi.org/10.1016/j.ifset.2020.102501>
- Peng, Y., Kersten, N., Kyriakopoulou, K., & van der Goot, A. J. (2020). Functional properties of mildly fractionated soy protein as influenced by the processing pH. *Journal of Food Engineering*, *275*, 109875. <https://doi.org/10.1016/j.jfoodeng.2019.109875>
- Peričin, D., Radulović, L., Trivić, S., & Dimić, E. (2008). Evaluation of solubility of pumpkin seed globulins by response surface method. *Journal of Food Engineering*, *84*(4), 591–594. <https://doi.org/10.1016/j.jfoodeng.2007.07.002>
- Peters, J. P. C. M., Vergeldt, F. J., Boom, R. M., & van der Goot, A. J. (2017). Water-binding capacity of protein-rich particles and their pellets. *Food Hydrocolloids*. <https://doi.org/10.1016/j.foodhyd.2016.11.015>

- Petrovic, Z., Djordjevic, V., Milicevic, D., Nastasijevic, I., & Parunovic, N. (2015). Meat Production and Consumption: Environmental Consequences. *Procedia Food Science*, 5, 235–238. <https://doi.org/10.1016/j.profoo.2015.09.041>
- Peyrano, F., de Lamballerie, M., Avanza, M. V., & Speroni, F. (2019). Rheological characterization of the thermal gelation of cowpea protein isolates: Effect of pretreatments with high hydrostatic pressure or calcium addition. *LWT*, 115, 108472. <https://doi.org/10.1016/j.lwt.2019.108472>
- Pham, T. T., Tran, T. T. T., Ton, N. M. N., & Le, V. V. M. (2017). Effects of pH and Salt Concentration on Functional Properties of Pumpkin Seed Protein Fractions. *Journal of Food Processing and Preservation*, 41(4), e13073. <https://doi.org/10.1111/jfpp.13073>
- Pietrasik, Z., & Janz, J. A. M. (2010). Utilization of pea flour, starch-rich and fiber-rich fractions in low fat bologna. *Food Research International*, 43(2), 602–608. <https://doi.org/10.1016/j.foodres.2009.07.017>
- Pietrasik, Z., Sigvaldson, M., Soladoye, O. P., & Gaudette, N. J. (2020). Utilization of pea starch and fibre fractions for replacement of wheat crumb in beef burgers. *Meat Science*, 161, 107974. <https://doi.org/10.1016/j.meatsci.2019.107974>
- Pietrasik, Z., Wang, H., & Janz, J. A. M. (2013). Effect of canola oil emulsion injection on processing characteristics and consumer acceptability of three muscles from mature beef. *Meat Science*, 93(2), 322–328. <https://doi.org/10.1016/j.meatsci.2012.09.014>
- Pietsch, V. L., Bühler, J. M., Karbstein, H. P., & Emin, M. A. (2019). High moisture extrusion of soy protein concentrate: Influence of thermomechanical treatment on protein-protein interactions and rheological properties. *Journal of Food Engineering*, 251, 11–18. <https://doi.org/10.1016/j.jfoodeng.2019.01.001>
- Pietsch, V. L., Emin, M. A., & Schuchmann, H. P. (2017). Process conditions influencing wheat gluten polymerization during high moisture extrusion of meat analog products. *Journal of Food Engineering*, 198, 28–35. <https://doi.org/10.1016/j.jfoodeng.2016.10.027>
- Pietsch, V. L., Karbstein, H. P., & Emin, M. A. (2018). Kinetics of wheat gluten polymerization at extrusion-like conditions relevant for the production of meat analog products. *Food Hydrocolloids*, 85, 102–109. <https://doi.org/10.1016/J.FOODHYD.2018.07.008>
- Pietsch, V. L., Schöffel, F., Rädle, M., Karbstein, H. P., & Emin, M. A. (2019). High moisture extrusion of wheat gluten: Modeling of the polymerization behavior in the screw section of the extrusion process. *Journal of Food Engineering*, 246, 67–74. <https://doi.org/10.1016/J.JFOODENG.2018.10.031>
- Pietsch, V. L., Werner, R., Karbstein, H. P., & Emin, M. A. (2019). High moisture extrusion of wheat gluten: Relationship between process parameters, protein polymerization, and final product characteristics. *Journal of Food Engineering*, 259, 3–11. <https://doi.org/10.1016/J.JFOODENG.2019.04.006>

- Pimentel, D., & Pimentel, M. (2003). Sustainability of meat-based and plant-based diets and the environment. In *American Journal of Clinical Nutrition* (Vol. 78).
<https://doi.org/10.1177/0956247808089156>
- Pintado, T., & Delgado-Pando, G. (2020). Towards more sustainable meat products: Extenders as a way of reducing meat content. *Foods*.
<https://doi.org/10.3390/foods9081044>
- Pinterits, A., & Arntfield, S. D. (2008). Improvement of canola protein gelation properties through enzymatic modification with transglutaminase. *LWT - Food Science and Technology*, 41(1), 128–138. <https://doi.org/10.1016/J.LWT.2007.01.011>
- Pinton, M. B., dos Santos, B. A., Lorenzo, J. M., Cichoski, A. J., Boeira, C. P., & Campagnol, P. C. B. (2020, August 1). Green technologies as a strategy to reduce NaCl and phosphate in meat products: an overview. *Current Opinion in Food Science*. Elsevier Ltd. <https://doi.org/10.1016/j.cofs.2020.03.011>
- Pöhl, H. (2016). Applications of Different Curing Approaches and Natural Colorants in Meat Products. In *Handbook on Natural Pigments in Food and Beverages: Industrial Applications for Improving Food Color* (pp. 209–225). Elsevier Inc.
<https://doi.org/10.1016/B978-0-08-100371-8.00010-5>
- Pojić, M., Mišan, A., & Tiwari, B. (2018, May 1). Eco-innovative technologies for extraction of proteins for human consumption from renewable protein sources of plant origin. *Trends in Food Science and Technology*. Elsevier Ltd.
<https://doi.org/10.1016/j.tifs.2018.03.010>
- Pomeranz, Y. (1985). *Functional Properties of Food Components*. *Functional Properties of Food Components*. <https://doi.org/10.1016/b978-0-12-561280-7.x5001-3>
- Ponsioen, T. C., & Blonk, T. J. (2012). Calculating land use change in carbon footprints of agricultural products as an impact of current land use. *Journal of Cleaner Production*, 28, 120–126. <https://doi.org/10.1016/j.jclepro.2011.10.014>
- Post, M. J. (2012). Cultured meat from stem cells: Challenges and prospects. *Meat Science*, 92(3), 297–301. <https://doi.org/10.1016/j.meatsci.2012.04.008>
- Powell, M. J., Sebranek, J. G., Prusa, K. J., & Tarté, R. (2019). Evaluation of citrus fiber as a natural replacer of sodium phosphate in alternatively-cured all-pork Bologna sausage. *Meat Science*, 157, 107883. <https://doi.org/10.1016/j.meatsci.2019.107883>
- Puerta, P., Garzón, R., Rosell, C. M., Fiszman, S., Laguna, L., & Tárrega, A. (2021). Modifying gluten-free bread's structure using different baking conditions: Impact on oral processing and texture perception. *LWT*. <https://doi.org/10.1016/j.lwt.2020.110718>
- Punitha, S., Uvarani, R., & Panneerselvam, A. (2020). Effect of pH in aqueous (Hydroxy Propyl Methyl Cellulose) polymer solution. *Results in Materials*, 7, 100120.
<https://doi.org/10.1016/j.rinma.2020.100120>

- Puolanne, E., & Halonen, M. (2010). Theoretical aspects of water-holding in meat. *Meat Science*, 86(1), 151–165. <https://doi.org/10.1016/j.meatsci.2010.04.038>
- Qi, L., & Hu, F. B. (2007). Dietary glycemic load, whole grains, and systemic inflammation in diabetes: The epidemiological evidence. *Current Opinion in Lipidology*. <https://doi.org/10.1097/MOL.0b013e328011c6e0>
- Qi, P. X., & Onwulata, C. I. (2011). Physical properties, molecular structures, and protein quality of texturized whey protein isolate: effect of extrusion moisture content. *Journal of Dairy Science*, 94(5), 2231–2244. <https://doi.org/10.3168/jds.2010-3942>
- Queguiner, C., Cheftel, J.-C., & Dumay, E. (1992). EP0515246A2. Retrieved from <https://patents.google.com/patent/EP0515246A2/en?q=meat+analogue&inventor=cheftel>
- Rackis, J. J., Sessa, D. J., & Honig, D. H. (1979). Flavor problems of vegetable food proteins. *Journal of the American Oil Chemists' Society*, 56(3), 262–271. <https://doi.org/10.1007/BF02671470>
- Raharjo, S., Dexter', D. R., Sofos', J. N., & Schmidt, G. R. (1996). Performance of methylcellulose and hydroxypropyl-methylcellulose as moisture retention and gelling additives in low fat ground beef patties. *Indonesian Food and Nutrition Progress*, 3(1), 31–38. Retrieved from https://www.researchgate.net/publication/316987102_Performance_of_methylcellulose_and_hydroxypropyl-methylcellulose_as_moisture_retention_and_gelling_additives_in_low_fat_ground_beef_patties
- Ralet, M. C., & Guéguen, J. (2000). Fractionation of Potato Proteins: Solubility, Thermal Coagulation and Emulsifying Properties. *LWT - Food Science and Technology*, 33(5), 380–387. <https://doi.org/10.1006/fstl.2000.0672>
- Ramachandra, H. G., & Thejaswini, M. L. (2015). Extrusion technology: A novel method of food processing. *International Journal of Innovative Science, Engineering & Technology*, 2(4), 358–369.
- Ramji, K., & Shah, R. N. (2014). Electrospun soy protein nanofiber scaffolds for tissue regeneration. *Journal of Biomaterials Applications*, 29(3), 411–422. <https://doi.org/10.1177/0885328214530765>
- Ranasinghesagara, J., Hsieh, F.-H., & Yao, G. (2005). An Image Processing Method for Quantifying Fiber Formation in Meat Analogs Under High Moisture Extrusion. *Journal of Food Science*, 70(8), e450–e454. <https://doi.org/10.1111/j.1365-2621.2005.tb11513.x>
- Raymundo, A., Franco, J. M., Empis, J., & Sousa, I. (2002). Optimization of the composition of low-fat oil-in-water emulsions stabilized by white lupin protein. *Journal of the American Oil Chemists' Society*, 79(8), 783–790. <https://doi.org/10.1007/s11746-002-0559-6>
- Recanati, F., Allievi, F., Scaccabarozzi, G., Espinosa, T., Dotelli, G., & Saini, M. (2015). Global Meat Consumption Trends and Local Deforestation in Madre de Dios: Assessing

- Land Use Changes and other Environmental Impacts. *Procedia Engineering*, 118, 630–638. <https://doi.org/10.1016/j.proeng.2015.08.496>
- Redl, A., Feneuil, A., & Vogel, F. (2015). WO2016035059A2 - An inclusion containing proteinaceous meat analogue having an improved texture and an extended shelf-life. Retrieved from <https://patents.google.com/patent/EP3188606A2/en>
- Reed, D. M. D., Walter, L. A. J., Schmitz, A. N., Guadián-García, D. E., & Lawrence, T. E. (2017). Post-mortem mechanical injection of low quality beef loins with pork back fat improves palatability and sensory attributes. *Meat Science*, 123, 205–210. <https://doi.org/10.1016/j.meatsci.2016.10.002>
- Rehman, Z. U., & Shah, W. H. (2005). Thermal heat processing effects on antinutrients, protein and starch digestibility of food legumes. *Food Chemistry*, 91(2), 327–331. <https://doi.org/10.1016/j.foodchem.2004.06.019>
- Rehrah, D., Ahmedna, M., Goktepe, I., & Yu, J. (2009). Extrusion parameters and consumer acceptability of a peanut-based meat analogue. *International Journal of Food Science & Technology*, 44(10), 2075–2084. <https://doi.org/10.1111/j.1365-2621.2009.02035.x>
- Reig, M., Lillford, P. J., & Toldrá, F. (2008). Structured Meat Products. In *Food Materials Science* (pp. 501–523). New York, NY: Springer New York. https://doi.org/10.1007/978-0-387-71947-4_21
- Renkema, J. M. S., Lakemond, C. M. M., De Jongh, H. H. J., Gruppen, H., & Van Vliet, T. (2000). The effect of pH on heat denaturation and gel forming properties of soy proteins. In *Journal of Biotechnology* (Vol. 79, pp. 223–230). [https://doi.org/10.1016/S0168-1656\(00\)00239-X](https://doi.org/10.1016/S0168-1656(00)00239-X)
- Resurreccion, A. V. . (2004). Sensory aspects of consumer choices for meat and meat products. *Meat Science*, 66(1), 11–20. [https://doi.org/10.1016/S0309-1740\(03\)00021-4](https://doi.org/10.1016/S0309-1740(03)00021-4)
- Rezig, L., Chibani, F., Chouaibi, M., Dalgalarondo, M., Hessini, K., Guéguen, J., & Hamdi, S. (2013). Pumpkin (*cucurbita maxima*) seed proteins: Sequential extraction processing and fraction characterization. *Journal of Agricultural and Food Chemistry*, 61(32), 7715–7721. <https://doi.org/10.1021/jf402323u>
- Rezig, L., Riaublanc, A., Chouaibi, M., Guéguen, J., & Hamdi, S. (2016). Functional Properties of Protein Fractions Obtained from Pumpkin (*Cucurbita Maxima*) Seed. *International Journal of Food Properties*, 19(1), 172–186. <https://doi.org/10.1080/10942912.2015.1020433>
- Rezler, R., Krzywdzińska-Bartkowiak, M., & Piątek, M. (2021). The influence of the substitution of fat with modified starch on the quality of pork liver pâtés. *LWT*, 135, 110264. <https://doi.org/10.1016/j.lwt.2020.110264>
- Riaz, M. N. (2011). Texturized vegetable proteins. In *Handbook of Food Proteins* (pp. 395–418). Woodhead Publishing Limited. <https://doi.org/10.1016/B978-1-84569-758-7.50015-0>

- Riaz, M. N. (2004). Texturized soy protein as an ingredient. In *Proteins in Food Processing* (pp. 517–558). <https://doi.org/10.1533/9781855738379.3.517>
- Riaz, M. N. (2013). Food Extruders. In *Handbook of Farm, Dairy and Food Machinery Engineering: Second Edition* (pp. 427–440). <https://doi.org/10.1016/B978-0-12-385881-8.00016-1>
- Rinaldoni, A. N., Palatnik, D. R., Zaritzky, N., & Campderrós, M. E. (2014). Soft cheese-like product development enriched with soy protein concentrates. *LWT - Food Science and Technology*, *55*(1), 139–147. <https://doi.org/10.1016/j.lwt.2013.09.003>
- Rios, R. V., Pessanha, M. D. F., de Almeida, P. F., Viana, C. L., & Lannes, S. C. da S. (2014). Application of fats in some food products. *Food Science and Technology*. <https://doi.org/10.1590/S0101-20612014000100001>
- Rios-Mera, J. D., Saldaña, E., Cruzado-Bravo, M. L. M., Martins, M. M., Patinho, I., Selani, M. M., ... Contreras-Castillo, C. J. (2020). Impact of the content and size of NaCl on dynamic sensory profile and instrumental texture of beef burgers. *Meat Science*. <https://doi.org/10.1016/j.meatsci.2019.107992>
- Rizvi, S. S. H. H., Blaisdell, J. L., & Harper, W. J. (1980). Thermal diffusivity of model meat analog systems. *Journal of Food Science*, *45*(6), 1727–1731. <https://doi.org/10.1111/j.1365-2621.1980.tb07598.x>
- Robert, P., Zamorano, M., González, E., Silva-Weiss, A., Cofrades, S., & Giménez, B. (2019). Double emulsions with olive leaves extract as fat replacers in meat systems with high oxidative stability. *Food Research International*, *120*, 904–912. <https://doi.org/10.1016/J.FOODRES.2018.12.014>
- Roessl, U., Leitgeb, S., & Nidetzky, B. (2015). Protein freeze concentration and micro-segregation analysed in a temperature-controlled freeze container. *Biotechnology Reports*, *6*, 108–111. <https://doi.org/10.1016/j.btre.2015.03.004>
- Rolan, T., Mueller, I., Mertle, T. J., Swenson, K., Colleen, C., Orcutt, M. W., ... Mease, L. (2008). *US20080268112A1; WO2008083117A2*. Retrieved from <https://patents.google.com/patent/US20080268112>
- Roland, W. S. U., Pouvreau, L., Curran, J., van de Velde, F., & de Kok, P. M. T. (2017). Flavor Aspects of Pulse Ingredients. *Cereal Chemistry Journal*, *94*(1), 58–65. <https://doi.org/10.1094/CCHEM-06-16-0161-FI>
- Romarheim, O. H., Aslaksen, M. A., Storebakken, T., Krogdahl, Å., & Skrede, A. (2005). Effect of extrusion on trypsin inhibitor activity and nutrient digestibility of diets based on fish meal, soybean meal and white flakes. *Archives of Animal Nutrition*, *59*(6), 365–375. <https://doi.org/10.1080/17450390500352897>
- Romero-Guzmán, M. J., Jung, L., Kyriakopoulou, K., Boom, R. M., & Nikiforidis, C. V. (2020). Efficient single-step rapeseed oleosome extraction using twin-screw press. *Journal of Food Engineering*, *276*, 109890. <https://doi.org/10.1016/j.jfoodeng.2019.109890>

- Röös, E., Ekelund, L., & Tjärnemo, H. (2014). Communicating the environmental impact of meat production: Challenges in the development of a Swedish meat guide. *Journal of Cleaner Production*, 73, 154–164. <https://doi.org/10.1016/j.jclepro.2013.10.037>
- Rousseau, O. (2017). Dutch researchers warn against meat ‘overconsumption.’ Retrieved March 21, 2018, from <https://www.globalmeatnews.com/Article/2017/01/31/Dutch-researchers-warn-against-meat-overconsumption>
- Różyło, R. (2020, August 1). Recent trends in methods used to obtain natural food colorants by freeze-drying. *Trends in Food Science and Technology*. Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2020.06.005>
- Rubio, N. R., Fish, K. D., Trimmer, B. A., & Kaplan, D. L. (2019). Possibilities for Engineered Insect Tissue as a Food Source. *Frontiers in Sustainable Food Systems*, 3, 24. <https://doi.org/10.3389/fsufs.2019.00024>
- Rueda, J., Kill-Chang, Y., & Martínez-Bustos, F. (2004). Functional characteristics of texturized defatted soy flour. *Agrociencia*, 38(1), 63–73.
- Ruiz, G. A., Xiao, W., Van Boekel, M., Minor, M., & Stieger, M. (2016). Effect of extraction pH on heat-induced aggregation, gelation and microstructure of protein isolate from quinoa (*Chenopodium quinoa* Willd). *Food Chemistry*, 209, 203–210. <https://doi.org/10.1016/j.foodchem.2016.04.052>
- Rutherford, S. M., Fanning, A. C., Miller, B. J., & Moughan, P. J. (2015). Protein Digestibility-Corrected Amino Acid Scores and Digestible Indispensable Amino Acid Scores Differentially Describe Protein Quality in Growing Male Rats. *The Journal of Nutrition*, 145(2), 372–379. <https://doi.org/10.3945/jn.114.195438>
- Ruzengwe, F. M., Amonsou, E. O., & Kudanga, T. (2020). Rheological and microstructural properties of Bambara groundnut protein gels. *LWT*, 123, 109070. <https://doi.org/10.1016/j.lwt.2020.109070>
- S eczyk, L., Swieca, M., Kapusta, I., & Gawlik-Dziki, U. (2019). Protein–phenolic interactions as a factor affecting the physicochemical properties of white bean proteins. *Molecules*, 24(3). <https://doi.org/10.3390/molecules24030408>
- Sá, A. G. A., Moreno, Y. M. F., & Carciofi, B. A. M. (2019). Food processing for the improvement of plant proteins digestibility. *Critical Reviews in Food Science and Nutrition*. Taylor and Francis Inc. <https://doi.org/10.1080/10408398.2019.1688249>
- Sá, A. G. A., Moreno, Y. M. F., & Carciofi, B. A. M. (2020, March 1). Plant proteins as high-quality nutritional source for human diet. *Trends in Food Science and Technology*. Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2020.01.011>
- Saatchi, A., Kiani, H., & Labbafi, M. (2019). A new functional protein-polysaccharide conjugate based on protein concentrate from sesame processing by-products: Functional and physico-chemical properties. *International Journal of Biological Macromolecules*, 122, 659–666. <https://doi.org/10.1016/j.ijbiomac.2018.10.122>

- Saavoss, M. (2019). "How Might Cellular Agriculture Impact the Livestock, Dairy, and Poultry Industries?", 1st Quarter 2019 | Choices Magazine Online. Retrieved June 15, 2020, from <https://www.choicesmagazine.org/choices-magazine/submitted-articles/how-might-cellular-agriculture-impact-the-livestock-dairy-and-poultry-industries>
- Sadler, M. J. (2004). Meat alternatives - Market developments and health benefits. *Trends in Food Science and Technology*, 15(5), 250–260. <https://doi.org/10.1016/j.tifs.2003.09.003>
- Sagoo, S. K., Little, C. L., Greenwood, M., Mithani, V., Grant, K. A., McLauchlin, J., ... Threlfall, E. J. (2009). Assessment of the microbiological safety of dried spices and herbs from production and retail premises in the United Kingdom. *Food Microbiology*, 26(1), 39–43. <https://doi.org/10.1016/j.fm.2008.07.005>
- Saha, D., & Bhattacharya, S. (2010). Hydrocolloids as thickening and gelling agents in food: a critical review. *Journal of Food Science and Technology*, 47(6), 587–597. <https://doi.org/10.1007/s13197-010-0162-6>
- Sahin, S., Sumnu, G., & Altunakar, B. (2005). Effects of batters containing different gum types on the quality of deep-fat fried chicken nuggets. *Journal of the Science of Food and Agriculture*, 85(14), 2375–2379. <https://doi.org/10.1002/jsfa.2258>
- Salgado, P. R., Molina Ortiz, S. E., Petruccelli, S., & Mauri, A. N. (2012). Functional Food Ingredients Based on Sunflower Protein Concentrates Naturally Enriched with Antioxidant Phenolic Compounds. *Journal of the American Oil Chemists' Society*, 89(5), 825–836. <https://doi.org/10.1007/s11746-011-1982-x>
- Samard, S., & Ryu, G. (2019). A comparison of physicochemical characteristics, texture, and structure of meat analogue and meats. *Journal of the Science of Food and Agriculture*, 99(6), 2708–2715. <https://doi.org/10.1002/jsfa.9438>
- Sanches de Lima, F., & Ida, E. I. (2014). Optimisation of soybean hydrothermal treatment for the conversion of β -glucoside isoflavones to aglycones. *LWT - Food Science and Technology*, 56(2), 232–239. <https://doi.org/10.1016/j.lwt.2013.12.006>
- Sandoval Murillo, J. L., Osen, R., Hiermaier, S., & Ganzenmüller, G. (2019). Towards understanding the mechanism of fibrous texture formation during high-moisture extrusion of meat substitutes. *Journal of Food Engineering*, 242, 8–20. <https://doi.org/10.1016/J.JFOODENG.2018.08.009>
- Santos, M. dos, Ozaki, M. M., Ribeiro, W. O., Paglarini, C. de S., Vidal, V. A. S., Campagnol, P. C. B., & Pollonio, M. A. R. (2020). Emulsion gels based on pork skin and dietary fibers as animal fat replacers in meat emulsions: An adding value strategy to byproducts. *LWT*, 120, 108895. <https://doi.org/10.1016/j.lwt.2019.108895>
- Sato, K., & Miller, A. F. J. (1974). US3958019A - Color treatment for soybean food products. Retrieved from <https://patents.google.com/patent/US3958019A/en>
- Savadkoochi, S., Hoogenkamp, H., Shamsi, K., & Farahnaky, A. (2014). Color, sensory and textural attributes of beef frankfurter, beef ham and meat-free sausage containing tomato pomace. *Meat Science*, 97(4), 410–418. <https://doi.org/10.1016/j.meatsci.2014.03.017>

- Savell, J. W., & Cross, H. R. (1988). The role of fat in the palatability of beef, pork and lamb. Committee on technological options to improve the nutritional attributes of animal products. In *Designing Foods: Animal product options in the marketplace* (pp. 345–355). <https://doi.org/10.17226/661>
- Scarborough, P., Appleby, P. N., Mizdrak, A., Briggs, A. D. M., Travis, R. C., Bradbury, K. E., & Key, T. J. (2014). Dietary greenhouse gas emissions of meat-eaters, fish-eaters, vegetarians and vegans in the UK. *Climatic Change*, *125*(2), 179–192. <https://doi.org/10.1007/s10584-014-1169-1>
- Schiffman, J. D., & Schauer, C. L. (2008). A review: Electrospinning of biopolymer nanofibers and their applications. *Polymer Reviews*, *48*(2), 317–352. <https://doi.org/10.1080/15583720802022182>
- Schindler, S., Wittig, M., Zelena, K., Krings, U., Bez, J., Eisner, P., & Berger, R. G. (2011). Lactic fermentation to improve the aroma of protein extracts of sweet lupin (*Lupinus angustifolius*). *Food Chemistry*, *128*(2), 330–337. <https://doi.org/10.1016/j.foodchem.2011.03.024>
- Schindler, S., Zelena, K., Krings, U., Bez, J., Eisner, P., & Berger, R. G. (2012). Improvement of the Aroma of Pea (*Pisum sativum*) Protein Extracts by Lactic Acid Fermentation. *Food Biotechnology*, *26*(1), 58–74. <https://doi.org/10.1080/08905436.2011.645939>
- Schmidt, J. M., Damgaard, H., Greve-Poulsen, M., Larsen, L. B., & Hammershøj, M. (2018). Foam and emulsion properties of potato protein isolate and purified fractions. *Food Hydrocolloids*, *74*, 367–378. <https://doi.org/10.1016/j.foodhyd.2017.07.032>
- Schmidt, J. M., Damgaard, H., Greve-Poulsen, M., Sunds, A. V., Larsen, L. B., & Hammershøj, M. (2019). Gel properties of potato protein and the isolated fractions of patatins and protease inhibitors – Impact of drying method, protein concentration, pH and ionic strength. *Food Hydrocolloids*, *96*, 246–258. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0268005X18322549>
- Schmiele, M., Nucci Mascarenhas, M. C. C., da Silva Barretto, A. C., & Rodrigues Pollonio, M. A. (2015). Dietary fiber as fat substitute in emulsified and cooked meat model system. *LWT - Food Science and Technology*, *61*(1), 105–111. <https://doi.org/10.1016/j.lwt.2014.11.037>
- Schmitt, C., Silva, J. V., Amagliani, L., Chassenieux, C., & Nicolai, T. (2019). Heat-induced and acid-induced gelation of dairy/plant protein dispersions and emulsions. *Current Opinion in Food Science*, *27*, 43–48. <https://doi.org/10.1016/J.COFS.2019.05.002>
- Scholliers, J., Steen, L., Glorieux, S., Van de Walle, D., Dewettinck, K., & Fraeye, I. (2019). The effect of temperature on structure formation in three insect batters. *Food Research International*, *122*, 411–418. <https://doi.org/10.1016/J.FOODRES.2019.04.033>
- Schösler, H., Boer, J. de, & Boersema, J. J. (2012). Can we cut out the meat of the dish? Constructing consumer-oriented pathways towards meat substitution. *Appetite*, *58*(1), 39–47. <https://doi.org/10.1016/j.appet.2011.09.009>

- Schreuders, F. K. G., Dekkers, B. L., Bodnár, I., Erni, P., Boom, R. M., & van der Goot, A. J. (2019). Comparing structuring potential of pea and soy protein with gluten for meat analogue preparation. *Journal of Food Engineering*, *261*, 32–39. <https://doi.org/10.1016/j.jfoodeng.2019.04.022>
- Schulz, S. (2015). New EU labeling law: Omission of food additives and enzymes from the list of ingredients under regulation (EC) no. 1169/2011. *European Food and Feed Law Review*.
- Schutyser, M. A. I., Pelgrom, P. J. M., van der Goot, A. J., & Boom, R. M. (2015). Dry fractionation for sustainable production of functional legume protein concentrates. *Trends in Food Science and Technology*, *45*(2), 327–335. <https://doi.org/10.1016/j.tifs.2015.04.013>
- Schutyser, M. A. I., & van der Goot, A. J. (2011). The potential of dry fractionation processes for sustainable plant protein production. *Trends in Food Science and Technology*, *22*(4), 154–164. <https://doi.org/10.1016/j.tifs.2010.11.006>
- Schwartz, J. M., Solé, V., Guéguen, J., Ropers, M. H., Riaublanc, A., & Anton, M. (2015). Partial replacement of β -casein by napin, a rapeseed protein, as ingredient for processed foods: Thermoreversible aggregation. *LWT - Food Science and Technology*, *63*(1), 562–568. <https://doi.org/10.1016/j.lwt.2015.03.084>
- Schwartzberg, H. G., & Hartel, R. W. (1992). *Physical Chemistry of Foods*.
- Senthilingam, M. (2017). Are Germans leading a vegan revolution? - CNN. Retrieved February 16, 2018, from <https://edition.cnn.com/2017/05/03/health/germany-vegan-vegetarian-diets/index.html>
- Serdaroğlu, M., Yildiz-Turp, G., & Abrodímov, K. (2005). Quality of low-fat meatballs containing Legume flours as extenders. *Meat Science*, *70*(1), 99–105. <https://doi.org/10.1016/j.meatsci.2004.12.015>
- Setchell, K. D. R., & Cole, S. J. (2003). Variations in isoflavone levels in soy foods and soy protein isolates and issues related to isoflavone databases and food labeling. *Journal of Agricultural and Food Chemistry*, *51*(14), 4146–4155. <https://doi.org/10.1021/jf026199b>
- Sethi, S., Tyagi, S. K., & Anurag, R. K. (2016). Plant-based milk alternatives an emerging segment of functional beverages: a review. *Journal of Food Science and Technology*, *53*(9), 3408–3423. <https://doi.org/10.1007/s13197-016-2328-3>
- Sexton, A. (2016). Alternative Proteins and the (Non) Stuff of " Meat ". *Gastronomica*, *16*(3), 66–78. <https://doi.org/10.1525/GFC.2016.16.3.66>
- Sfakianakis, P., & Tzia, C. (2014). Conventional and Innovative Processing of Milk for Yogurt Manufacture; Development of Texture and Flavor: A Review. *Foods*, *3*(1), 176–193. <https://doi.org/10.3390/foods3010176>

- Sha, L., & Xiong, Y. L. (2020, August 1). Plant protein-based alternatives of reconstructed meat: Science, technology, and challenges. *Trends in Food Science and Technology*. Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2020.05.022>
- Shaabani, S., Yarmand, M. S., Kiani, H., & Emam-Djomeh, Z. (2018). The effect of chickpea protein isolate in combination with transglutaminase and xanthan on the physical and rheological characteristics of gluten free muffins and batter based on millet flour. *LWT - Food Science and Technology*. <https://doi.org/10.1016/j.lwt.2017.12.023>
- Shahidi, F. (2016). Oxidative Stability and Shelf Life of Meat and Meat Products. In *Oxidative Stability and Shelf Life of Foods Containing Oils and Fats* (pp. 373–389). Elsevier. <https://doi.org/10.1016/B978-1-63067-056-6.00010-0>
- Shand, P. J., Ya, H., Pietrasik, Z., & Wanasundara, P. K. J. P. D. (2007). Physicochemical and textural properties of heat-induced pea protein isolate gels. *Food Chemistry*, *102*(4), 1119–1130. <https://doi.org/10.1016/j.foodchem.2006.06.060>
- Shang, N., Chaplot, S., & Wu, J. (2018). *Food proteins for health and nutrition*. *Proteins in Food Processing*. <https://doi.org/10.1016/B978-0-08-100722-8.00013-9>
- Shao, S., Duncan, A. M., Yang, R., Marcone, M. F., Rajcan, I., & Tsao, R. (2009). Tracking isoflavones: From soybean to soy flour, soy protein isolates to functional soy bread. *Journal of Functional Foods*, *1*(1), 119–127. <https://doi.org/10.1016/j.jff.2008.09.013>
- Sheetanshu, U. (2016). Meat Substitute Market by 2020 - Future Business Opportunities. Retrieved February 16, 2018, from <https://www.alliedmarketresearch.com/meat-substitute-market>
- Shen, P., Gao, Z., Xu, M., Ohm, J. B., Rao, J., & Chen, B. (2020). The impact of hempseed dehulling on chemical composition, structure properties and aromatic profile of hemp protein isolate. *Food Hydrocolloids*, *106*, 105889. <https://doi.org/10.1016/j.foodhyd.2020.105889>
- Shevkani, K., Singh, N., Kaur, A., & Rana, J. C. (2015). Structural and functional characterization of kidney bean and field pea protein isolates: A comparative study. *Food Hydrocolloids*, *43*, 679–689. <https://doi.org/10.1016/j.foodhyd.2014.07.024>
- Shin, D. J., Kim, W., & Kim, Y. (2013). Physicochemical and sensory properties of soy bread made with germinated, steamed, and roasted soy flour. *Food Chemistry*, *141*(1), 517–523. <https://doi.org/10.1016/j.foodchem.2013.03.005>
- Shurtleff, W., & Aoyagi, A. (2013). *History of Meat Alternatives*.
- Shurtleff, W., & Aoyagi, A. (2011). *History of Tempeh and Tempeh Products. A Special Report on The History of Traditional Fermented Soyfoods*.
- Shurtleff, W., & Aoyagi, A. (2013). *History of tofu and tofu products (965 CE to 2013) : extensively annotated bibliography and sourcebook*. Soyinfo Center.

- Shurtleff, W., & Aoyagi, A. (2011). *History of fermented black soybeans (165 B.C. to 2011) : extensively annotated bibliography and sourcebook*. Soyinfo Center. Retrieved from https://books.google.nl/books/about/History_of_Fermented_Black_Soybeans_165.html?id=PCyhiOoe49cC&redir_esc=y
- Sievenpiper, J. L., Kendall, C. W. C., Esfahani, A., Wong, J. M. W., Carleton, A. J., Jiang, H. Y., ... Jenkins, D. J. A. (2009). Effect of non-oil-seed pulses on glycaemic control: A systematic review and meta-analysis of randomised controlled experimental trials in people with and without diabetes. *Diabetologia*, 52(8), 1479–1495. <https://doi.org/10.1007/s00125-009-1395-7>
- Singh, P., Kumar, R., Sabapathy, S. N., & Bawa, A. S. (2008). Functional and edible uses of soy protein products. In *Comprehensive Reviews in Food Science and Food Safety* (Vol. 7, pp. 14–28). <https://doi.org/10.1111/j.1541-4337.2007.00025.x>
- Singh, R. P., & Heldman, D. R. (2014). Extrusion Processes for Foods. *Introduction to Food Engineering*, 743–766. <https://doi.org/10.1016/B978-0-12-398530-9.00014-0>
- Singh, S., Gamlath, S., & Wakeling, L. (2007). Nutritional aspects of food extrusion: A review. *International Journal of Food Science and Technology*, 42(8), 916–929. <https://doi.org/10.1111/j.1365-2621.2006.01309.x>
- Singh, S., Wakeling, L., & Gamlath, S. (2007). Retention of essential amino acids during extrusion of protein and reducing sugars. *Journal of Agricultural and Food Chemistry*, 55(21), 8779–8786. <https://doi.org/10.1021/jf071769z>
- Singhal, A., Karaca, A. C., Tyler, R., Nickerson, M., & ashish singhal , asli can karaca, robert tyler and mickael nickeron. (2016). pulse proteins : from processing to structure-function relationships. *Grain Legumes*, 55–78. <https://doi.org/10.5772/64020>
- Slade, P. (2018). If you build it, will they eat it? Consumer preferences for plant-based and cultured meat burgers. *Appetite*, 125, 428–437. <https://doi.org/10.1016/j.appet.2018.02.030>
- Smale, E., & Broekema, R. (2011). *Nulmeting Peulvruchten Inzicht in milieueffecten en nutritionele aspecten van peulvruchten*. Retrieved from http://www.blonkconsultants.nl/wp-content/uploads/2016/06/nulmeting-peulvruchten_d1-4.pdf
- Smetana, S., Pernutz, C., Toepfl, S., Heinz, V., & Van Campenhout, L. (2019). High-moisture extrusion with insect and soy protein concentrates: Cutting properties of meat analogues under insect content and barrel temperature variations. *Journal of Insects as Food and Feed*, 5(1), 29–34. <https://doi.org/10.3920/JIFF2017.0066>
- Smetana, S., Ashtari Larki, N., Pernutz, C., Franke, K., Bindrich, U., Toepfl, S., & Heinz, V. (2018). Structure design of insect-based meat analogs with high-moisture extrusion. *Journal of Food Engineering*, 229, 83–85. <https://doi.org/10.1016/j.jfoodeng.2017.06.035>

- Smetana, S., Mathys, A., Knoch, A., & Heinz, V. (2015). Meat alternatives: life cycle assessment of most known meat substitutes. *The International Journal of Life Cycle Assessment*, 20(9), 1254–1267. <https://doi.org/10.1007/s11367-015-0931-6>
- Smith, B. M., Bean, S. R., Selling, G., Sessa, D., & Aramouni, F. M. (2017). Effect of Salt and Ethanol Addition on Zein-Starch Dough and Bread Quality. *Journal of Food Science*, 82(3), 613–621. <https://doi.org/10.1111/1750-3841.13637>
- Sonesson, U., Davis, J., Flysjö, A., Gustavsson, J., & Witthöft, C. (2016). Protein quality as functional unit— a methodological framework for inclusion in life cycle assessment of food. *Journal of Cleaner Production*, 140, 1–9. <https://doi.org/10.1016/j.jclepro.2016.06.115>
- Spadaro, J. J. (1979). Uses of defatted and partially defatted peanut flours. *Journal of the American Oil Chemists' Society*, 56(3), 474–475. <https://doi.org/10.1007/BF02671547>
- Spencer, M., & Guinard, J. X. (2018). The Flexitarian Flip™: Testing the Modalities of Flavor as Sensory Strategies to Accomplish the Shift from Meat-Centered to Vegetable-Forward Mixed Dishes. *Journal of Food Science*. <https://doi.org/10.1111/1750-3841.13991>
- Srianta, I., Ristiarini, S., Nugerahani, I., Sen, S. K., Zhang, B. B., Xu, G. R., & Blanc, P. J. (2014). Recent research and development of Monascus fermentation products. *International Food Research Journal*, 21(1), 1–12. Retrieved from https://www.researchgate.net/publication/272420583_Recent_research_and_development_of_Monascus_fermentation_products
- Stanojevic, S. P., Barać, M. B., Pešić, M. B., & Vucelic-Radovic, B. V. (2020). Protein composition and textural properties of inulin-enriched tofu produced by hydrothermal process. *LWT*, 126, 109309. <https://doi.org/10.1016/j.lwt.2020.109309>
- Stauffer, C. E. (1990). Measuring trypsin inhibitor in soy meal: suggested improvements in the standard method. *Cereal Chemistry*, 67(3), 296–302. Retrieved from http://www.aacnet.org/publications/cc/backissues/1990/Documents/67_296.pdf
- Steinfeld, H., Gerber, P., Wassenaar, T., Castel, V., Rosales, M., & De Haan, C. (2006). Livestock's Long Shadow: Environmental Issues and Options. *FAO Ftp://Ftp.Fao.Org/Docrep/Fao/010/A0701E/A0701E00.Pdf*, 1–377. <https://doi.org/10.1007/s10666-008-9149-3>
- Stephens, N., Di Silvio, L., Dunsford, I., Ellis, M., Glencross, A., & Sexton, A. (2018). Bringing cultured meat to market: Technical, socio-political, and regulatory challenges in cellular agriculture. *Trends in Food Science and Technology*, 78, 155–166. <https://doi.org/10.1016/j.tifs.2018.04.010>
- Stewart, G. F., Schweigert, B. S., Hawthorn, J., & Bauernfeind, J. C. (1981). *Carotenoids as Colorants and Vitamin A Precursors : Technological and Nutritional Applications*. Elsevier Science.

- Stoll-Kleemann, S., & Schmidt, U. J. (2017). Reducing meat consumption in developed and transition countries to counter climate change and biodiversity loss: a review of influence factors. *Regional Environmental Change*, *17*(5), 1261–1277. <https://doi.org/10.1007/s10113-016-1057-5>
- Sturtewagen, L., De Soete, W., Dewulf, J., Lachat, C., Laurysen, S., Heirman, B., ... Schaubroeck, T. (2016). Resource use profile and nutritional value assessment of a typical Belgian meal, catered or home cooked, with pork or Quorn™ as protein source. *Journal of Cleaner Production*, *112*, 196–204. <https://doi.org/10.1016/j.jclepro.2015.09.006>
- Summo, C., Centomani, I., Paradiso, V. M., Caponio, F., & Pasqualone, A. (2016). The effects of the type of cereal on the chemical and textural properties and on the consumer acceptance of pre-cooked, legume-based burgers. *LWT - Food Science and Technology*, *65*, 290–296. <https://doi.org/10.1016/J.LWT.2015.08.009>
- Sun, X. D., & Arntfield, S. D. (2011). Gelation properties of salt-extracted pea protein isolate induced by heat treatment: Effect of heating and cooling rate. *Food Chemistry*, *124*(3), 1011–1016. <https://doi.org/10.1016/j.foodchem.2010.07.063>
- Sun, X. D., & Arntfield, S. D. (2012). Molecular forces involved in heat-induced pea protein gelation: Effects of various reagents on the rheological properties of salt-extracted pea protein gels. *Food Hydrocolloids*, *28*(2), 325–332. <https://doi.org/10.1016/j.foodhyd.2011.12.014>
- Suzuki, A., Takahashi, T., Tanaka, Y., & Tsuzuku, T. (1997). *EP0879561A1*. Retrieved from <https://patents.google.com/patent/EP0879561A1/en>
- Szejda, K., Urbanovich, T., & Wilks, M. (2020). *Accelerating Consumer Adoption of Plant-Based Meat: An Evidence-Based Guide for Effective Practice February 2020*. Retrieved from <https://www.gfi.org/images/uploads/2020/02/NO-HYPERLINKED-REFERENCES-FINAL-COMBINED-accelerating-consumer-adoption-of-plant-based-meat.pdf>
- Tabanelli, G., Pasini, F., Riciputi, Y., Vannini, L., Gozzi, G., Balestra, F., ... Montanari, C. (2018). Fermented Nut-Based Vegan Food: Characterization of a Home made Product and Scale-Up to an Industrial Pilot-Scale Production. *Journal of Food Science*, *83*(3), 711–722. <https://doi.org/10.1111/1750-3841.14036>
- Taghdir, M., Mazloomi, S. M., Honar, N., Sepandi, M., Ashourpour, M., & Salehi, M. (2017). Effect of soy flour on nutritional, physicochemical, and sensory characteristics of gluten-free bread. *Food Science and Nutrition*, *5*(3), 439–445. <https://doi.org/10.1002/fsn3.411>
- Takeda, K., Matsumura, Y., & Shimizu, M. (2001). Emulsifying and Surface Properties of Wheat Gluten under Acidic Conditions. *Journal of Food Science*, *66*(3), 393–399. <https://doi.org/10.1111/j.1365-2621.2001.tb16116.x>
- Tan, S. H., Mailer, R. J., Blanchard, C. L., Agboola, S. O., & Day, L. (2014). Gelling properties of protein fractions and protein isolate extracted from Australian canola meal.

Food Research International, 62, 819–828.
<https://doi.org/10.1016/j.foodres.2014.04.055>

- Tang, C.-H., & Li, X.-R. (2013). Microencapsulation properties of soy protein isolate and storage stability of the correspondingly spray-dried emulsions. *Food Research International*, 52(1), 419–428. <https://doi.org/10.1016/J.FOODRES.2012.09.010>
- Tangyu, M., Muller, J., Bolten, C. J., & Wittmann, C. (2019). Fermentation of plant-based milk alternatives for improved flavour and nutritional value. *Applied Microbiology and Biotechnology*, 103(23–24), 9263–9275. <https://doi.org/10.1007/s00253-019-10175-9>
- Tansaz, S., Liverani, L., Vester, L., & Boccaccini, A. R. (2017). Soy protein meets bioactive glass: Electrospun composite fibers for tissue engineering applications. *Materials Letters*, 199, 143–146. <https://doi.org/10.1016/j.matlet.2017.04.042>
- Tao, J., Davidov-Pardo, G., Burns-Whitmore, B., Cullen, E. M., & Li, Y. O. (2017). Effects of edible insect ingredients on the physicochemical and sensory properties of extruded rice products. *Journal of Insects as Food and Feed*, 3(4), 263–278. <https://doi.org/10.3920/JIFF2017.0030>
- Tarone, A. G., Fasolin, L. H., Perrechil, F. D. A., Hubinger, M. D., & Cunha, R. L. Da. (2013). Influence of drying conditions on the gelling properties of the 7S and 11S soy protein fractions. *Food and Bioproducts Processing*, 91(2), 111–120. <https://doi.org/10.1016/j.fbp.2012.11.010>
- Tarrega, A., Rizo, A., Murciano, A., Laguna, L., & Fiszman, S. (2020). Are mixed meat and vegetable protein products good alternatives for reducing meat consumption? A case study with burgers. *Current Research in Food Science*, 3, 30–40. <https://doi.org/10.1016/j.crfs.2020.02.003>
- Tavano, O. L., Neves, V. A., & da Silva Júnior, S. I. (2016). In vitro versus in vivo protein digestibility techniques for calculating PDCAAS (protein digestibility-corrected amino acid score) applied to chickpea fractions. *Food Research International*, 89, 756–763. <https://doi.org/10.1016/J.FOODRES.2016.10.005>
- Tavassoli-Kafrani, E., Goli, S. A. H., & Fathi, M. (2017). Fabrication and characterization of electrospun gelatin nanofibers crosslinked with oxidized phenolic compounds. *International Journal of Biological Macromolecules*, 103, 1062–1068. <https://doi.org/10.1016/j.ijbiomac.2017.05.152>
- Taylor, A. J., & Hort, J. (2007). *Modifying Flavour in Food. Modifying Flavour in Food*. <https://doi.org/10.1533/9781845693367>
- Tessari, P., Lante, A., & Mosca, G. (2016). Essential amino acids: Master regulators of nutrition and environmental footprint? *Scientific Reports*, 6. <https://doi.org/10.1038/srep26074>
- Thadavathi, Y. L. N., Wassén, S., & Kádár, R. (2019). In-line rheological and microstructural characterization of high moisture content protein vegetable mixtures in single screw

- extrusion. *Journal of Food Engineering*, 245, 112–123.
<https://doi.org/10.1016/J.JFOODENG.2018.10.006>
- Thakur, S., Singh, N., Kaur, A., & Singh, B. (2017). Effect of Extrusion on Physicochemical Properties, Digestibility, and Phenolic Profiles of Grit Fractions Obtained from Dry Milling of Normal and Waxy Corn. *Journal of Food Science*, 82(5), 1101–1109.
<https://doi.org/10.1111/1750-3841.13692>
- The economist. (2015). Silicon Valley gets a taste for food - Green food. Retrieved February 16, 2018, from <https://www.economist.com/news/technology-quarterly/21645497-tech-startups-are-moving-food-business-make-sustainable-versions-meat>
- The guardian. (2017). Can Impossible Foods and its plant burgers take on the meat industry? | Guardian Sustainable Business | The Guardian. Retrieved February 16, 2018, from <https://www.theguardian.com/sustainable-business/blog/2017/mar/02/impossible-foods-plant-burger-vegetarian-meat>
- Thiébaud, M., Dumay, E., & Cheftel, J. C. (1996). Influence of Process Variables on the Characteristics of a High Moisture Fish Soy Protein Mix Texturized by Extrusion Cooking. *LWT - Food Science and Technology*, 29(5–6), 526–535.
<https://doi.org/http://dx.doi.org/10.1006/fstl.1996.0080>
- Thorpe, D. L., Knulsen, S. F., Beeson, W. L., Rajaram, S., & Fraser, G. E. (2008). Effects of meat consumption and vegetarian diet on risk of wrist fracture over 25 years in a cohort of peri- and postmenopausal women. *Public Health Nutrition*, 11(6), 564–572.
<https://doi.org/10.1017/S1368980007000808>
- Tijhuis, M. J., Ezendam, J., Westenbrink, S., van Rossum, C., & Temme, L. (2011). Replacement of meat and dairy by more sustainable protein sources in the Netherlands. Quality of the diet. RIVM Letter Report 350123001/2011. *National Institute for Public Health and the Environment. Ministry of Health, Welfare and Sport, 350123001*, 61 p.
<https://doi.org/RIVM Letter Report 350123001/2011>
- Tilman, D., Balzer, C., Hill, J., & Befort, B. L. (2011). Global food demand and the sustainable intensification of agriculture. *Proceedings of the National Academy of Sciences of the United States of America*, 108(50), 20260–20264.
<https://doi.org/10.1073/pnas.1116437108>
- Tilman, D., & Clark, M. (2014). Global diets link environmental sustainability and human health. *Nature*, 515(7528), 518–522. <https://doi.org/10.1038/nature13959>
- Time Travelling Milkman. (2020). Fat ingredients for dairy alternatives | Time Travelling Milkman. Retrieved June 15, 2020, from <https://www.timetravellingmilkman.com/>
- Tocci, A. M., & Mascheroni, R. H. (1995). Heat and mass transfer coefficients during the refrigeration, freezing and storage of meats, meat products and analogues. *Journal of Food Engineering*, 26(2), 147–160. [https://doi.org/10.1016/0260-8774\(94\)00046-C](https://doi.org/10.1016/0260-8774(94)00046-C)

- Toews, R., & Wang, N. (2013). Physicochemical and functional properties of protein concentrates from pulses. *Food Research International*, 52(2), 445–451. <https://doi.org/10.1016/j.foodres.2012.12.009>
- Tolstoguzov, V. B. (1988). Creation of fibrous structure by spinneretless spinning. In *Food Structure*. <https://doi.org/10.1533/9781845698348.181>
- Tolstoguzov, V. (2006). Texturising by phase separation. *Biotechnology Advances*, 24(6), 626–628. <https://doi.org/10.1016/j.biotechadv.2006.07.001>
- Tolstoguzov, V. B. (1993). Thermoplastic extrusion—the mechanism of the formation of extrudate structure and properties. *Journal of the American Oil Chemists' Society*, 70(4), 417–424. <https://doi.org/10.1007/BF02552717>
- Tomczyńska-Mleko, M., Terpiłowski, K., & Mleko, S. (2015). Physicochemical properties of cellulose/whey protein fibers as a potential material for active ingredients release. *Food Hydrocolloids*, 49, 232–239. <https://doi.org/10.1016/j.foodhyd.2015.03.027>
- Tomczyńska-Mleko, M., Terpiłowski, K., & Mleko, S. (2015). New product development: Cellulose/egg white protein blend fibers. *Carbohydrate Polymers*, 126, 168–174. <https://doi.org/10.1016/j.carbpol.2015.03.008>
- Top bv. (2021). TOP's new fat platform for plant-based foods: structuring vegetable fat. Retrieved February 25, 2021, from <https://top-bv.nl/tops-new-fat-platform-for-plant-based-foods-structuring-vegetable-fat/>
- Tran, D. N., Yang, D. J., & Balkus, K. J. (2011). Fabrication of cellulose protein fibers through concentric electrospinning. *Journal of Molecular Catalysis B: Enzymatic*, 72(1–2), 1–5. <https://doi.org/10.1016/j.molcatb.2011.04.001>
- Trinci, A. P. J. (1992). Myco-protein: A twenty-year overnight success story. *Mycological Research*, 96(1), 1–13. [https://doi.org/10.1016/S0953-7562\(09\)80989-1](https://doi.org/10.1016/S0953-7562(09)80989-1)
- Trius, A., Sebranek, J. G., Rust, R. E., & Carr, J. M. (1994). Low-Fat Bologna and Beaker Sausage: Effects of Carrageenans and Chloride Salts. *Journal of Food Science*, 59(5), 941–945. <https://doi.org/10.1111/j.1365-2621.1994.tb08163.x>
- Tuomisto, H. L., Ellis, M. J., & Hastrup, P. (2014). Environmental impacts of cultured meat : alternative production scenarios. *Environmental Science & Technology*, 14044(October), 6117–6123. <https://doi.org/10.1021/es200130u>
- Tyszler, M., Kramer, G., & Blonk, H. (2014). Comparing apples with oranges: On the functional equivalence of food products for comparative LCAs. *International Journal of Life Cycle Assessment*, 19(8), 1482–1487. <https://doi.org/10.1007/s11367-014-0762-x>
- Tyszler, M., Kramer, G., & Blonk, H. (2016). Just eating healthier is not enough: studying the environmental impact of different diet scenarios for Dutch women (31–50 years old) by linear programming. *International Journal of Life Cycle Assessment*, 21(5), 701–709. <https://doi.org/10.1007/s11367-015-0981-9>

- Tziva, M., Negro, S. O., Kalfagianni, A., & Hekkert, M. P. (2019). Understanding the protein transition: The rise of plant-based meat substitutes. *Environmental Innovation and Societal Transitions*. <https://doi.org/10.1016/j.eist.2019.09.004>
- Uruakpa, F. O., & Arntfield, S. D. (2004). Rheological characteristics of commercial canola protein isolate- κ -carrageenan systems. *Food Hydrocolloids*, *18*(3), 419–427. <https://doi.org/10.1016/j.foodhyd.2003.07.001>
- van der Goot, A. J., & Manski, J. M. (2007). Creation of novel microstructures through processing: Structure formation in (semi-)solid food materials. In *Understanding and Controlling the Microstructure of Complex Foods* (pp. 389–410). <https://doi.org/10.1533/9781845693671.3.389>
- van der Goot, A. J., Peighambardoust, S. H., Akkermans, C., & Van Oosten-Manski, J. M. (2008). Creating novel structures in food materials: The role of well-defined shear flow. *Food Biophysics*, *3*(2), 120–125. <https://doi.org/10.1007/s11483-008-9081-8>
- van der Weele, C., Feindt, P., van der Goot, A. J., van Mierlo, B., & van Boekel, M. (2019). Meat alternatives: an integrative comparison. *Trends in Food Science and Technology*, *88*, 505–512. <https://doi.org/10.1016/j.tifs.2019.04.018>
- van der Weele, C., & Tramper, J. (2014). Cultured meat: Every village its own factory? *Trends in Biotechnology*, *32*(6), 294–296. <https://doi.org/10.1016/j.tibtech.2014.04.009>
- Van Dooren, C., Marinussen, M., Blonk, H., Aiking, H., & Vellinga, P. (2014). Exploring dietary guidelines based on ecological and nutritional values: A comparison of six dietary patterns. *Food Policy*, *44*, 36–46. <https://doi.org/10.1016/j.foodpol.2013.11.002>
- Van Kernebeek, H. R. J., Oosting, S. J., Van Ittersum, M. K., Bikker, P., & De Boer, I. J. M. (2016). Saving land to feed a growing population: consequences for consumption of crop and livestock products. *The International Journal of Life Cycle Assessment*, *21*(5), 677–687. <https://doi.org/10.1007/s11367-015-0923-6>
- Van Mierlo, K., Rohmer, S., & Gerdessen, J. C. (2017). A model for composing meat replacers: Reducing the environmental impact of our food consumption pattern while retaining its nutritional value. *Journal of Cleaner Production*, *165*, 930–950. <https://doi.org/10.1016/j.jclepro.2017.07.098>
- Varadan, R., Solomatin, S., Holz-schietinger, C., Cohn, E., Klapholz-brown, A., Shiu, J. W.-Y., ... Fraser, R. (2015). *WO2015153666A1*. Retrieved from <https://patents.google.com/patent/WO2015153666A1/en?assignee=IMPOSSIBLE+FOODS+INC.&page=1>
- Varavinita, S., Shobsngob, S., Bhidyachakorawat, M., & Suphantharika, M. (2000). Production of meat-like flavor. *Science Asia*, *26*, 219–224. Retrieved from [http://www.thaiscience.info/Article for ThaiScience/Article/6/Ts-6 production of meat-like flavor.pdf](http://www.thaiscience.info/Article%20for%20ThaiScience/Article/6/Ts-6%20production%20of%20meat-like%20flavor.pdf)
- Varela, P., & Fisman, S. M. (2011, December). Hydrocolloids in fried foods. A review. *Food Hydrocolloids*. <https://doi.org/10.1016/j.foodhyd.2011.01.016>

- Vargas Zambrano, P., Riera González, G., & Cruz Viera, L. (2019). Quinoa as gelling agent in a mortadella formulation. *International Food Research Journal*, 26(3), 1069–1077.
- Vega-Lugo, A. C., & Lim, L. T. (2008). Electrospinning of soy protein isolate nanofibers. *Journal of Biobased Materials and Bioenergy*, 2(3), 223–230. <https://doi.org/10.1166/jbmb.2008.408>
- Venkatachalam, M., Zelena, M., Cacciola, F., Ceslova, L., Girard-Valenciennes, E., Clerc, P., ... Dufossé, L. (2018). Partial characterization of the pigments produced by the marine-derived fungus *Talaromyces albobiverticillius* 30548. Towards a new fungal red colorant for the food industry. *Journal of Food Composition and Analysis*, 67, 38–47. <https://doi.org/10.1016/j.jfca.2017.12.036>
- Verbeek, C. J. R., & Van Den Berg, L. E. (2010). Extrusion processing and properties of protein-based thermoplastics. *Macromolecular Materials and Engineering*, 295(1), 10–21. <https://doi.org/10.1002/mame.200900167>
- Verma, A. K., Rajkumar, V., & Kumar, S. (2019). Effect of amaranth and quinoa seed flour on rheological and physicochemical properties of goat meat nuggets. *Journal of Food Science and Technology*, 56(11), 5027–5035. <https://doi.org/10.1007/s13197-019-03975-4>
- Vernon-Parry, K. D. (2000). Scanning electron microscopy: an introduction. *III-Vs Review*, 13(4), 40–44. [https://doi.org/10.1016/S0961-1290\(00\)80006-X](https://doi.org/10.1016/S0961-1290(00)80006-X)
- Vieux, F., Darmon, N., Touazi, D., & Soler, L. G. (2012). Greenhouse gas emissions of self-selected individual diets in France: Changing the diet structure or consuming less? *Ecological Economics*, 75, 91–101. <https://doi.org/10.1016/j.ecolecon.2012.01.003>
- Vogelsang-O'Dwyer, M., Petersen, I. L., Joehnke, M. S., Sørensen, J. C., Bez, J., Detzel, A., ... Zannini, E. (2020). Comparison of Faba bean protein ingredients produced using dry fractionation and isoelectric precipitation: Techno-functional, nutritional and environmental performance. *Foods*, 9(3). <https://doi.org/10.3390/foods9030322>
- Vrljic, M., Solomatin, S., Fraser, R., O'reilly Brown, P., Karr, J., Holz-Schietinger, C., ... Varadan, R. (2015). *US20150305390A1*. Retrieved from <https://patents.google.com/patent/US20150305390A1/en?assignee=IMPOSSIBLE+FOODS+INC>.
- Walstra, P., Walstra, P., Wouters, J. T. M., & Geurts, T. J. (2005). *Dairy Science and Technology*. *Dairy Science and Technology*. <https://doi.org/10.1201/9781420028010>
- Wanezaki, S., Tachibana, N., Nagata, M., Saito, S., Nagao, K., Yanagita, T., & Kohno, M. (2015). Soy β -conglycinin improves obesity-induced metabolic abnormalities in a rat model of nonalcoholic fatty liver disease. *Obesity Research and Clinical Practice*, 9(2), 168–174. <https://doi.org/10.1016/j.orcp.2014.03.005>
- Wang, C., Ma, Q., Pagadala, S., Sherrard, M. S., & Krishnan, P. G. (1998). Changes of isoflavones during processing of soy protein isolates. *Journal of the American Oil Chemists' Society*, 75(3), 337–341. <https://doi.org/10.1007/s11746-998-0050-7>

- Wang, F., Liu, N., Li, K., Ma, T., Ren, F., & Luo, J. (2019). Effects of enzyme-modified soybean beverage on the composition, yield, functionality and microstructure of Cheddar cheese-like products. *LWT*, *116*, 108498. <https://doi.org/10.1016/j.lwt.2019.108498>
- Wang, F., Zhang, Y., Xu, L., & Ma, H. (2020). An efficient ultrasound-assisted extraction method of pea protein and its effect on protein functional properties and biological activities. *LWT*, *127*. <https://doi.org/10.1016/j.lwt.2020.109348>
- Wang, H. H., & Sun, D. W. (2002). Melting characteristics of cheese: Analysis of effects of cooking conditions using computer vision technology. *Journal of Food Engineering*, *51*(4), 305–310. [https://doi.org/10.1016/S0260-8774\(01\)00072-3](https://doi.org/10.1016/S0260-8774(01)00072-3)
- Wang, H., Wu, J., Luo, S., Zou, P., Guo, B., Liu, Y., ... Liu, C. (2020). Improving instant properties of kudzu powder by extrusion treatment and its related mechanism. *Food Hydrocolloids*, *101*, 105475. <https://doi.org/10.1016/j.foodhyd.2019.105475>
- Wang, K., Li, C., Wang, B., Yang, W., Luo, S., Zhao, Y., ... Zheng, Z. (2017). Formation of macromolecules in wheat gluten/starch mixtures during twin-screw extrusion: Effect of different additives. *Journal of the Science of Food and Agriculture*, *97*(April), 5131–5138. <https://doi.org/10.1002/jsfa.8392>
- Wang, K., & Arntfield, S. D. (2017). Effect of protein-flavour binding on flavour delivery and protein functional properties: A special emphasis on plant-based proteins. *Flavour and Fragrance Journal*, *32*(2), 92–101. <https://doi.org/10.1002/ffj.3365>
- Wang, L., Guo, H., Liu, X., Jiang, G., Li, C., Li, X., & Li, Y. (2019). Roles of *Lentinula edodes* as the pork lean meat replacer in production of the sausage. *Meat Science*, *156*, 44–51. <https://doi.org/10.1016/j.meatsci.2019.05.016>
- Wang, R., Jin, X., Su, S., Lu, Y., & Guo, S. (2019). Soymilk gelation: The determinant roles of incubation time and gelation rate. *Food Hydrocolloids*, *97*, 105230. <https://doi.org/10.1016/j.foodhyd.2019.105230>
- Wang, S., Yang, J., Shao, G., Liu, J., Wang, J., Yang, L., ... Jiang, L. (2020). pH-induced conformational changes and interfacial dilatational rheology of soy protein isolated/soy hull polysaccharide complex and its effects on emulsion stabilization. *Food Hydrocolloids*, *109*, 106075. <https://doi.org/10.1016/j.foodhyd.2020.106075>
- Wang, Y., Liu, J., Wei, F., Liu, X., Yi, C., & Zhang, Y. (2019). Improvement of the nutritional value, sensory properties and bioavailability of rapeseed meal fermented with mixed microorganisms. *LWT*. <https://doi.org/10.1016/j.lwt.2019.06.005>
- Wang, Y., Guldiken, B., Tulbek, M., House, J. D., & Nickerson, M. (2020). Impact of alcohol washing on the flavour profiles, functionality and protein quality of air classified pea protein enriched flour. *Food Research International*, *132*, 109085. <https://doi.org/10.1016/j.foodres.2020.109085>
- Wang, Z., Tian, B., Boom, R., & van der Goot, A. J. (2019). Air bubbles in calcium caseinate fibrous material enhances anisotropy. *Food Hydrocolloids*, *87*, 497–505. <https://doi.org/10.1016/j.foodhyd.2018.08.037>

- Wang, Z., Tian, B., Boom, R., & van der Goot, A. J. (2019). Understanding the role of air and protein phase on mechanical anisotropy of calcium caseinate fibers. *Food Research International*, 121, 862–869. <https://doi.org/10.1016/j.foodres.2019.01.009>
- Warnakulasuriya, S. N., & Nickerson, M. T. (2018). Review on plant protein-polysaccharide complex coacervation, and the functionality and applicability of formed complexes. *Journal of the Science of Food and Agriculture*, 98(15), 5559–5571. <https://doi.org/10.1002/jsfa.9228>
- Weiss, J., Salminen, H., Moll, P., & Schmitt, C. (2019). Use of molecular interactions and mesoscopic scale transitions to modulate protein-polysaccharide structures. *Advances in Colloid and Interface Science*, 271, 101987. <https://doi.org/10.1016/J.CIS.2019.07.008>
- Wenger, L. V. G., Clark, D. S., & Hauck, B. W. (1977). US4118164 - High-output apparatus for producing dense , uniformly layered meat analogue product.
- Werkhoff, P., Brüning, J., Emberger, R., Güntert, M., Köpsel, M., Kuhn, W., & Surburg, H. (1990). Isolation and Characterization of Volatile Sulfur-Containing Meat Flavor Components in Model Systems. *Journal of Agricultural and Food Chemistry*, 38(3), 777–791. <https://doi.org/10.1021/jf00093a041>
- Westerterp-Plantenga, M. S., Lemmens, S. G., & Westerterp, K. R. (2012). Dietary protein – its role in satiety, energetics, weight loss and health. *British Journal of Nutrition*, 108(S2), S105–S112. <https://doi.org/10.1017/S0007114512002589>
- Westhoek, H., Lesschen, J. P., Rood, T., Wagner, S., De Marco, A., Murphy-Bokern, D., ... Oenema, O. (2014). Food choices, health and environment: Effects of cutting Europe's meat and dairy intake. *Global Environmental Change*, 26(1), 196–205. <https://doi.org/10.1016/j.gloenvcha.2014.02.004>
- Wi, G., Bae, J., Kim, H., Cho, Y., & Choi, M.-J. (2020). Evaluation of the Physicochemical and Structural Properties and the Sensory Characteristics of Meat Analogues Prepared with Various Non-Animal Based Liquid Additives. *Foods*, 9(4), 461. <https://doi.org/10.3390/foods9040461>
- Wiebe, M. (2002). Myco-protein from fusarium venenatum: A well-established product for human consumption. *Applied Microbiology and Biotechnology*, 58(4), 421–427. <https://doi.org/10.1007/s00253-002-0931-x>
- Wiebe, M. G. (2004). Quorn™ myco-protein - Overview of a successful fungal product. *Mycologist*, 18(1), 17–20. <https://doi.org/10.1017/S0269915X04001089>
- Wieser, H. (2007). Chemistry of gluten proteins. *Food Microbiology*, 24(2), 115–119. <https://doi.org/10.1016/j.fm.2006.07.004>
- Wild, F. (2016). *Manufacture of Meat Analogues Through High Moisture Extrusion. Reference Module in Food Science*. Elsevier. <https://doi.org/http://doi.org/10.1016/B978-0-08-100596-5.03281-9>

- Wild, F., Czerny, M., Janssen, A. M., Kole, A. P. W., Zunabovic, M., & Domig, K. J. (2014). The evolution of a plant-based alternative to meat: From niche markets to widely accepted meat alternatives. *Agro Food Industry Hi-Tech*, 25(1), 45–49.
- Wilkinson, J. M. (2011). Re-defining efficiency of feed use by livestock. *Animal*, 5(7), 1014–1022. <https://doi.org/10.1017/S175173111100005X>
- Wilska-Jeszka, J. (2006). Food colorants. In *Chemical and Functional Properties of Food Components, Third Edition* (pp. 245–274). CRC Press. <https://doi.org/10.1016/b978-0-12-809434-1.00008-6>
- Wilson, N., Nghiem, N., Ni Mhurchu, C., Eyles, H., Baker, M. G., & Blakely, T. (2013). Foods and Dietary Patterns That Are Healthy, Low-Cost, and Environmentally Sustainable: A Case Study of Optimization Modeling for New Zealand. *PLoS ONE*, 8(3). <https://doi.org/10.1371/journal.pone.0059648>
- Wittek, P., Zeiler, N., Karbstein, H. P., & Emin, M. A. (2021). High Moisture Extrusion of Soy Protein: Investigations on the Formation of Anisotropic Product Structure. *Foods*, 10(1), 102. <https://doi.org/10.3390/foods10010102>
- Woerdeman, D. L., Shenoy, S., & Breger, D. (2007). Role of chain entanglements in the electrospinning of wheat protein-poly(vinyl alcohol) blends. *Journal of Adhesion*, 83(8), 785–798. <https://doi.org/10.1080/00218460701588398>
- Woerdeman, D. L., Ye, P., Shenoy, S., Parnas, R. S., Wnek, G. E., & Trofimova, O. (2005). Electrospun fibers from wheat protein: Investigation of the interplay between molecular structure and the fluid dynamics of the electrospinning process. *Biomacromolecules*, 6(2), 707–712. <https://doi.org/10.1021/bm0494545>
- Wolfe, R. R., Rutherfurd, S. M., Kim, I. Y., & Moughan, P. J. (2016). Protein quality as determined by the Digestible Indispensable Amino Acid Score: Evaluation of factors underlying the calculation. *Nutrition Reviews*, 74(9), 584–599. <https://doi.org/10.1093/nutrit/nuw022>
- Wolz, M., Kasthuber, S., & Kulozik, U. (2016). High moisture extrusion for microparticulation of whey proteins -Influence of process parameters. *Journal of Food Engineering*, 185, 56–61. <https://doi.org/10.1016/j.jfoodeng.2016.04.002>
- Wood, A. T., Everett, D., Budhwani, K. I., Dickinson, B., & Thomas, V. (2016). Wet-laid soy fiber reinforced hydrogel scaffold: Fabrication, mechano-morphological and cell studies. *Materials Science and Engineering C*, 63, 308–316. <https://doi.org/10.1016/j.msec.2016.02.078>
- Worldometer. (2020). World Population Clock: 7.8 Billion People (2020) - Worldometer. Retrieved June 15, 2020, from <https://www.worldometers.info/world-population/>
- Wouters, A. G. B., Rombouts, I., Fierens, E., Brijs, K., & Delcour, J. A. (2016). Relevance of the Functional Properties of Enzymatic Plant Protein Hydrolysates in Food Systems. *Comprehensive Reviews in Food Science and Food Safety*, 15(4), 786–800. <https://doi.org/10.1111/1541-4337.12209>

- Wu, C., Hua, Y., Chen, Y., Kong, X., & Zhang, C. (2017). Effect of temperature, ionic strength and I/S ratio on the rheological properties of heat-induced soy protein gels in relation to network proteins content and aggregates size. *Food Hydrocolloids*, *66*, 389–395. <https://doi.org/10.1016/j.foodhyd.2016.12.007>
- Wu, C., Navicha, W. B., Hua, Y., Chen, Y., Kong, X., & Zhang, C. (2018). Effects of removal of non-network protein on the rheological properties of heat-induced soy protein gels. *LWT*, *95*, 193–199. <https://doi.org/10.1016/j.lwt.2018.04.077>
- Wu, Y. F., Baek, H. H., Gerard, P. D., & Cadwallader, K. R. (2000). Development of a meat-like process flavoring from soybean-based enzyme-hydrolyzed vegetable protein (E-HVP). *Journal of Food Science*. <https://doi.org/10.1111/j.1365-2621.2000.tb10269.x>
- Wu, Y. F. G., & Cadwallader, K. R. (2002). Characterization of the aroma of a meatlike process flavoring from soybean-based enzyme-hydrolyzed vegetable protein. *Journal of Agricultural and Food Chemistry*, *50*(10), 2900–2907. <https://doi.org/10.1021/jf0114076>
- Wüstenberg, T. (2014). *Cellulose and Cellulose Derivatives in the Food Industry*. *Cellulose and Cellulose Derivatives in the Food Industry*. <https://doi.org/10.1002/9783527682935>
- Xiao, C. W. (2008). Health Effects of Soy Protein and Isoflavones in Humans. *The Journal of Nutrition*, *138*(6), 1244S-1249S. <https://doi.org/10.1093/ajph/100.12.2144S> [pii]
- Xu, H., Cai, S., Sellers, A., & Yang, Y. (2014). Electrospun ultrafine fibrous wheat glutenin scaffolds with three-dimensionally random organization and water stability for soft tissue engineering. *Journal of Biotechnology*, *184*, 179–186. <https://doi.org/10.1016/j.jbiotec.2014.05.011>
- Xu, X., Jiang, L., Zhou, Z., Wu, X., & Wang, Y. (2012). Preparation and properties of electrospun soy protein isolate/polyethylene oxide nanofiber membranes. *ACS Applied Materials and Interfaces*, *4*(8), 4331–4337. <https://doi.org/10.1021/am300991e>
- Yadav, P., Ahlawat, S. S., Soni, N., Rani, M., Bishnoi, S., & Jairath, G. (2015). Studies on Development of Meat Analogue Rolls Using Various Plant Sources. *International Journal of Research in Agricultural Sciences*, *2*(2), 2348–3997.
- Yang, C., Wang, Y., & Chen, L. (2017). Fabrication, characterization and controlled release properties of oat protein gels with percolating structure induced by cold gelation. *Food Hydrocolloids*, *62*, 21–34. <https://doi.org/10.1016/J.FOODHYD.2016.07.023>
- Yang, C., Wang, Y., Vasanthan, T., & Chen, L. (2014). Impacts of pH and heating temperature on formation mechanisms and properties of thermally induced canola protein gels. *Food Hydrocolloids*, *40*, 225–236. <https://doi.org/10.1016/j.foodhyd.2014.03.011>
- Yang, N., Feng, Y., Su, C., Wang, Q., Zhang, Y., Wei, Y., ... Fang, Y. (2020). Structure and tribology of κ -carrageenan gels filled with natural oil bodies. *Food Hydrocolloids*. <https://doi.org/10.1016/j.foodhyd.2020.105945>

- Yang, Y., & Xu, S. (2007). Roles of components of rice-based fat substitute in gelation. *Food Research International*, 40(9), 1155–1160. <https://doi.org/10.1016/J.FOODRES.2007.06.010>
- Yano, H. (2019, December 1). Recent practical researches in the development of gluten-free breads. *Npj Science of Food*. Nature Research. <https://doi.org/10.1038/s41538-019-0040-1>
- Yao, G., Liu, K. S., & Hsieh, F. (2004). A New Method for Characterizing Fiber Formation in Meat Analogs during High-moisture Extrusion. *Journal of Food Science*, 69(7), 303–307. <https://doi.org/10.1111/j.1365-2621.2004.tb13634.x>
- Yi, L., Lakemond, C. M. M., Sagis, L. M. C., Eisner-Schadler, V., Huis, A. Van, & Boekel, M. A. J. S. V. (2013). Extraction and characterisation of protein fractions from five insect species. *Food Chemistry*, 141(4), 3341–3348. <https://doi.org/10.1016/j.foodchem.2013.05.115>
- Yoo, S. H., & Chang, Y. H. (2016). Volatile compound, physicochemical, and antioxidant properties of beany flavor-removed soy protein isolate hydrolyzates obtained from combined high temperature pre-treatment and enzymatic hydrolysis. *Preventive Nutrition and Food Science*, 21(4), 338–347. <https://doi.org/10.3746/pnf.2016.21.4.338>
- Yorks, T. P. (1978). Energy Use in Soy-bean Meat Analog Manufacture : a Comparison with Beef. *J Sci Food Agric*, 29, 895–902.
- Yoshie-Stark, Y., Wada, Y., & Wäsche, A. (2008). Chemical composition, functional properties, and bioactivities of rapeseed protein isolates. *Food Chemistry*, 107(1), 32–39. <https://doi.org/10.1016/j.foodchem.2007.07.061>
- Young, V. R. (1991). Soy protein in relation to human protein and amino acid nutrition. *Journal of the American Dietetic Association*, 91(7), 828–835. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/2071798>
- Yu, J., Ahmedna, M., & Goktepe, I. (2007). Peanut protein concentrate: Production and functional properties as affected by processing. *Food Chemistry*, 103(1), 121–129. <https://doi.org/10.1016/j.foodchem.2006.08.012>
- Yuliarti, O., Kiat Kavis, T. J., & Yi, N. J. (2020). Structuring the meat analogue by using plant-based derived composites. *Journal of Food Engineering*, 288, 110138. <https://doi.org/10.1016/j.jfoodeng.2020.110138>
- Yum, H. W., Seo, J. K., Jeong, J. Y., Kim, G. D., Rahman, M. S., & Yang, H. S. (2018). The quality improvement of emulsion-type pork sausages formulated by substituting pork back fat with rice bran oil. *Korean Journal for Food Science of Animal Resources*, 38(1), 123–134. <https://doi.org/10.5851/kosfa.2018.38.1.123>
- Yves veggie Cuisine. (2020). Yves veggie cuisine - Bologna. Retrieved October 23, 2020, from <http://yvesveggie.com/en/products/deli-slices/bologna/>

- Zahari, I., Ferawati, F., Helstad, A., Ahlström, C., Östbring, K., Rayner, M., & Purhagen, J. K. (2020). Development of high-moisture meat analogues with hemp and soy protein using extrusion cooking. *Foods*, 9(6), 772. <https://doi.org/10.3390/foods9060772>
- Zalm, E. E. J. va. der, Goot, A. J. va. der, & Boom, R. M. (2009). Influence of process conditions on the separation behaviour of starch-gluten systems. *Journal of Food Engineering*, 95(4), 572–578. <https://doi.org/10.1016/j.jfoodeng.2009.06.038>
- Zayas, J. F., & Zayas, J. F. (1997). Water Holding Capacity of Proteins. In *Functionality of Proteins in Food* (pp. 76–133). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-59116-7_3
- Zhan, F., Shi, M., Wang, Y., Li, B., & Chen, Y. (2019). Effect of freeze-drying on interaction and functional properties of pea protein isolate/soy soluble polysaccharides complexes. *Journal of Molecular Liquids*, 285, 658–667. <https://doi.org/10.1016/j.molliq.2019.04.126>
- Zhang, B., Liu, G., Ying, D., Sanguansri, L., & Augustin, M. A. (2017). Effect of extrusion conditions on the physico-chemical properties and in vitro protein digestibility of canola meal. *Food Research International*, 100, 658–664. <https://doi.org/10.1016/J.FOODRES.2017.07.060>
- Zhang, J., Liu, L., Jiang, Y., Faisal, S., & Wang, Q. (2020). A new insight into the high-moisture extrusion process of peanut protein: From the aspect of the orders and amount of energy input. *Journal of Food Engineering*, 264, 109668. <https://doi.org/10.1016/J.JFOODENG.2019.07.015>
- Zhang, J., Liu, L., Jiang, Y., Shah, F., Xu, Y., & Wang, Q. (2020). High-moisture extrusion of peanut protein-/carrageenan/sodium alginate/wheat starch mixtures: Effect of different exogenous polysaccharides on the process forming a fibrous structure. *Food Hydrocolloids*, 99, 105311. <https://doi.org/10.1016/j.foodhyd.2019.105311>
- Zhang, J., Liu, L., Liu, H., Yoon, A., Rizvi, S. S. H., & Wang, Q. (2019, November 13). Changes in conformation and quality of vegetable protein during texturization process by extrusion. *Critical Reviews in Food Science and Nutrition*. Taylor and Francis Inc. <https://doi.org/10.1080/10408398.2018.1487383>
- Zhang, T., Dou, W., Zhang, X., Zhao, Y., Zhang, Y., Jiang, L., & Sui, X. (2021). The development history and recent updates on soy protein-based meat alternatives. *Trends in Food Science & Technology*. <https://doi.org/10.1016/j.tifs.2021.01.060>
- Zhang, X. M., Zhang, Y. B., & Chi, M. H. (2016). Soy Protein Supplementation Reduces Clinical Indices in Type 2 Diabetes and Metabolic Syndrome. *Yonsei Med J*, 57(3), 681–689. <https://doi.org/10.3349/ymj.2016.57.3.681>
- Zhang, Y., Yang, R., Zhang, W., Hu, Z., & Zhao, W. (2017). Structural characterization and physicochemical properties of protein extracted from soybean meal assisted by steam flash-explosion with dilute acid soaking. *Food Chemistry*, 219, 48–53. <https://doi.org/10.1016/j.foodchem.2016.09.079>

- Zhang, Y., Yang, R., Zhao, W., Hua, X., & Zhang, W. (2014). Physicochemical and emulsifying properties of protein extracted from soybean meal assisted by steam flash-explosion. *Innovative Food Science and Emerging Technologies*, *23*, 131–137. <https://doi.org/10.1016/j.ifset.2014.03.009>
- Zhang, Y., Chakraborty, P., & Villagran, F. V. (2020). GB201707641D0 - Flavor Modifiers For Meat Analog Products.
- Zhao, H., Chen, J., Hemar, Y., & Cui, B. (2020). Improvement of the rheological and textural properties of calcium sulfate-induced soy protein isolate gels by the incorporation of different polysaccharides. *Food Chemistry*, *310*, 125983. <https://doi.org/10.1016/j.foodchem.2019.125983>
- Zhao, H., Yu, B., Hemar, Y., Chen, J., & Cui, B. (2020). Improvement of calcium sulfate-induced gelation of soy protein via incorporation of soy oil before and after thermal denaturation. *LWT*, *117*, 108690. <https://doi.org/10.1016/j.lwt.2019.108690>
- Zheng, L., Teng, F., Wang, N., Zhang, X. N., Regenstein, J. M., Liu, J. S., ... Wang, Z. J. (2019). Addition of salt ions before spraying improves heat and cold-induced gel properties of Soy Protein Isolate (SPI). *Applied Sciences (Switzerland)*. <https://doi.org/10.3390/app9061076>
- Zheng, L., Wang, Z. J., Kong, Y., Ma, Z. L., Wu, C. L., Regenstein, J. M., ... Li, Y. (2021). Different commercial soy protein isolates and the characteristics of Chiba tofu. *Food Hydrocolloids*, *110*, 106115. <https://doi.org/10.1016/j.foodhyd.2020.106115>
- Zheng, T., Li, X., Taha, A., Wei, Y., Hu, T., Fatamorgana, P. B., ... Hu, H. (2019). Effect of high intensity ultrasound on the structure and physicochemical properties of soy protein isolates produced by different denaturation methods. *Food Hydrocolloids*, *97*, 105216. <https://doi.org/10.1016/j.foodhyd.2019.105216>
- Zhong, Z., & Xiong, Y. L. (2020). Thermosonication-induced structural changes and solution properties of mung bean protein. *Ultrasonics Sonochemistry*, *62*, 104908. <https://doi.org/10.1016/j.ultsonch.2019.104908>
- Zhou, L., Yang, Y., Ren, H., Zhao, Y., Wang, Z., Wu, F., & Xiao, Z. (2016). Structural changes in rice bran protein upon different extrusion temperatures: A raman spectroscopy study. *Journal of Chemistry*, *2016*. <https://doi.org/10.1155/2016/6898715>
- Zhou, Y., Li, X., Hua, Y., Kong, X., Zhang, C., Chen, Y., & Wang, S. (2019). The absence of lipoxygenase and 7S globulin of soybeans and heating temperatures on the properties of soymilks and soy yogurts. *LWT*, *115*, 108431. <https://doi.org/10.1016/j.lwt.2019.108431>
- Zhu, F. (2020). Dietary fiber polysaccharides of amaranth, buckwheat and quinoa grains: A review of chemical structure, biological functions and food uses. *Carbohydrate Polymers*, *248*, 116819. <https://doi.org/10.1016/j.carbpol.2020.116819>
- Zhu, L., Yin, P., Xie, T., Liu, X., Yang, L., Wang, S., ... Liu, H. (2020). Interaction between soyasaponin and soy β -conglycinin or glycinin: Air-water interfacial behavior and

foaming property of their mixtures. *Colloids and Surfaces B: Biointerfaces*, 186, 110707.
<https://doi.org/10.1016/j.colsurfb.2019.110707>

Zhu, X., & van Ierland, E. C. (2004). Protein Chains and Environmental Pressures: A Comparison of Pork and Novel Protein Foods. *Environmental Sciences*, 1(3), 254–276.
<https://doi.org/10.1080/15693430412331291652>

Zijlstra, N., Mars, M., Stafleu, A., & de Graaf, C. (2010). The effect of texture differences on satiation in 3 pairs of solid foods. *Appetite*, 55(3), 490–497.
<https://doi.org/10.1016/j.appet.2010.08.014>

Zilic, S., Bozovic, I., & Sukalovic, V. H. T. (2012). Thermal inactivation of soybean bioactive proteins. *International Journal of Food Engineering*, 8(4). <https://doi.org/10.1515/1556-3758.2521>

Zisopoulos, F. K., Overmars, L., & van der Goot, A. J. (2017). A conceptual exergy-based framework for assessing, monitoring, and designing a resource efficient agri-food sector. *Journal of Cleaner Production*. <https://doi.org/10.1016/j.jclepro.2017.04.160>

Zulkurnain, M., Goh, M. H., Karim, A. A., & Liong, M. T. (2008). Development of a soy-based cream cheese. *Journal of Texture Studies*, 39(6), 635–654.
<https://doi.org/10.1111/j.1745-4603.2008.00163.x>