

WORKING PAPER
Wageningen School of Social Sciences

Return of the icecream men
A discrete hotelling game

Nabi Abudaldah, Wim Heijman, Pieter Heringa, Pierre v. Mouche

WASS Working PAPER No. 11
2015



Wageningen School
of Social Sciences

Hollandseweg 1, 6706 KN Wageningen,
The Netherlands

Phone: +31 317 48 41 26

Fax: +31 317 48 47 63

Internet: <http://www.wass.wur.nl>

e-mail: wass@wur.nl

Working Papers are interim reports on work of Wageningen School of Social Sciences (WASS) and have received only limited reviews¹. Each paper is refereed by one member of the Editorial Board and one member outside the board. Views or opinions expressed in them do not necessarily represent those of WASS.

WASS's researchers are based in two departments: 'Social Sciences' and 'Environmental Sciences' and two institutes: 'LEI, Agricultural Economics Research Institute' and 'Alterra, Research Institute for the Green World'. In total WASS comprises about 250 researchers.

WASS promotes top-quality research that increases our understanding of social processes and design practices around challenges and opportunities in the sphere of agriculture, food, health, environment and development. WASS provides a home for internationally oriented scholars with diverse disciplinary expertise and research traditions, and wishes to create an enabling environment for disciplinary, interdisciplinary and trans-disciplinary work. WASS strives to make high-quality academic contributions and also to critically engage in societal debates and contribute to societal problem solving and innovation. WASS offers in-depth PhD training that provides students with a suitable background for a career in academic and applied research, policy-making, or other leading societal positions.

Comments on the Working Papers are welcome and should be addressed directly to the author(s).

Nabi Abudaldah
Wim Heijman

Gen-Nederland, Utrecht, the Netherlands
Agricultural Economics and Rural Policy, Wageningen
University, wim.heijman@wur.nl

Pieter Heringa

Rathenau Institute, The Hague, the Netherlands

Pierre v. Mouche

Economics of Consumers and Households, Wageningen
University, pierre.vanmouche@wur.nl

Editorial Board:

Prof.dr. Wim Heijman (Regional Economics)

Dr. Johan van Ophem (Economics of Consumers and Households)

Dr. Geoffrey Hagelaar (Management Studies)

¹ Working papers may have been submitted to other journals and have entered a journal's review process. Should the journal decide to publish the article the paper no longer will have the status of a WASS Working Paper and will be withdrawn from the WASS website. From then on a link will be made to the journal in question referring to the published work and its proper citation.

RETURN OF THE ICECREAM MEN

A DISCRETE HOTELLING GAME

Nabi Abudaldah¹, Wim Heijman², Pieter Heringa³, Pierre v. Mouche⁴

January 2015

Abstract

We consider a finite symmetric game in strategic form with two players which can be interpreted as a discrete variant of the Hotelling game in a one or two-dimensional space. As the analytical investigation of this game is tedious, we simulate with Maple and formulate some conjectures. In addition we present a short literature overview.

Keywords: discrete Hotelling game, Maple, Nash equilibrium

JEL: C72, R30

¹ Gen-Nederland, Utrecht, the Netherlands

² Wageningen University, Department of Social Sciences, the Netherlands

³ Rathenau Institute, The Hague, the Netherlands

⁴ Wageningen University, Department of Social Sciences, the Netherlands

1. Introduction

For over eighty years, many people have been intrigued by one single article by professor Harold Hotelling. The most fascinating thing about Hotelling's model is perhaps its simple appearance at first sight, but despite this apparent simplicity, it touches upon so many issues, that new variations of Hotelling's model continue to be published until today. However, the elegance and simple nature of Hotelling's model also limit its value for real world applications. Real-world location questions often involve two dimensional spaces, multiple actors, a heterogeneous demand over space, and (policy) restrictions on sites where firms are able to be located. As such it is important to extend the models with more sophisticated specifications, as earlier work has shown that even minor changes in the assumptions of the model sometimes leads to enormous changes in its outcomes (Eiselt and Laporte 1989). Including such specifications into Hotelling's model may make its analytical investigation even more challenging and laborious. In this article we consider a discrete variant of the Hotelling game and study it by using Maple.

The remainder of this article is organised as follows: Section 2 provides a (modest) literature overview of Hotelling's model. Section 3 presents our discrete variant. Section 4 presents an analysis of a simple case and formulates some conjectures based on simulations with Maple. Conclusions are in Section 5.

2. Literature overview

Let us first turn to the model as it was described by Hotelling in his seminal article on this topic (Hotelling 1929). The buyers of a certain commodity are distributed uniformly along a line with length l . On the line are two firms A and B, with respective distances a and b from the two extremes of the line. All buyers bring their bought commodities home at a cost of c per unit of distance. Hotelling makes some important assumptions. He assumes that (1) the cost of production of both firms is zero; (2) one unit quantity of the commodity is sold in each unit of time, per unit of length; (3) no buyer has a preference for any of the sellers, all existing preferences in reality are symbolized by the transportation price (and hence reflected in the 'final' price that is paid by the customer). Hotelling himself did not mention another important assumption he makes, namely that the transportation costs per unit product are taken to be independent of the number of units transported (Lerner and Singer 1937). The finding by Hotelling that (under certain assumptions) the two firms will tend to locate as close together as possible at the centre of the line, became generally known as the Hotelling Law, or the principle of minimum differentiation (Eaton and Lipsey 1975). Hotelling's findings are later disputed in a

stream of literature which started with Vickrey (1964) and attracted more attention after the formalisation of the arguments by d'Aspremont et al. (1979).

Stevens (1961) was the first to suggest that Hotelling's law can be treated as a game theoretical problem. Since then, most contributors to the literature on this law have combined Hotelling's main insights and propositions with later knowledge on equilibria in game theory. The easiest way to view Hotelling's model as a game, is to strictly divide his model into two parts, and make a game for each: a pricing game and a location game. In the Hotelling Pricing Game, firms can set prices, given certain locations (locations are fixed). In the Hotelling Location Game, firms can choose a location, but prices are fixed (Rasmusen 2007).

Many amendments can be made to the original model of Hotelling. There is indeed a very wide body of literature in which adaptations of the model are examined, with a large variety of different outcomes. For a selective but useful overview, see Graitson (1982), Gabszewicz and Thisse (1992) or Kilkenny and Thisse (1999).

Apart from the assumptions Hotelling himself mentioned, there are a few assumptions that hold for almost all game-theoretical variations on the basic model: rational intelligent players, a symmetric game and complete information.

To obtain a general picture, authors that provide an overview of earlier literature usually categorize models according to the main assumptions made. Most important are the:

- number of firms;
- decision variables of these firms (location or price);
- order of the decisions (including whether or not the game is sequential);
- physical form of the market;
- economic form of the market (cooperation, oligopoly or pure competition);
- elasticity of demand;
- distribution of consumers;
- possibility for new entrants to enter the market.

The Hotelling game structure can also be relevant in cases where the locations do not represent geographical places, for example for models on elections for political parties; only the positioning is considered, prices are irrelevant (Hotelling 1929; Smithies 1941; Anderson et al. 1992; Negriu and Piatecki (2012)).

The assumption of a uniform distribution of consumers is rather common in location models, probably because of its convenience for analysis (e.g. Tabuchi and Thisse 1995).

Studies on a two-dimensional or higher-dimensional space are scarce, most probably because the analysis is complex, laborious and tedious. Eiselt (2011) points out a few directions for future research. He mentions the possibility of extensions to more dimensions, but immediately adds that it is doubtful that this is a promising niche, as the first results have shown it to be very difficult, even for pure locational models. Some have for example come up with circular or triangular markets to loosen the strict assumption of a linear market (Lerner and Singer, 1937; Vickrey, 1964; Eaton and Lipsey, 1975; Gupta et al, 2004). However, there are a few analyses with a two-dimensional space. There is a well-known conjecture of Eaton and Lipsey (1975) that for more than two firms in a two-dimensional space, an equilibrium with zero conjectural variation is unlikely to exist. However, Okabe and Suzuki (1987) show with Voronoi-diagrams that for very large numbers of firms, the configuration has stable equilibria in the inner area of square regions. Tabuchi (1994), Irmen and Thisse (1998) and Veendorp and Majeed (1995) all show that (under specific conditions) firms in a bounded two-dimensional space minimize differentiation on one dimension, and maximize it on the other.

We finish this (incomplete) literature overview by noting that discrete models, even in a one-dimensional space, are also scarce. An overview of the few existing studies can be found in Serra and Reville (1994); also see Prisner (2011).

In the next section we will introduce a discrete Hotelling model in terms of a game in strategic form. As far as we know such a game has never been studied before.

3. A discrete Hotelling game

Below we present a discrete Hotelling game. We start by describing this game in one dimensional space.

3.1 One dimension

Consider the following game in strategic form with 2 players, denoted by 1,2. The game depends on two parameters: a positive integer n and a real number w with $0 < w \leq 1$. Each player i has the same action set $X^i = \{0, 1, \dots, n\}$ considered as $n+1$ points on the real line and referred to as *locations*. The players simultaneously and independently choose a location; for $j=1,2$, player j chooses vertex x^j . Each of the vertices contributes as follows to the payoff the players. If a vertex is closest to one player, say at distance d , then this vertex contributes an amount w^d only to this player. If a vertex is closest to both players, say at distance d , then this vertex contributes $w^d/2$ to each player. We call w the *distance factor*.

It is straightforward to check that in case $w=1$ this leads to the payoff functions $f^1, f^2 : X^1 \times X^2 \rightarrow \mathbb{R}$ given by

$$f^1(x^1, x^2) = \begin{cases} \frac{x^1 + x^2 + 1}{2} & \text{if } x^1 < x^2 \\ \frac{n+1}{2} & \text{if } x^1 = x^2 \\ n+1 - \frac{x^1 + x^2 + 1}{2} & \text{if } x^1 > x^2, \end{cases}$$

$$f^2(x^1, x^2) = f^1(x^2, x^1).$$

So, for instance in case $n = 10$, the payoffs at some choices of vertices are:

$$f^1(0, 10) = \frac{11}{2}, f^2(0, 10) = \frac{11}{2}; f^1(4, 5) = 5, f^2(4, 5) = 6;$$

$$f^1(3, 3) = \frac{11}{2}, f^2(3, 3) = \frac{11}{2}; f^1(3, 8) = 6, f^2(3, 8) = 5.$$

The reader is invited to check that for $n = 4$ and $w = \frac{1}{2}$ the game is the following bi-matrix game (with row (column) $i + 1$ for the action i of player 1 (2)):

$$\begin{pmatrix} 31/32; 31/32 & 1; 15/8 & 5/4; 2 & 3/2; 2 & 13/8; 13/8 \\ 15/8; 1 & 19/16; 19/16 & 3/2; 7/4 & 7/4; 7/4 & 2; 3/2 \\ 2; 5/4 & 7/4; 3/2 & 5/4; 5/4 & 7/4; 3/2 & 2; 5/4 \\ 2; 3/2 & 7/4; 7/4 & 3/2; 7/4 & 19/16; 19/16 & 15/18; 1 \\ 13/8; 13/8 & 3/2; 2 & 5/4; 2 & 1; 15/8 & 31/32; 31/32 \end{pmatrix}.$$

The corresponding set of Nash equilibria is $\{(1, 2), (1, 3), (2, 1), (3, 1)\}$.

3.2 More dimensions

Consider the game in Subsection 3.1. This game can be extended to two dimensions. The only difference now is that the strategy spaces are squares with $(n+1)(n+1)$ vertices; so each player has the strategy set $\{0, 1, \dots, n\} \times \{0, 1, \dots, n\}$. Distances are measured via the lattice (Manhattan distance). Of course, also generalisations to more than two dimensions are possible.

3.3 Interpretations

Of course, the above abstract interpretation allows for various more concrete economic interpretations. A possible one is the following.

Assume p^* and $q(p^*, t(d))$ represent constant price and quantity demanded respectively of the type of goods under consideration, with $t(d)$ for transportation costs per unit depending on the distance d between buyer and seller. In case:

$$q(p^*, t_p(d)) = \frac{w^{t_p(d)}}{p^*} \text{ and } t_p(d) = d,$$

we obtain for the contribution of a buyer to the pay-off of a seller at distance d :

$$p^*q(p^*, t_p(d)) = w^d$$

or an equal share of this if the location has an equal distance to the two sellers. So, in case there are no production costs, w^d is also the contribution to the profit of the seller.

4. Analysis and conjectures

4.1 One dimensional case and distance factor 1

Below we first present for the discrete Hotelling game in the case of one dimension and $w=1$ various fundamental observations in terms of three simple propositions.

Proposition 1

1. The game is symmetric, i.e. $f^2(x^1, x^2) = f^1(x^2, x^1)$ for all (x^1, x^2) .
2. $f^1 + f^2 = n + 1$, thus the game is a constant-sum game.

Proof

1. We see that:

$$\text{If } x^1 < x^2, \text{ then } f^2(x^1, x^2) = n + 1 - \frac{x^2 + x^1 + 1}{2} = n + 1 - \frac{x^1 + x^2 + 1}{2} = f^1(x^2, x^1).$$

$$\text{If } x^1 = x^2, \text{ then } f^2(x^1, x^2) = \frac{n+1}{2} = f^1(x^2, x^1),$$

$$\text{If } x^1 > x^2, \text{ then } f^2(x^1, x^2) = \frac{x^2 + x^1 + 1}{2} = \frac{x^1 + x^2 + 1}{2} = f^1(x^2, x^1).$$

2. This immediately follows from the formulas for f^1 and f^2 . Q.e.d.

As the game is a constant-sum game there are two consequences. (1) All strategy profiles are fully cooperative, i.e. maximise the total payoff function $f^1 + f^2$ (and therefore are Pareto efficient). (2) the game is strictly competitive, that is for all strategy profiles (a^1, a^2) and (b^1, b^2) it holds that $f^1(a^1, a^2) \leq f^1(b^1, b^2) \Rightarrow f^2(a^1, a^2) \geq f^2(b^1, b^2)$.

As the game is strictly competitive, it follows (see Friedman 1991) that:

Proposition 2

1. For each player i and for all Nash equilibria (a^1, a^2) and (b^1, b^2) it holds that $f^i(a^1, a^2) = f^i(b^1, b^2)$.
2. The set of Nash equilibria is a Cartesian product.

As the game is symmetric and the numbering of the vertices may be reversed, it follows that:

Proposition 3

If (e^1, e^2) is a Nash equilibrium, then also (e^2, e^1) , $(n-e^1, n-e^2)$ and $(n-e^2, n-e^1)$ are Nash equilibria.

Proposition 2(1) guarantees that the payoff of player 1 is the same in each Nash-equilibrium; denote this value by v . The above makes it possible to determine v quickly: suppose (n^1, n^2) is a Nash-equilibrium. By Proposition 3, (n^2, n^1) is also a Nash equilibrium. By Proposition 1(1), $f^2(n^1, n^2) = f^1(n^2, n^1)$. By Proposition 2(1), $f^1(n^1, n^2) = f^1(n^2, n^1)$. Now $n+1 = f^1(n^1, n^2) + f^2(n^1, n^2) = 2f^1(n^1, n^2)$ and therefore $v = \frac{n+1}{2}$.

By now we do not know that the game has a Nash-equilibrium. However, it is straightforward to prove the following theorem:

Theorem 1

In case $w = 1$ the game has a symmetric Nash equilibrium. Moreover:

1. In case n is even, the set of Nash equilibria equals

$$\left\{ \left(\frac{n}{2}, \frac{n}{2} \right) \right\}.$$

2. In case n is odd, the set of Nash equilibria equals

$$\left\{ \left(\frac{n+1}{2}, \frac{n-1}{2} \right), \left(\frac{n-1}{2}, \frac{n+1}{2} \right), \left(\frac{n+1}{2}, \frac{n+1}{2} \right), \left(\frac{n-1}{2}, \frac{n-1}{2} \right) \right\}.$$

4.2 Conjectures

Based on our simulations with Maple we make the following conjectures.

- I. There exists for every n and w at least one Nash equilibrium.
- II. In the one-dimensional case the average distance between the two players in the Nash equilibria decreases. The average distance is computed as the sum of all distances between the players in all possible Nash-equilibria divided by the number of these equilibria. Formally: fix n and denote by $E(w)$ the set of Nash equilibria in case of distance factor w . Then $\frac{1}{\#E(w)} \cdot \sum_{(e^1, e^2) \in E(w)} |e^1 - e^2|$ is a decreasing function of w .
- III. In the one-dimensional case, the two players aiming at maximum total payoff can do so by locating to about $\frac{1}{4}$ and $\frac{3}{4}$ of total space available. Formally, the strategy profile

$$\left(\left[\frac{n+1}{4} \right], \left[\frac{3(n+1)}{4} \right] \right)$$

is fully cooperative, i.e. maximises the total payoff.

5. Conclusion

It is not self-evident that discrete games have similar equilibria to their continuous counterparts. In this article we introduced a discrete version of the Hotelling game with three parameters: the dimension (1 or 2), n (related to the number of vertices) and w (the distance factor). The one-dimensional case with distance factor 1 admits a straightforward game theoretical analysis. The analysis of the other cases is not at all straightforward. Based on simulation with the computer algebra program Maple we formulate some conjectures (for future research).

References

- Anderson, S.P., De Palma, A. & Thisse, J-F. (1992). *Discrete Choice Theory of Product Differentiation*. Cambridge, Massachusetts: MIT Press.
- d'Aspremont, C., Gabszewicz, J.J. & J-F. Thisse, J-F. (1979). On Hotelling's "Stability in Competition", *Econometrica*, 47 (5), 1145-1150.
- Eaton, B.C., & Lipsey, R.G. (1975). The Principle of Minimum Differentiation Reconsidered: Some New Developments in the Theory of Spatial Competition, *The Review of Economic Studies*, 42(1), 27-49.
- Eiselt, H.A. (2011). Equilibria in Competitive Location Models. In: H.A. Eiselt and V. Marianov (Eds.), *Foundations of Location Analysis* (pp. 139-162). New York: Springer.
- Eiselt, H. A., and Laporte, G. (1989). Competitive spatial models, *European Journal of Operational Research*, 39, 231-242.
- Gabszewicz, J.J. & Thisse, J-F. (1992). *Location*. In: Aumann, R., and S. Hart, *Handbook of Game Theory: With Economic Applications*, Vol. 1 (pp. 281-321). Amsterdam, The Netherlands/ Oxford, UK: Elsevier.
- Graitson, D., (1982). Spatial Competition á la Hotelling: A Selective Survey, *The Journal of Industrial Economics*, 31(1/ 2), 11-25.
- Gupta, B., Lai, F-C., Pal, D., Sarkar, J., & Yu, C-M. (2004). Where to locate in a circular city?, *International Journal of Industrial Organization*, 22(6), 759-782.
- Hotelling, H. (1929). Stability in Competition, *The Economic Journal*, 39 (153), 41-57.
- Irmen, A., & Thisse, J-F. (1998). Competition in Multi-characteristics Spaces: Hotelling Was Almost Right, *Journal of Economic Theory*, 78, 76-102.
- Kilkenny, M., and Thisse, J-F., (1999). Economics of Location: A Selective Survey, *Computers and Operation Research*, 26, 1369-1394.
- Lerner, A.P., & Singer, H. W., (1937). Some Notes on Duopoly and Spatial Competition, *The Journal of Political Economy*, 45(2), 145-186.
- Negriu A. and C. Piatecki, 2012. On the performance of voting systems in spatial voting simulations. *J Econ Interact Coord*, 7: 63-77.
- Okabe, A., & Suzuki, A. (1987). Stability of spatial competition for a large number of firms on a bounded two-dimensional space, *Environment and Planning A*, 19(8), 1067-1082.
- Prisner E., (2011). Best response digraphs for two location games on graphs. In L.A. Petrosjan and N.A. Zenkevich (eds). *Contributions to game theory and management*, Vol. 4, pp. 378-388. St Petersburg.

- Rasmusen, E., (2007). *Games and information; an introduction to game theory* (4th ed). Malden, Massachusetts: Blackwell.
- Serra, D., & Charles ReVelle, C., (1994). Competitive Location in Discrete Space, *Economics Working Paper Series*, 96. In: Z. Drezner (ed.): *Facility Location: A Survey of Applications and Methods* (pp. 367-386). New York: Springer-Verlag.
- Smithies, A., (1941). Optimum Location in Spatial Competition, *The Journal of Political Economy*, 49(3), 423-439.
- Stevens, B.H., (1961). An application of Game Theory to a Problem in Location Strategy, *Papers and Proceedings of the Regional Science Association*, 7, 143-157.
- Tabuchi, T. (1994). Two-stage, two-dimensional spatial competition between two firms, *Regional Science and Urban Economics*, 24, 207-227.
- Tabuchi, T., & Thisse, J-F., (1995). Asymmetric equilibria in spatial competition, *International Journal of Industrial Organization*, 13, 213-227.
- Veendorp, E.C.H., & Majeed, A. (1995). Differentiation in a two-dimensional market, *Regional Science and Urban Economics*, 25, 75-83.
- Vickrey, W., 1964, *Microstatics*. New York: Harcourt, Brace and World.